

Real-time Scheduling

Tanenbaum
Section 2.5, Section 7.4.2-7.4.4



COMP3231 03s1

1

Real Time Scheduling

- Correctness of the system may depend not only on the logical result of the computation but also **on the time when** these results are produced, e.g.
 - Tasks attempt to control events or to react to events that take place in the outside world
 - These external events occur in *real time* and processing must be able to keep up
 - Processing must happen in a timely fashion,
 - neither too late, nor too early



COMP3231 03s1

2

Real Time System (RTS)

- RTS accepts an activity *A* and guarantees its requested (timely) behaviour *B* if and only if
 - RTS finds a *schedule*
 - that includes all already accepted activities *A_i* and the new activity *A*,
 - that guarantees all requested timely behaviour *B_i* and *B*, and
 - that can be enforced by the RTS.
- Otherwise, RT system rejects the new activity *A*.



COMP3231 03s1

3

Typical Real Time Systems

- Control of laboratory experiments
- Robotics
- (Air) Traffic control
- Controlling Cars / Trains/ Planes
- Telecommunications
- Medical support (Remote Surgery, Emergency room)
- Multi-Media
- Remark: Some applications may have only **soft-real time** requirements, but some have really **hard real-time** requirements



COMP3231 03s1

4

Hard-Real Time Systems

- Requirements:
 - **Must always meet all deadlines** (time guarantees)
 - You have to guarantee that in any situation these applications are done in time, otherwise dangerous things may happen

Examples:

1. If the landing of a fly-by-wire jet cannot react to sudden side-winds within some milliseconds, an accident might occur.
2. An airbag system or the ABS has to react within milliseconds



COMP3231 03s1

5

Soft-Real Time Systems

Requirements:

Must mostly meet all deadlines, e.g. 99.9% of cases

Examples:

1. Multi-media: 100 frames per day might be dropped (late)
2. Car navigation: 5 late announcements per week are acceptable
3. Washing machine: washing 10 sec over time might occur once in 10 runs, 50 sec once in 100 runs.




COMP3231 03s1

6

Properties of Real-Time Tasks

- To schedule a real time task, its properties must be known *a priori*
- The most relevant properties are
 - Arrival time (or release time) a_i
 - Maximum execution time (service time)
 - Deadline d_i



7

Categories of Real time tasks

- Periodic
 - Each task is repeated at a regular interval
 - Max execution time is the same each period
 - Arrival time is usually the start of the period
 - Deadline is usually the end
- Aperiodic (sporadic)
 - Each task can arrive at any time



THE UNIVERSITY OF
NEW SOUTH WALES

COMP3231 03s1

8

Real-time scheduling approaches

- Static table-driven scheduling
 - Given a set of tasks and their properties, a schedule (table) is precomputed offline.
 - Used for periodic task set
 - Requires entire schedule to be recomputed if we need to change the task set
- Static priority-driven scheduling
 - Given a set of tasks and their properties, each task is assigned a fixed priority
 - A preemptive priority-driven scheduler used in conjunction with the assigned priorities
 - Used for periodic task sets



THE UNIVERSITY OF
NEW SOUTH WALES

COMP3231 03s1

9

Real-time scheduling approaches

- Dynamic scheduling
 - Task arrives prior to execution
 - The scheduler determines whether the new task can be *admitted*
 - Can all other admitted tasks and the new task meet their deadlines?
 - If no, reject the new task
 - Can handle both *periodic* and *aperiodic* tasks



THE UNIVERSITY OF
NEW SOUTH WALES

COMP3231 03s1

10

Scheduling in Real-Time Systems

- We will only consider periodic systems

Schedulable real-time system

- Given
 - m periodic events
 - event i occurs within period P_i and requires C_i seconds
- Then the load can only be handled if

$$\sum_{i=1}^m \frac{C_i}{P_i} \leq 1$$



THE UNIVERSITY OF
NEW SOUTH WALES

COMP3231 03s1

11

Two Typical Real-time Scheduling Algorithms







- Rate Monotonic Scheduling
 - Static Priority priority-driven scheduling
 - Priorities are assigned based on the period of each task
 - The shorter the period, the higher the priority
- Earliest Deadline First Scheduling
 - The task with the earliest deadline is chosen next



THE UNIVERSITY OF
NEW SOUTH WALES

COMP3231 03s1

12



EDF

- EDF always works for any schedulable set of tasks, i.e. up to 100% CPU utilisation
- Summary
 - If CPU utilisation is low
 - Can use RMS which is simple and easy to implement
 - If CPU utilisation is high
 - Must use EDF