

Back to Operating Systems Chapter 1 – 1.3 Chapter 1.5 – 1.9

Learning Outcomes • High-level understand what is an operating system and the role it plays • A high-level understanding of the structure of operating systems, applications, and the relationship between them.


3



What is a traffic light? • A signalling device that controls the flow of traffic Defined in terms of the **role** it plays A signalling device consisting of three lights mounted at an intersection
• Defined in terms of what it is

6

4



Role 1: The Operating System is an Abstract Machine

• Extends the basic hardware with added functionality

• Provides high-level abstractions

• More programmer friendly

• Common core for all applications


• Eg. Filesystem instead of just registers on a disk controller

• It hides the details of the hardware

• Makes application code portable

7

8



Role 2: The Operating System is a Resource Manager

Responsible for allocating resources to users and processes

Must ensure

No Starvation


Progress

Allocation is according to some desired policy

First-come, first-served; Fair share; Weighted fair share; limits (quotas), etc...

Overall, that the system is efficiently used

9 10



Operating System Kernel

• Portion of the operating system that is running in privileged mode

• Usually resident (stays) in main memory

• Contains fundamental functionality

• Whatever is required to implement other services

• Whatever is required to provide security

• Contains most-frequently used functions

• Also called the nucleus or supervisor

Applications

11 12


The Operating System is Privileged

• Applications should not be able to interfere or bypass the operating system


• OS can enforce the "extended machine"


• OS can enforce its resource allocation policies

• Prevent applications from interfering with each other





13





15 16





17 18

A Note on System Libraries

System libraries are just that, libraries of support functions (procedures, subroutines)

• Only a subset of library functions are actually system calls

• strcmp(), memcpy(), are pure library functions

• manipulate memory within the application, or perform computation

• open(), close(), read(), write() are system calls

• they cross the user-kernel boundary, e.g. to read from disk device


• Implementation mainly focused on passing request to OS and returning result to application

• System call functions are in the library for convenience

• try man syscalls on Linux

Operating System Software • Fundamentally, OS functions the same way as ordinary computer software
• It is machine code that is executed (same machine instructions as application) System Libraries It has more privileges (extra instructions and access) User Mode Operating system relinquishes control of the processor to execute other Kernel Mode programs Device Reestablishes control after System calls
 Interrupts (especially timer interrupts) Device Memory **UNSW**


19 20




The Monolithic Operating System Structure

• Also called the "spaghetti nest" approach
• Everything is tangled up with everything else.
• Linux, Windows,

21 22





23 24

