

COMP1521 23T2 – MIPS Functions

<https://www.cse.unsw.edu.au/~cs1521/23T2/>

Functions

Functions define named pieces of code

- to whom you can supply values (arguments/parameters)
- which do some computation on those values
- and which return a result

E.g.

```
int timesTwo(int x) {  
    int two_x = x*2;  
    return two_x;  
}
```

Function Signatures

Each function has a signature

- defining the types of parameters
- defining the type of the return value

E.g.

```
// timesTwo takes an int parameter and returns an int result
int timesTwo(int);
```

When you call a function you must supply

- an appropriate number of values, each with the correct type

Calling Functions

You invoke/call a function

- by giving its name
- by giving values for the parameters
- by using the result

E.g.

```
int y;  
y = timesTwo(2);
```

In fact, C does not require you to use the result of a function

Calling a Function (in more detail)

Example function call

```
res = fun(expr1, expr2, ...)
```

- each expression is evaluated and its value associated to a parameter
- control transfers to the body of the function
- function local variables are created
- the function code executes
- when the result is returned, control returns to the caller

Implementing Functions Calls in MIPS Assembler

When we call a function:

- in the caller code
 - the arguments are evaluated and set up for function (**\$a?**)
 - control is transferred to the code for the function (**jal fun**)
- in code at the start of the function, called the prologue
 - local variables are created (**\$t?**)
 - registers to be preserved are saved (**\$s?**)
- the code for the function body is then executed
- in code at the end of the function, called the epilogue
 - the return value is set up (**\$v0**)
 - control transfers back to where the function was called from (**jr \$ra**)
 - the caller receives the return value

Simple view of implementing function calls in MIPS:

main:

```
# set params  
# $a0, $a1, ...  
jal func  
# main continues
```

func:

```
...  
# set return $v0  
jr $ra
```

...



Function with No Parameters or Return Value

- **jal hello** sets **\$ra** to address of following instruction, and transfers execution to **hello**
- **jr \$ra** transfers execution to the address in **\$ra**

```
int main(void) {
    hello();
    hello();
    hello();
    return 0;
}

void hello(void) {
    printf("hi\n");
}
```

```
main:
    ...
    jal  hello
    jal  hello
    jal  hello
    ...
hello:
    la  $a0, string
    li  $v0, 4
    syscall
    jr  $ra
    .data
string:
    .asciiz "hi\n"
```

Function with a Return Value but No Parameters

By convention, function return value is passed back in **\$v0**

```
int main(void) {
    int a = answer();
    printf("%d\n", a);
    return 0;
}

int answer(void) {
    return 42;
}
```

```
main:
...
jal answer
move $a0, $v0
li $v0, 1
syscall
...
answer:
li $v0, 42
jr $ra
```

Function with a Return Value and Parameters

By convention, first 4 parameters are passed in **\$a0, \$a1, \$a2, \$a3**

If there are more parameters they are passed on the stack

Parameters too big to fit in a register, such as structs, also passed on the stack.

```
int main(void) {
    int a = product(6, 7);
    printf("%d\n", a);
    return 0;
}

int product(int x, int y) {
    return x * y;
}
```

```
main:
    ...
    li  $a0, 6
    li  $a1, 7
    jal product
    move $a0, $v0
    li  $v0, 1
    syscall
    ...

product:
    mul $v0, $a0, $a1
    jr $ra
```

Function calling another function ... DO NOT DO THIS

Functions that do not call other functions - **leaf functions** are easier to implement.

Function that call other function(s) are harder, because they *must* save \$ra.

The **jr \$ra** in main below **will fail**, because **jal hello** changed \$ra

```
int main(void) {
    hello();
    return 0;
}

void hello(void) {
    printf("hi\n");
}
```

```
main:
    jal hello
    li $v0, 0
    jr $ra # THIS WILL FAIL
hello:
    la $a0, string
    li $v0, 4
    syscall
    jr $ra
    .data
string: .asciiz "hi\n"
```

Simple Function Call Example - C

```
void f(void);
int main(void) {
    printf("calling function f\n");
    f();
    printf("back from function f\n");
    return 0;
}
void f(void) {
    printf("in function f\n");
}
```

source code for call_return.c


Simple Function Call Example - broken MIPS

```
la    $a0, string0    # printf("calling function f\n");
li    $v0, 4
syscall
jal  f                # set $ra to following address
la    $a0, string1    # printf("back from function f\n");
li    $v0, 4
syscall
li    $v0, 0            # fails because $ra changes since main called
jr    $ra                # return from function main
f:
la    $a0, string2    # printf("in function f\n");
li    $v0, 4
syscall
jr    $ra                # return from function f
.data
```

source code for call_return.broken.s

The Stack: Where it is in Memory

Data associated with a function call placed on the stack:



The Stack: Allocating Space

- **\$sp** (stack pointer) initialized by operating system
- always 4-byte aligned (divisible by 4)
- points at currently used (4-byte) word
- grows downward (towards smaller addresses)
- a function can do this to allocate 40 bytes:

```
sub $sp, $sp, 40      # move stack pointer down
```

- a function **must** leave \$sp at original value
- so if you allocated 40 bytes, before return (**jr \$ra**)

```
add $sp, $sp, 40      # move stack pointer back
```

The Stack: Saving and Restoring Registers - the Hard Way

f:

```
# function prologue code
sub $sp, $sp, 12    # allocate 12 bytes
sw $ra, 8($sp)      # save $ra on $stack
sw $s1, 4($sp)      # save $s1 on $stack
sw $s0, 0($sp)      # save $s0 on $stack

...                      # function body code

# function epilogue code
lw $s0, 0($sp)      # restore $s0 from $stack
lw $s1, 4($sp)      # restore $s1 from $stack
lw $ra, 8($sp)      # restore $ra from $stack
add $sp, $sp, 12    # move stack pointer back
jr $ra                # return
```

The Stack: Saving and Restoring Registers - the Easy way

f:

```
# function prologue code
push $ra          # save $ra on $stack
push $s1          # save $s1 on $stack
push $s0          # save $s0 on $stack


...               # function body code

# function epilogue code
pop  $s0          # restore $s0 from $stack
pop  $s1          # restore $s1 from $stack
pop  $ra          # restore $ra from $stack
```

- note must **pop** everything **push**-ed, must be in reverse order
- **push & pop** are pseudo-instructions
 - available only on mipsy, not other MIPS emulators
 - **push & pop** often real instruction or psudo instructions on other architectures

The Stack: Growing & Shrinking

How stack changes as functions are called and return:



Function calling another function ... how to do it right

A function that calls another function must save **\$ra**.

main:

```
# prologue
push $ra          # save $ra on $stack

jal hello        # call hello

# epilogue
pop $ra          # recover $ra from $stack
li $v0, 0         # return 0
jr $ra          #
```

Simple Function Call Example - correct hard way

```
la    $a0, string0    # printf("calling function f\n");
li    $v0, 4
syscall
jal  f                # set $ra to following address
la    $a0, string1    # printf("back from function f\n");
li    $v0, 4
syscall
lw    $ra, 0($sp)      # recover $ra from $stack
addi $sp, $sp, 4       # move stack pointer back to what it was
li    $v0, 0              # return 0 from function main
jr    $ra                #
f:
la    $a0, string2    # printf("in function f\n");
li    $v0, 4
syscall
jr    $ra                # return from function f
```

source code for call_return_raw.s

Simple Function Call Example - correct easy way

```
la    $a0, string0    # printf("calling function f\n");
li    $v0, 4
syscall
jal  f                # set $ra to following address
la    $a0, string1    # printf("back from function f\n");
li    $v0, 4
syscall
pop  $ra                # recover $ra from $stack
li    $v0, 0              # return 0 from function main
jr   $ra                #
# f is a leaf function so it doesn't need an epilogue or prologue
f:
la    $a0, string2    # printf("in function f\n");
li    $v0, 4
syscall
jr   $ra                # return from function f
```

source code for call_return.s

- **\$a0..\$a3** contain first 4 arguments
- **\$v0** contains return value
- **\$ra** contains return address
- if function changes **\$sp, \$fp, \$s0..\$s7** it restores their value
- callers assume **\$sp, \$fp, \$s0..\$s7** unchanged by call (**jal**)
- a function may destroy the value of other registers e.g. **\$t0..\$t9**
- callers must assume value in e.g. **\$t0..\$t9** changed by call (**jal**)

- floating point registers used to pass/return float/doubles
- similar conventions for saving floating point registers
- stack used to pass arguments after first 4
- stack used to pass arguments which do not fit in register
- stack used to return values which do not fit in register
- for example a struct can be a C function argument or function return value
but a struct can be any number of bytes

Example - Returning a Value - C

```
int answer(void);
int main(void) {
    int a = answer();
    printf("%d\n", a);
    return 0;
}
int answer(void) {
    return 42;
}
```

source code for return_answer.c

Example - Returning a Value - MIPS

```
# code for function main
main:
    begin                  # move frame pointer
    push $ra                # save $ra onto stack
    jal answer               # call answer(), return value will be in $v0
    move $a0, $v0             # printf("%d", a);
    li $v0, 1                #
    syscall                 #
    li $a0, '\n'             # printf("%c", '\n');
    li $v0, 11                #
    syscall                 #
    pop $ra                 # recover $ra from stack
    end                     # move frame pointer back
    li $v0, 0                # return
    jr $ra                  #

# code for function answer
answer:
    li $v0, 42               # return 42
    jr $ra                  #
```

Example - Argument & Return - C

```
void two(int i);
int main(void) {
    two(1);
}
void two(int i) {
    if (i < 1000000) {
        two(2 * i);
    }
    printf("%d\n", i);
}
```

source code for two_powerful.c

Example - Argument & Return - MIPS (main)

main:

```
begin          # move frame pointer
push $ra        # save $ra onto stack
li $a0, 1
jal two        # two(1);
pop $ra         # recover $ra from stack
end            # move frame pointer back
li $v0, 0       # return 0
jr $ra          #
```

source code for two_powerful.s

Example - Argument & Return - MIPS (two)

```
two:  
    begin                  # move frame pointer  
        push $ra             # save $ra onto stack  
        push $s0             # save $s0 onto stack  
        move $s0, $a0  
        bge $a0, 1000000, two_end_if  
        mul $a0, $a0, 2  
        jal two  
two_end_if:  
    move $a0, $s0  
    li $v0, 1           # printf("%d");  
    syscall  
    li $a0, '\n'         # printf("%c", '\n');  
    li $v0, 11  
    syscall  
    pop $s0             # recover $s0 from stack  
    pop $ra             # recover $ra from stack  
    end                 # move frame pointer back  
    jr $ra              # return from two
```

Example - More complex Calls - C

```
int main(void) {
    int z = sum_product(10, 12);
    printf("%d\n", z);
    return 0;
}
int sum_product(int a, int b) {
    int p = product(6, 7);
    return p + a + b;
}
int product(int x, int y) {
    return x * y;
}
```

source code for more_calls.c

Example - more complex Calls - MIPS (main)

main:

```
begin                      # move frame pointer
push $ra                   # save $ra onto stack
li  $a0, 10                 # sum_product(10, 12);
li  $a1, 12
jal sum_product
move $a0, $v0               # printf("%d", z);
li  $v0, 1
syscall
li  $a0, '\n'               # printf("%c", '\n');
li  $v0, 11
syscall
pop  $ra                   # recover $ra from stack
end                         # move frame pointer back
li  $v0, 0                  # return 0 from function main
jr  $ra                   # return from function main
```

source code for more_calls.s

Example - more complex Calls - MIPS (sum_product)

sum_product:

```
begin                      # move frame pointer
push $ra                   # save $ra onto stack
push $s0                   # save $s0 onto stack
push $s1                   # save $s1 onto stack
move $s0, $a0               # preserve $a0 for use after function call
move $s1, $a1               # preserve $a1 for use after function call
li $a0, 6                  # product(6, 7);
li $a1, 7
jal product
add $v0, $v0, $s0           # add a and b to value returned in $v0
add $v0, $v0, $s1           # and put result in $v0 to be returned
pop $s1                    # recover $s1 from stack
pop $s0                    # recover $s0 from stack
pop $ra                     # recover $ra from stack
end                         # move frame pointer back
jr $ra                      # return from sum_product
```

source code for more_calls.s

Example - more complex Calls - MIPS (product)

- a function which doesn't call other functions is called a ***leaffunction***
- its code *can* be simpler...

```
int product(int x, int y) {  
    return x * y;  
}
```

source code for more_calls.c

```
product:          # product doesn't call other functions  
                  # so it doesn't need to save any registers  
    mul  $v0, $a0, $a1  # return argument * argument 2  
    jr   $ra             #
```

source code for more_calls.s

Example - strlen using array - C

C

```
int main(void) {
    int i = my_strlen("Hello");
    printf("%d\n", i);
    return 0;
}
int my_strlen(char *s) {
    int length = 0;
    while (s[length] != 0) {
        length++;
    }
    return length;
}
```

source code for strlen_array.c

Simple C

```
int main(void) {
    int i = my_strlen("Hello");
    printf("%d\n", i);
    return 0;
}
int my_strlen(char *s) {
    int length = 0;
loop:;
    if (s[length] == 0) goto end;
    length++;
    goto loop;
end:;
    return length;
}
```

source code for strlen_array.simple.c

Example - strlen using pointer - C

```
int main(void) {
    int i = my_strlen("Hello");
    printf("%d\n", i);
    return 0;
}
int my_strlen(char *s) {
    int length = 0;
    while (s[length] != 0) {
        length++;
    }
    return length;
}
```

source code for strlen_array.c

Example - strlen using pointer - MIPS (my_strlen)

```
la    $a0, string      # my_strlen("Hello");
jal  my_strlen
move $a0, $v0          # printf("%d", i);
li   $v0, 1
syscall
li   $a0, '\n'         # printf("%c", '\n');
li   $v0, 11
syscall
pop   $ra              # recover $ra from stack
end               # move frame pointer back
li   $v0, 0             # return 0 from function main
jr   $ra              #
```

source code for strlen_array.s

Storing A Local Variables On the Stack

- some local (function) variables must be stored on stack
- e.g. variables such as arrays and structs

```
int main(void) {  
    int squares[10];  
    int i = 0;  
    while (i < 10) {  
        squares[i] = i * i;  
        i++;  
    }  
}
```

source code for squares.c

```
main:  
    sub $sp, $sp, 40  
    li $t0, 0  
loop0:  
    mul $t1, $t0, 4  
    add $t2, $t1, $sp  
    mul $t3, $t0, $t0  
    sw $t3, ($t2)  
    add $t0, $t0, 1  
    b loop0  
end0:
```

source code for squares.s

Example - strlen using pointer - C

```
int main(void) {
    int i = my_strlen("Hello");
    printf("%d\n", i);
    return 0;
}
int my_strlen(char *s) {
    int length = 0;
    while (s[length] != 0) {
        length++;
    }
    return length;
}
```

source code for strlen_array.c

What is a Frame Pointer

- frame pointer **\$fp** is a second register pointing to stack
- by convention, set to point at start of stack frame
- provides a fixed point during function code execution
- useful for functions which grow stack (change **\$sp**) during execution
- makes it easier for debuggers to forensically analyze stack
 - e.g if you want to print stack backtrace after error
- using a frame pointer is optional - both in COMP1521 and generally
- a frame pointer is often omitted when fast execution or small code a priority

Example of Growing Stack Breaking Function Return

```
void f(int a) {  
    int length;  
    scanf("%d", &length);  
    int array[length];  
    // ... more code ...  
    printf("%d\n", a);  
}
```

source code for frame_pointer.c

```
f:  
    # prologue  
    sub $sp, $sp, 4  
    sw  $ra, 0($sp)  
  
    li   $v0, 5  
    syscall  
    # allocate space for  
    # array on stack  
    mul $t0, $v0, 4  
    sub $sp, $sp, $t0  
    # ... more code ...  
  
    # epilogue  
    # breaks because $sp has changed  
    lw   $ra, 0($sp)  
    add $sp, $sp, 4  
    jr  $ra
```

source code for frame_pointer.broken.s

Example of Frame Pointer Use - Hard Way

```
void f(int a) {  
    int length;  
    scanf("%d", &length);  
    int array[length];  
    // ... more code ...  
    printf("%d\n", a);  
}
```

source code for frame_pointer.c

```
f:  
    # prologue  
    sub $sp, $sp, 8  
    sw  $fp, 4($sp)  
    sw  $ra, 0($sp)  
    add $fp, $sp, 8  
  
    li   $v0, 5  
    syscall  
    mul $t0, $v0, 4  
    sub $sp, $sp, $t0  
    # ... more code ...  
  
    # epilogue  
    lw   $ra, -4($fp)  
    move $sp, $fp  
    lw   $fp, 0($fp)  
    jr  $ra
```

source code for frame_pointer.s

Example of Frame Pointer Use - Easy Way

```
void f(int a) {  
    int length;  
    scanf("%d", &length);  
    int array[length];  
    // ... more code ...  
    printf("%d\n", a);  
}
```

source code for frame_pointer.c

```
f:  
    # prologue  
begin  
push $ra  
  
    li    $v0, 5  
syscall  
mul   $t0, $v0, 4  
sub   $sp, $sp, $t0  
    # ... more code ...  
  
    # epilogue  
pop    $ra  
end  
jr    $ra
```

source code for frame_pointer.s

- **begin** & **end** are pseudo-instructions available only on mipsy