

# COMP1521 24T2 – MIPS Functions

---

<https://www.cse.unsw.edu.au/~cs1521/24T2/>

Functions define named pieces of code

- to whom you can supply values (arguments/parameters)
- which do some computation on those values
- and which return a result

E.g.

```
int timesTwo(int x) {  
    int two_x = x*2;  
    return two_x;  
}
```

# Function Signatures

Each function has a signature

- defining the number and types of parameters
- defining the type of the return value

E.g.

```
// timesTwo takes an int parameter and returns an int result
int timesTwo(int);
```

A function call must supply an appropriate number of values, each with the correct type

# Calling Functions

You invoke/call a function

- by giving its name
- by giving values for the parameters
- by using the result

E.g.

```
int y;  
y = timesTwo(2);
```

In fact, C does not require you to use the result of a function

### Example function call

```
res = fun(expr1, expr2, ...)
```

- each expression is evaluated and its value associated to a parameter
- control transfers to the body of the function
- function local variables are created
- the function code executes
- when the result is returned, control returns to the caller

# Implementing Functions Calls in MIPS Assembler

When we call a function:

- in the caller code
  - the arguments are evaluated and set up for function (`$a?`)
  - control is transferred to the code for the function (`jal fun`)
- in code at the start of the function, called the *prologue*
  - local variables are created (`$t?`)
  - registers to be preserved are saved (`$s?`)
- the code for the function body is then executed
- in code at the end of the function, called the *epilogue*
  - the return value is set up (`$v0`)
  - control transfers back to where the function was called from (`jr $ra`)
  - the caller receives the return value

## Simple view of implementing function calls in MIPS:

```
main:  
    # set params  
    # $a0, $a1, ...  
    jal func  
    # main continues  
    ...
```

```
func:  
    ...  
    # set return $v0  
    jr $ra
```



## Function with No Parameters or Return Value

- `jal hello` sets `$ra` to address of following instruction, and transfers execution to `hello`
- `jr $ra` transfers execution to the address in `$ra`

```
int main(void) {  
    hello();  
    hello();  
    hello();  
    return 0;  
}
```

```
void hello(void) {  
    printf("hi\n");  
}
```

```
main:  
    ...  
    jal  hello  
    jal  hello  
    jal  hello  
    ...  
hello:  
    la   $a0, string  
    li   $v0, 4  
    syscall  
    jr   $ra  
.data  
string:  
.asciiz "hi\n"
```

# Function with a Return Value but No Parameters

By convention, function return value is passed back in `$v0`

```
int main(void) {  
    int a = answer();  
    printf("%d\n", a);  
    return 0;  
}  
  
int answer(void) {  
    return 42;  
}
```

```
main:  
    ...  
    jal  answer  
    move $a0, $v0  
    li   $v0, 1  
    syscall  
    ...  
answer:  
    li  $v0, 42  
    jr  $ra
```

## Function with a Return Value and Parameters

By convention, first 4 parameters are passed in \$a0, \$a1, \$a2, \$a3

If there are more parameters they are passed on the stack

Parameters too big to fit in a register, such as structs, also passed on the stack.

```
int main(void) {  
    int a = product(6, 7);  
    printf("%d\n", a);  
    return 0;  
}  
  
int product(int x, int y) {  
    return x * y;  
}
```

```
main:  
    ...  
    li    $a0, 6  
    li    $a1, 7  
    jal   product  
    move $a0, $v0  
    li    $v0, 1  
    syscall  
    ...  
product:  
    mul   $v0, $a0, $a1  
    jr    $ra
```

## Function calling another function ... DO NOT DO THIS

Functions that do not call other functions - *leaf functions* - are easier to implement.

Function that call other function(s) are harder to implement, because they *must* save \$ra in their prologue and restore it in their epilogue.

The **jr \$ra** in **main** below will fail, because **jal hello** changed \$ra

```
int main(void) {  
    hello();  
    return 0;  
}  
  
void hello(void) {  
    printf("hi\n");  
}
```

```
main:  
    jal hello  
    li $v0, 0  
    jr $ra # THIS WILL FAIL  
  
hello:  
    la $a0, string  
    li $v0, 4  
    syscall  
    jr $ra  
    .data  
  
string: .asciiz "hi\n"
```

## Simple Function Call Example - C

```
void f(void);
int main(void) {
    printf("calling function f\n");
    f();
    printf("back from function f\n");
    return 0;
}
void f(void) {
    printf("in function f\n");
}
```

source code for call\_return.c


## Simple Function Call Example - broken MIPS

```
la    $a0, string0    # printf("calling function f\n");
li    $v0, 4
syscall
jal   f                # set $ra to following address
la    $a0, string1    # printf("back from function f\n");
li    $v0, 4
syscall
li    $v0, 0            # fails because $ra changes since main called
jr    $ra                # return from function main
f:
la    $a0, string2    # printf("in function f\n");
li    $v0, 4
syscall
jr    $ra                # return from function f
.data
```

source code for call\_return.broken.s

# The Stack: Where it is in Memory

Data associated with a function call placed on the stack:



## The Stack: Allocating Space

- **\$sp** (stack pointer) initialized by operating system
- always 4-byte aligned (divisible by 4)
- points at currently used (4-byte) word
- grows downward (towards smaller addresses)
- a function can do this to allocate 40 bytes:

```
sub $sp, $sp, 40      # move stack pointer down
```

- a function **must** leave \$sp at original value
- so if you allocated 40 bytes, before return (**jr \$ra**)

```
add $sp, $sp, 40      # move stack pointer back
```

# The Stack: Saving and Restoring Registers - the Hard Way

f:

```
# function prologue code
sub $sp, $sp, 12    # allocate 12 bytes
sw  $ra, 8($sp)    # save $ra on $stack
sw  $s1, 4($sp)    # save $s1 on $stack
sw  $s0, 0($sp)    # save $s0 on $stack

...                  # function body code

# function epilogue code
lw  $s0, 0($sp)    # restore $s0 from $stack
lw  $s1, 4($sp)    # restore $s1 from $stack
lw  $ra, 8($sp)    # restore $ra from $stack
add $sp, $sp, 12    # move stack pointer back
jr $ra              # return
```

## The Stack: Saving and Restoring Registers - the Easy way

f:

```
# function prologue code
push $ra           # save $ra on $stack
push $s1           # save $s1 on $stack
push $s0           # save $s0 on $stack


...
# function body code

# function epilogue code
pop  $s0           # restore $s0 from $stack
pop  $s1           # restore $s1 from $stack
pop  $ra           # restore $ra from $stack
```

- note must **pop** everything **push**-ed, must be in reverse order
- **push** & **pop** are pseudo-instructions
  - **push** & **pop** available only on mipsy, not other MIPS emulators
  - but **push** & **pop** can be real instructions or pseudo-instructions on other architectures

# The Stack: Growing & Shrinking

How stack changes as functions are called and return:



## Function calling another function ... how to do it right

A function that calls another function must save \$ra.

```
main:  
    # prologue  
    push    $ra           # save $ra on $stack  
  
    jal    hello          # call hello  
  
    # epilogue  
    pop    $ra           # recover $ra from $stack  
    li     $v0, 0          # return 0  
    jr    $ra            #
```

## Simple Function Call Example - correct hard way

```
la    $a0, string0    # printf("calling function f\n");
li    $v0, 4
syscall
jal   f                # set $ra to following address
la    $a0, string1    # printf("back from function f\n");
li    $v0, 4
syscall
lw    $ra, 0($sp)      # recover $ra from $stack
addi $sp, $sp, 4        # move stack pointer back to what it was
li    $v0, 0                # return 0 from function main
jr   $ra                 #
f:
la    $a0, string2    # printf("in function f\n");
li    $v0, 4
syscall
jr   $ra                 # return from function f
```

## Simple Function Call Example - correct easy way

```
la    $a0, string0    # printf("calling function f\n");
li    $v0, 4
syscall
jal   f                # set $ra to following address
la    $a0, string1    # printf("back from function f\n");
li    $v0, 4
syscall
pop  $ra                # recover $ra from $stack
li    $v0, 0                # return 0 from function main
jr   $ra                #
# f is a leaf function so it doesn't need an epilogue or prologue
f:
la    $a0, string2    # printf("in function f\n");
li    $v0, 4
syscall
jr   $ra                # return from function f
```

- **\$a0..\$a3** contain first 4 arguments
- **\$v0** contains return value
- **\$ra** contains return address
- if function changes **\$sp, \$fp, \$s0..\$s7** it restores their value
- callers assume **\$sp, \$fp, \$s0..\$s7** unchanged by call (**jal**)
- a function may destroy the value of other registers e.g. **\$t0..\$t9**
- callers must assume value in e.g. **\$t0..\$t9** changed by call (**jal**)

- floating point registers used to pass/return float/doubles
- similar conventions for saving floating point registers
- stack used to pass arguments after first 4
- stack used to pass arguments which do not fit in register
- stack used to return values which do not fit in register
- for example a struct can be a C function argument or function return value  
but a struct can be any number of bytes

## Example - Returning a Value - C

```
int answer(void);
int main(void) {
    int a = answer();
    printf("%d\n", a);
    return 0;
}
int answer(void) {
    return 42;
}
```

source code for return\_answer.c

## Example - Returning a Value - MIPS

```
# code for function main
main:
    begin                  # move frame pointer
    push $ra                 # save $ra onto stack
    jal answer                # call answer(), return value will be in $v0
    move $a0, $v0              # printf("%d", a);
    li $v0, 1                 #
    syscall                 #
    li $a0, '\n'              # printf("%c", '\n');
    li $v0, 11                 #
    syscall                 #
    pop $ra                  # recover $ra from stack
    end                     # move frame pointer back
    li $v0, 0                 # return
    jr $ra                  #

# code for function answer
answer:
```

## Example - Argument & Return - C

```
void two(int i);
int main(void) {
    two(1);
}
void two(int i) {
    if (i < 1000000) {
        two(2 * i);
    }
    printf("%d\n", i);
}
```

source code for two\_powerful.c

## Example - Argument & Return - MIPS (main)

```
main:  
begin          # move frame pointer  
push $ra        # save $ra onto stack  
li  $a0, 1  
jal two         # two(1);  
pop $ra         # recover $ra from stack  
end            # move frame pointer back  
li  $v0, 0       # return 0  
jr  $ra         #
```

source code for two\_powerful.s

## Example - Argument & Return - MIPS (two)

two:

```
begin          # move frame pointer
push $ra        # save $ra onto stack
push $s0        # save $s0 onto stack
move $s0, $a0
bge $a0, 1000000, two_end_if
mul $a0, $a0, 2
jal two
```

two\_end\_if:

```
move $a0, $s0
li $v0, 1      # printf("%d");
syscall
li $a0, '\n'   # printf("%c", '\n');
li $v0, 11
syscall
pop $s0        # recover $s0 from stack
pop $ra        # recover $ra from stack
end           # move frame pointer back
jr $ra         # return from two
```

## Example - More complex Calls - C

```
int main(void) {  
    int z = sum_product(10, 12);  
    printf("%d\n", z);  
    return 0;  
}  
  
int sum_product(int a, int b) {  
    int p = product(6, 7);  
    return p + a + b;  
}  
  
int product(int x, int y) {  
    return x * y;  
}
```

source code for more\_calls.c

## Example - more complex Calls - MIPS (main)

main:

```
begin          # move frame pointer
push $ra        # save $ra onto stack
li  $a0, 10      # sum_product(10, 12);
li  $a1, 12
jal  sum_product
move $a0, $v0      # printf("%d", z);
li  $v0, 1
syscall
li  $a0, '\n'      # printf("%c", '\n');
li  $v0, 11
syscall
pop   $ra         # recover $ra from stack
end          # move frame pointer back
li  $v0, 0          # return 0 from function main
jr   $ra         # return from function main
```

## Example - more complex Calls - MIPS (sum\_product)

sum\_product:

```
begin                      # move frame pointer
push $ra                   # save $ra onto stack
push $s0                   # save $s0 onto stack
push $s1                   # save $s1 onto stack
move $s0, $a0               # preserve $a0 for use after function call
move $s1, $a1               # preserve $a1 for use after function call
li  $a0, 6                 # product(6, 7);
li  $a1, 7
jal product
add $v0, $v0, $s0           # add a and b to value returned in $v0
add $v0, $v0, $s1           # and put result in $v0 to be returned
pop $s1                    # recover $s1 from stack
pop $s0                    # recover $s0 from stack
pop $ra                    # recover $ra from stack
end                      # move frame pointer back
jr  $ra                   # return from sum_product
```

## Example - more complex Calls - MIPS (product)

- a function which doesn't call other functions is called a *leaf function*
- its code *can* be simpler...

```
int product(int x, int y) {  
    return x * y;  
}
```

source code for more\_calls.c

```
product:          # product doesn't call other functions  
                  # so it doesn't need to save any registers  
    mul  $v0, $a0, $a1 # return argument * argument 2  
    jr   $ra            #
```

source code for more\_calls.s

## Example - strlen using array - C

C

```
int main(void) {
    int i = my_strlen("Hello");
    printf("%d\n", i);
    return 0;
}

int my_strlen(char *s) {
    int length = 0;
    while (s[length] != 0) {
        length++;
    }
    return length;
}
```

source code for strlen\_array.c

Simple C

```
int main(void) {
    int i = my_strlen("Hello");
    printf("%d\n", i);
    return 0;
}

int my_strlen(char *s) {
    int length = 0;
loop:;
    if (s[length] == 0) goto end;
    length++;
    goto loop;
end:;
    return length;
}
```

source code for strlen\_simple.c

## Example - strlen using array - MIPS (my\_strlen)

```
my_strlen:          # length in t0, s in $a0
    li   $t0, 0
loop:             # while (s[length] != 0) {
    add  $t1, $a0, $t0  # calculate &s[length]
    lb   $t2, ($t1)    # load s[length] into $t2
    beq  $t2, 0, end    #
    addi $t0, $t0, 1    # length++;
    b    loop            # }
end:
    move $v0, $t0        # return length
    jr   $ra              #
```

source code for strlen\_arrays.s

## Example - strlen using pointer - C

```
int main(void) {
    int i = my_strlen("Hello Andrew");
    printf("%d\n", i);
    return 0;
}

int my_strlen(char *s) {
    int length = 0;
    while (*s != 0) {
        length++;
        s++;
    }
    return length;
}
```

source code for strlen\_pointer.c

## Example - strlen using pointer - MIPS (my\_strlen)

```
my_strlen:          # length in t0, s in $a0
    li   $t0, 0
loop:             #
    lb   $t1, ($a0)    # load *s into $t1
    beq  $t1, 0, end    #
    addi $t0, $t0, 1    # length++
    addi $a0, $a0, 1    # s++
    b    loop           #
end:
    move $v0, $t0        # return length
    jr   $ra             #
```

source code for strlen\_pointers.s

## Storing A Local Variables On the Stack

- some local (function) variables must be stored on stack
- e.g. variables such as arrays and structs

```
int main(void) {  
    int squares[10];  
    int i = 0;  
    while (i < 10) {  
        squares[i] = i * i;  
        i++;  
    }  
}
```

source code for squares.c

```
main:  
    sub  $sp, $sp, 40  
    li   $t0, 0  
loop0:  
    mul  $t1, $t0, 4  
    add  $t2, $t1, $sp  
    mul  $t3, $t0, $t0  
    sw   $t3, ($t2)  
    add  $t0, $t0, 1  
    b    loop0  
end0:
```

source code for squares.s

## What is a Frame Pointer

- frame pointer **\$fp** is a second register pointing to stack
- by convention, set to point at start of stack frame
- provides a fixed point during function code execution
- useful for functions which grow stack (change **\$sp**) during execution
- makes it easier for debuggers to forensically analyze stack
  - e.g if you want to print stack backtrace after error
- using a frame pointer is optional - both in COMP1521 and generally
- a frame pointer is often omitted when fast execution or small code a priority

## Example of Growing Stack Breaking Function Return

```
void f(int a) {  
    int length;  
    scanf("%d", &length);  
    int array[length];  
    // ... more code ...  
    printf("%d\n", a);  
}
```

source code for frame\_pointer.c

```
f:  
    # prologue  
    sub $sp, $sp, 4  
    sw  $ra, 0($sp)  
    li  $v0, 5  
    syscall  
    # allocate space for  
    # array on stack  
    mul $t0, $v0, 4  
    sub $sp, $sp, $t0  
    # ... more code ...  
    # epilogue  
    # breaks because $sp has changed  
    lw   $ra, 0($sp)  
    add $sp, $sp, 4  
    jr  $ra
```

source code for frame\_pointer.broken.s

## Example of Frame Pointer Use - Hard Way

```
void f(int a) {  
    int length;  
    scanf("%d", &length);  
    int array[length];  
    // ... more code ...  
    printf("%d\n", a);  
}
```

source code for frame\_pointer.c

```
f:  
    # prologue  
    sub $sp, $sp, 8  
    sw  $fp, 4($sp)  
    sw  $ra, 0($sp)  
    add $fp, $sp, 8  
  
    li   $v0, 5  
    syscall  
    mul $t0, $v0, 4  
    sub $sp, $sp, $t0  
    # ... more code ...  
  
    # epilogue  
    lw   $ra, -4($fp)  
    move $sp, $fp
```

## Example of Frame Pointer Use - Easy Way

```
void f(int a) {  
    int length;  
    scanf("%d", &length);  
    int array[length];  
    // ... more code ...  
    printf("%d\n", a);  
}
```

source code for frame\_pointer.c

```
f:  
    # prologue  
    begin  
    push $ra  
  
    li    $v0, 5  
    syscall  
    mul   $t0, $v0, 4  
    sub   $sp, $sp, $t0  
    # ... more code ...  
  
    # epilogue  
    pop   $ra  
    end  
    jr    $ra
```

source code for frame\_pointers.s

- **begin** & **end** are pseudo-instructions available only on mipsy