

COMP1917: Computing 1

14. Linked Lists

Reading: Moffat, Section 10.1-10.2

Overview

- Self-referential structures
- Linked Lists
- List operations
- Stacks
- Ordered lists

Self-Referential Structures

We can define a structure containing within it a pointer to the same type of structure:

```
typedef struct lnode Lnode;

struct lnode {
    int    data;
    Lnode *next;
};
```

These “self-referential” pointers can be used to build larger “dynamic” data structures out of smaller building blocks.


Linked Lists

The most fundamental of these dynamic data structures is the [Linked List](#):

- based on the idea of a sequence of data items or nodes
- linked lists are more flexible than arrays:
 - ▶ items don't have to be located next to each other in memory
 - ▶ items can easily be rearranged by altering pointers
 - ▶ the number of items can change dynamically
 - ▶ items can be added or removed in any order

We will look at how to create lists and some useful operations for manipulating them.


Linked List



- a **linked list** is a sequence of items
- each items of the list contains data and a pointer to the next item
- also need to maintain a pointer to the first item or “head” of the list
- the last item in the list points to NULL
- need to distinguish between the node and the data;
the node is like a “container” which holds the data inside it.

Linked List Node

Example of a list node:



Linked List Node Structure in C

```
typedef struct addressNode AddressNode;

struct addressNode {
    AddressNode *next;
    char *name;
    char *address;
    char *telephone;
    char *email;
};
```

List Operations

Fundamental List operations:

- create a new node with specified data
- search for a node with particular data
- insert a new node to the list
- remove a node from the list

Other operations are possible and can be added as needed.

Lists also form the basis for useful data structures like **stacks** and **queues**.

List Operations

```

Lnode * makeNode( int data );    // create new node

Lnode * findNode( int data, Lnode *head );

Lnode * push( Lnode *new_node, Lnode *head );// to front
Lnode * pop ( Lnode *head );    // first item

void   printList( Lnode *head ); // print all items
void   freeList ( Lnode *head ); // clear entire list

Lnode * insert( Lnode *new_node, Lnode *head );// in order
Lnode * excise( Lnode *old_node, Lnode *head );

```

Making a New Node

```

/*
 * Create a new node containing the specified data,
 * and return a pointer to this newly-created node.
 */
Lnode * makeNode( int data )
{
    Lnode *new_node =(Lnode *)malloc( sizeof( Lnode ));
    if( new_node == NULL ) {
        fprintf(stderr,"Error: memory allocation failed.\n");
        exit( 1 );
    }
    new_node->data = data;
    new_node->next = NULL;
    return( new_node );
}

```

Finding a Node in a List

```

/*
 * Search through list to find the first node with the
 * specified data, and return a pointer to this node.
 * If no such node exists, return NULL.
 */
Lnode * findNode( int data, Lnode *head )
{
    Lnode *node = head; // start at first node in list

    // keep searching until data found, or end of list
    while(( node != NULL )&&( node->data != data )) {
        node = node->next;
    }
    return( node );
}

```

Recursive version of findNode()


```

/*
 * First check the head. Then check the rest, which is also
 * a list, by making the function (recursively) call itself!
 */
Lnode * findNode( int data, Lnode *head )
{
    if(( head == NULL )||( head->data == data )) {
        return( head );
    }
    else {
        return( findNode( data, head->next ));
    }
}

```

Question: Could this function keep calling itself, to infinity? Why not?

Push a Node onto the Front of a List



Pushing a new item involves two operations:

- make the new node point to the current head of the list
- make the new node become the new head of the list

Push a Node onto the Front of a List

```

/*
  Push new node to front of list and
  return the resulting (longer) list
*/
Lnode * push( Lnode *new_node, Lnode *head )
{
    new_node->next = head;
    return( new_node );
}

```

Since this function returns the new list, it should be called like this:

```
list = push( makeNode('A'), list );
```

Pop the First Node from a List

```

/*
  Pop first item from list and
  return the remaining (shorter) list
*/
Lnode * pop( Lnode *head )
{
    Lnode *tmp = head;

    if( head != NULL ) {
        head = head->next;
        free( tmp );
    }

    return( head );
}

```

Printing a List

```

/*
  Print all items in the list one by one
*/
void printList( Lnode *head )
{
    Lnode *node = head;

    // traverse the list printing each node in turn
    while( node != NULL ) {
        printf( "->%c", node->data );
        node = node->next;
    }

    printf( "\n" );
}

```

Recursive version of printList()

```

/*
  First print the head, then print the rest, which is also
  a list, by having the function (recursively) call itself
*/
void printList( Lnode *head )
{
    if( head != NULL ) { // avoid "infinite descent"
        printf( "->%c", head->data );
        printList( head->next );
    }
    else {
        printf( "\n" );
    }
}

```

COMP1917 © Alan Blair, UNSW, 2006-2014

Deleting all items from a List

```

/*
  Delete all the items from a linked list.
*/
void freeList( Lnode *head )
{
    Lnode *node = head;
    Lnode *tmp;

    while( node != NULL ) {
        tmp = node;
        node = node->next;
        free( tmp );
    }
}

```

COMP1917 © Alan Blair, UNSW, 2006-2014

Example: stack.c

```

int main( void )
{
    Lnode *list = NULL;
    int ch;

    while( ( ch = getchar() ) != EOF ) {
        if ( ch == '-' )
            list = pop( list );
        else if( ch == '\n' )
            printList( list );
        else
            list = push( makeNode(ch), list );
    }
    freeList( list );
}

```

COMP1917 © Alan Blair, UNSW, 2006-2014

Insert a Node into an Ordered List

```

Lnode * insert( Lnode *new_node, Lnode *head )
{
    Lnode *next_node = head;
    while( new_node->data > next_node->data ) {

        next_node = next_node->next; // find correct position
    }

    // link new node into list

    new_node->next = next_node;
    return( head );
}

```

Problem: need to keep track of previous node!

COMP1917 © Alan Blair, UNSW, 2006-2014

insert() - version 2

```
Lnode * insert( Lnode *new_node, Lnode *head )
{
    Lnode *next_node = head, *prev_node;
    while( new_node->data > next_node->data ) {
        prev_node = next_node;
        next_node = next_node->next; // find correct position
    }

    prev_node->next = new_node; // link new node into list

    new_node->next = next_node;
    return( head );
}
    Problem: what if new node goes at the end?
```

insert() - version 3

```
Lnode * insert( Lnode *new_node, Lnode *head )
{
    Lnode *next_node = head, *prev_node;
    while( next_node && new_node->data > next_node->data ) {
        prev_node = next_node;
        next_node = next_node->next; // find correct position
    }

    prev_node->next = new_node; // link new node into list

    new_node->next = next_node;
    return( head );
}
    Problem: what if new node goes at the beginning?
```

insert() - final version

```
Lnode * insert( Lnode *new_node, Lnode *head )
{
    Lnode *next_node = head, *prev_node = NULL;
    while( next_node && new_node->data > next_node->data ) {
        prev_node = next_node;
        next_node = next_node->next; // find correct position
    }
    if( prev_node == NULL )
        head = new_node;
    else {
        prev_node->next = new_node; // link new node into list
    }
    new_node->next = next_node;
    return( head );
}
    Exercise: check this works in all cases.
```

Remove a Node from a List

```
Lnode * excise( Lnode *node, Lnode *head )
{
    if( node != NULL ) {
        if( node == head )
            head = head->next; // remove first item
        else {
            Lnode *prev_node = head;
            while( prev_node && prev_node->next != node ) {
                prev_node = prev_node->next;
            }
            if( prev_node != NULL ) { // node found in list
                prev_node->next = node->next;
            }
        }
    }
    return( head );
}
```

Exercise

Check that `excise()` behaves sensibly in all of these cases:

- removing first item
- removing last item
- removing interior item
- node is not in list
- node is NULL
- list is empty
- node is NULL AND list is empty.

Example: `ordered.c`

```
int main( void )
{
    Lnode *list = NULL;
    Lnode *node;
    int ch;

    while(( ch = getchar() ) != EOF ) {
        if ( ch == '-' ) { // remove item from list
            ch = getchar();
            node = findNode( ch, list );
            if( node != NULL ) {
                list = excise( node, list );
                free( node );
            }
        }
    }
}
```

Example: `ordered.c cont'd`

```
...
    else if( ch == '\n' ) {
        printList( list );
    }
    else {
        list = insert( makeNode(ch), list );
    }
}
freeList( list );

return 0;
}
```