

COMP2511

Java: Lambda Expressions, Aggregate Operations, Method References

Prepared by
Dr. Ashesh Mahidadia

Java Lambda Expressions

- ❖ Lambda expressions allow us to
 - ❖ easily define **anonymous methods**,
 - ❖ treat **code as data** and
 - ❖ pass **functionality** as method **argument**.
- ❖ An **anonymous** inner **class** with **only one method** can be replaced by a **lambda** expression.
- ❖ Lambda expressions can be used to implement an interface with **only one abstract method**. Such interfaces are called *Functional Interfaces*.
- ❖ Lambda expressions offer *functions as objects* - a feature from functional programming.
- ❖ Lambda expressions are less verbose and offers more flexibility.

Java Lambda Expressions - Syntax

A lambda expression consists of the following:

- ❖ A **comma-separated** list of formal **parameters** enclosed in parentheses. No need to provide data types, they will be inferred. For only one parameter, we can omit the parentheses.
- ❖ The **arrow** token, **->**
- ❖ A **body**, which consists of a single expression or a statement block.

```
public interface MyFunctionInterfaceA {  
    public int myCompute(int x, int y);  
}
```

```
public interface MyFunctionInterfaceB {  
    public boolean myCmp(int x, int y);  
}
```

```
public interface MyFunctionInterfaceC {  
    public double doSomething(int x);  
}
```

```
MyFunctionInterfaceA f1 = (x, y) -> x + y ;  
  
MyFunctionInterfaceA f2 = (x, y) -> x - y + 200;  
  
MyFunctionInterfaceB f3 = (x, y) -> x > y ;  
  
MyFunctionInterfaceC f4 = x -> {  
    double y = 1.5*x;  
    return y + 8.0;  
};  
  
System.out.println( f1.myCompute(10, 20) ); // prints 30  
System.out.println( f2.myCompute(10, 20) ); // prints 190  
System.out.println( f3.myCmp(10, 20) );      // prints false  
System.out.println( f4.doSomething(10) );    // prints 23.0
```

Method References

We can treat an existing method as an instance of a Functional Interface.

There are multiple ways to refer to a method, using `::` operator.

- ❖ A **static** method (`ClassName::methName`)
- ❖ An **instance** method of a particular object (`instanceRef::methName`) or (`ClassName::methName`)
- ❖ A class **constructor** reference (`ClassName::new`)
- ❖ Etc.


Function Interfaces in Java

- ❖ Functional interfaces, in the package `java.util.function`, provide predefined **target types** for **lambda expressions** and **method references**.
- ❖ Each functional interface has a **single abstract method**, called the functional method for that functional interface, to which the **lambda expression's parameter and return types are matched** or adapted.
- ❖ Functional interfaces can provide a target type in **multiple contexts**, such as assignment context, method invocation, etc. For example,

```
Predicate<String> p = String::isEmpty;


// Collect empty strings
List<String> strEmptyList1 = strList.stream()
    .filter( p )
    .collect(Collectors.toList());

System.out.println("Number of empty strings: " + strEmptyList1.size());
// prints 3
```



```
// Collect strings with length less than six
List<String> strEmptyList2 = strList.stream()
    .filter( e -> e.length() < 6 )
    .collect(Collectors.toList());

System.out.println("Number of strings with length < 6: " + strEmptyList2.size());
// prints 4
```



Lambda expression

Function Interfaces in Java

- ❖ There are several basic *function shapes*, including
 - ❖ **Function** (unary function from T to R),
 - ❖ **Consumer** (unary function from T to void),
 - ❖ **Predicate** (unary function from T to boolean), and
 - ❖ **Supplier** (nilary function to R).
- ❖ More information at the package summary page
<https://docs.oracle.com/javase/8/docs/api/java/util/function/package-summary.html>

Function Interfaces in Java: Examples

```
Function<String, Integer> func = x -> x.length();  
Integer answer = func.apply("Sydney");  
System.out.println(answer); // prints 6
```

```
Function<String, Integer> func1 = x -> x.length();  
Function<Integer, Boolean> func2 = x -> x > 5;  
Boolean result = func1.andThen(func2).apply("Sydney");  
System.out.println(result);
```

```
Predicate<Integer> myPass = mark -> mark >= 50 ;  
List<Integer> listMarks = Arrays.asList(45, 50, 89, 65, 10);  
List<Integer> passMarks = listMarks.stream()  
                                .filter(myPass)  
                                .collect(Collectors.toList());  
  
System.out.println(passMarks); // prints [50, 89, 65]
```

```
Consumer<String> print = x -> System.out.println(x);  
print.accept("Sydney"); // prints Sydney
```

Function Interfaces in Java: Examples

```
// Consumer to multiply 5 to every integer of a list  
Consumer<List<Integer> > myModifyList = list -> {  
    for (int i = 0; i < list.size(); i++)  
        list.set(i, 5 * list.get(i));  
};
```

```
List<Integer> list = new ArrayList<Integer>();  
list.add(5);  
list.add(1);  
list.add(10);
```

```
// Implement myModifyList using accept()  
myModifyList.accept(list);
```

```
// Consumer to display a list of numbers  
Consumer<List<Integer>> myDispList = myList -> {  
    myList.stream().forEach(e -> System.out.println(e));  
};
```

```
// Display list using myDispList  
myDispList.accept(list);
```


Comparator using Lambda Expression: Example

```
//Using an anonymous inner class  
Comparator<Customer> myCmpAnonymous = new Comparator<Customer>() {  
    @Override  
    public int compare(Customer o1, Customer o2) {  
        return o1.getRewardsPoints() - o2.getRewardsPoints();  
    }  
};  
custA.sort( myCmpAnonymous );
```

Only one line!

```
//Using Lambda expression - simple example (only one line)  
custA.sort((Customer o1, Customer o2) -> o1.getRewardsPoints() - o2.getRewardsPoints());
```

```
custA.forEach( (cust) -> System.out.println(cust) );
```

Print using Lambda expression

Comparator using Lambda Expression: Another Example

```
//Using Lambda expression - Another example (with return)  
custA.sort( (Customer o1, Customer o2)-> {  
    if(o1.getPostcode() != o2.getPostcode()) {  
        return o1.getPostcode() - o2.getPostcode() ; }  
    return o1.getRewardsPoints() - o2.getRewardsPoints() ;  
});
```

Parameters – o1 and o2

Body

Pipelines and Streams

- ❖ A **pipeline** is a sequence of **aggregate** operations.
- ❖ The following example prints the male members contained in the collection **roster** with a **pipeline** that consists of the **aggregate** operations **filter** and **forEach**:

```
roster
    .stream()
    .filter( e -> e.getGender() == Person.Sex.MALE )
    .forEach( e -> System.out.println(e.getName()) );
```

Using pipeline and aggregate ops:

```
for (Person p : roster) {
    if (p.getGender() == Person.Sex.MALE) {
        System.out.println(p.getName());
    }
}
```

Traditional approach,
using a for-each loop:

- ❖ Please note that, in a pipeline, **operations are loosely coupled**, they only rely on their incoming streams and can be easily rearranged/replaced by other suitable operations.
- ❖ Just to clarify, the **“.” (dot) operator** in the above syntax has a very different meaning to the **“.” (dot) operator** used with an **instance** or a **class**.

Pipelines and Streams

- ❖ A **pipeline** contains the following components:
 - A **source**: This could be a collection, an array, a generator function, or an I/O channel. Such as *roster* in the example.
 - Zero or **more intermediate operations**. An intermediate operation, such as **filter**, produces a new stream.
- ❖ A **stream** is a sequence of elements. The method **stream** creates a stream from a collection (*roster*).
- ❖ The **filter** operation returns a new stream that contains elements that **match** its **predicate**. The **filter** operation in the example returns a stream that contains all male members in the collection *roster*.
- ❖ A **terminal** operation. A terminal operation, such as **forEach**, produces a non-stream result, such as a primitive value (like a double value), a collection, or in the case of **forEach**, no value at all.

```
roster
    .stream()
    .filter( e -> e.getGender() == Person.Sex.MALE )
    .forEach( e -> System.out.println(e.getName()) );
```

Pipelines and Streams: Example

```
double average = roster
    .stream()
    .filter(p -> p.getGender() == Person.Sex.MALE)
    .mapToInt(Person::getAge)
    .average()
    .getAsDouble();
```

- ❖ The above example calculates the average age of all male members contained in the collection `roster` with a pipeline that consists of the aggregate operations `filter`, `mapToInt`, and `average`.
- ❖ The `mapToInt` operation returns a new stream of type `IntStream` (which is a stream that contains only integer values). The operation applies the function specified in its parameter to each element in a particular stream.
- ❖ As expected, the `average` operation calculates the average value of the elements contained in a stream of type `IntStream`.
- ❖ There are many `terminal operations` such as `average` that return one value by combining the contents of a stream. These operations are called `reduction operations`; see the section `Reduction` for more information at <https://docs.oracle.com/javase/tutorial/collections/streams/reduction.html>

Pipelines and Streams: Another Example

```
double avgNonEmptyStrLen = strList.stream()  
    .filter( e -> e.length() > 0 )  
    .mapToInt(String::length)  
    .average()  
    .getAsDouble();
```

End