

Semantics

Thomas Sewell
UNSW
Term 3 2024


Semantics

σημαντικως

Semantics


Semantics

σημαντικως




Semantics

σημαντικώς



Semantics

σημαντικώς



Static Semantics

Definition

The *static semantics* of a program is those significant aspects of the meaning of P that can be determined by the compiler (or an external lint tool) **without running the program**.

Recall our arithmetic expression language. What properties might we derive **statically** about those terms?

Static Semantics

Definition

The *static semantics* of a program is those significant aspects of the meaning of P that can be determined by the compiler (or an external lint tool) **without running the program**.

Recall our arithmetic expression language. What properties might we derive **statically** about those terms?

The only thing we can check is that the program is **well-scoped** (assuming FOAS).

Scope-Checking

$$\frac{}{(\text{Num } n) \text{ ok}} \quad \frac{e_1 \text{ ok} \quad e_2 \text{ ok}}{(\text{Times } e_1 \ e_2) \text{ ok}} \quad \frac{e_1 \text{ ok} \quad e_2 \text{ ok}}{(\text{Plus } e_1 \ e_2) \text{ ok}}$$

$$\frac{}{\Gamma \vdash (\text{Var } x) \text{ ok}}$$

Key Idea

We keep a *context* Γ , a set of assumptions, on the LHS of our judgement, indicating what is required in order for e to be *well-scoped*.

This could be read as *hypothetical derivations* for the judgement $e \text{ ok}$ or as a *binary judgement* $\Gamma \vdash e \text{ ok}$; whichever you prefer.

Scope-Checking

$$\frac{}{\Gamma \vdash (\text{Num } n) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Times } e_1 \ e_2) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Plus } e_1 \ e_2) \text{ ok}}$$
$$\frac{}{\Gamma \vdash (\text{Var } x) \text{ ok}}$$

Key Idea

We keep a *context* Γ , a set of assumptions, on the LHS of our judgement, indicating what is required in order for e to be *well-scoped*.

This could be read as *hypothetical derivations* for the judgement $e \text{ ok}$ or as a *binary judgement* $\Gamma \vdash e \text{ ok}$; whichever you prefer.

Scope-Checking

$$\frac{}{\Gamma \vdash (\text{Num } n) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Times } e_1 \ e_2) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Plus } e_1 \ e_2) \text{ ok}}$$
$$\frac{(x \text{ bound}) \in \Gamma}{\Gamma \vdash (\text{Var } x) \text{ ok}}$$

Key Idea

We keep a *context* Γ , a set of assumptions, on the LHS of our judgement, indicating what is required in order for e to be *well-scoped*.

This could be read as *hypothetical derivations* for the judgement $e \text{ ok}$ or as a *binary judgement* $\Gamma \vdash e \text{ ok}$; whichever you prefer.

Scope-Checking

$$\frac{}{\Gamma \vdash (\text{Num } n) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Times } e_1 \ e_2) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Plus } e_1 \ e_2) \text{ ok}}$$
$$\frac{(x \text{ bound}) \in \Gamma}{\Gamma \vdash (\text{Var } x) \text{ ok}} \quad \frac{}{\Gamma \vdash (\text{Let } x \ e_1 \ e_2) \text{ ok}}$$

Key Idea

We keep a *context* Γ , a set of assumptions, on the LHS of our judgement, indicating what is required in order for e to be *well-scoped*.

This could be read as *hypothetical derivations* for the judgement $e \text{ ok}$ or as a *binary judgement* $\Gamma \vdash e \text{ ok}$; whichever you prefer.

Scope-Checking

$$\frac{}{\Gamma \vdash (\text{Num } n) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Times } e_1 \ e_2) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Plus } e_1 \ e_2) \text{ ok}}$$
$$\frac{(x \text{ bound}) \in \Gamma \quad \Gamma \vdash e_1 \text{ ok}}{\Gamma \vdash (\text{Var } x) \text{ ok}} \quad \frac{}{\Gamma \vdash (\text{Let } x \ e_1 \ e_2) \text{ ok}}$$

Key Idea

We keep a *context* Γ , a set of assumptions, on the LHS of our judgement, indicating what is required in order for e to be *well-scoped*.

This could be read as *hypothetical derivations* for the judgement $e \text{ ok}$ or as a *binary judgement* $\Gamma \vdash e \text{ ok}$; whichever you prefer.

Scope-Checking

$$\begin{array}{c}
 \frac{}{\Gamma \vdash (\text{Num } n) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Times } e_1 \ e_2) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Plus } e_1 \ e_2) \text{ ok}} \\
 \frac{(x \text{ bound}) \in \Gamma}{\Gamma \vdash (\text{Var } x) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad x \text{ bound}, \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Let } x \ e_1 \ e_2) \text{ ok}}
 \end{array}$$

Key Idea

We keep a *context* Γ , a set of assumptions, on the LHS of our judgement, indicating what is required in order for e to be *well-scoped*.

This could be read as *hypothetical derivations* for the judgement $e \text{ ok}$ or as a *binary judgement* $\Gamma \vdash e \text{ ok}$; whichever you prefer.

Scope-Checking Example

$$\begin{array}{c}
 \frac{}{\Gamma \vdash (\text{Num } n) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Times } e_1 \ e_2) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Plus } e_1 \ e_2) \text{ ok}} \\
 \frac{(x \text{ bound}) \in \Gamma}{\Gamma \vdash (\text{Var } x) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad x \text{ bound}, \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Let } x \ e_1 \ e_2) \text{ ok}}
 \end{array}$$

$$\vdash (\text{Let "x" (Num 3) (Let "y" (Num 4) (Plus (Var "x") (Var "y")))))$$

Scope-Checking Example

$$\begin{array}{c}
 \frac{}{\Gamma \vdash (\text{Num } n) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Times } e_1 \ e_2) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Plus } e_1 \ e_2) \text{ ok}} \\
 \frac{(x \text{ bound}) \in \Gamma}{\Gamma \vdash (\text{Var } x) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad x \text{ bound}, \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Let } x \ e_1 \ e_2) \text{ ok}}
 \end{array}$$

$$\frac{\vdash (\text{Num } 3)}{\vdash (\text{Let "x" (Num 3) (Let "y" (Num 4) (Plus (Var "x") (Var "y"))))}$$

Scope-Checking Example

$$\begin{array}{c}
 \frac{}{\Gamma \vdash (\text{Num } n) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Times } e_1 \ e_2) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Plus } e_1 \ e_2) \text{ ok}} \\
 \frac{(x \text{ bound}) \in \Gamma}{\Gamma \vdash (\text{Var } x) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad x \text{ bound}, \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Let } x \ e_1 \ e_2) \text{ ok}}
 \end{array}$$

$$\frac{\vdash (\text{Num } 3) \quad \text{"x"} \vdash (\text{Let "y" (Num 4) (Plus (Var "x") (Var "y"))})}{\vdash (\text{Let "x" (Num 3) (Let "y" (Num 4) (Plus (Var "x") (Var "y"))))}$$

Scope-Checking Example

$$\begin{array}{c}
 \frac{}{\Gamma \vdash (\text{Num } n) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Times } e_1 \ e_2) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Plus } e_1 \ e_2) \text{ ok}} \\
 \frac{(x \text{ bound}) \in \Gamma}{\Gamma \vdash (\text{Var } x) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad x \text{ bound}, \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Let } x \ e_1 \ e_2) \text{ ok}}
 \end{array}$$

$$\begin{array}{c}
 \frac{}{\vdash (\text{Num } 3)} \quad \frac{\frac{}{"x" \vdash (\text{Num } 4)} \quad \frac{}{"y", "x" \vdash (\text{Plus } (\text{Var } "x") (\text{Var } "y"))}}{"x" \vdash (\text{Let } "y" (\text{Num } 4) (\text{Plus } (\text{Var } "x") (\text{Var } "y")))} \\
 \hline
 \vdash (\text{Let } "x" (\text{Num } 3) (\text{Let } "y" (\text{Num } 4) (\text{Plus } (\text{Var } "x") (\text{Var } "y"))))
 \end{array}$$

Scope-Checking Example

$$\begin{array}{c}
 \frac{}{\Gamma \vdash (\text{Num } n) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Times } e_1 \ e_2) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Plus } e_1 \ e_2) \text{ ok}} \\
 \frac{(x \text{ bound}) \in \Gamma}{\Gamma \vdash (\text{Var } x) \text{ ok}} \quad \frac{\Gamma \vdash e_1 \text{ ok} \quad x \text{ bound}, \Gamma \vdash e_2 \text{ ok}}{\Gamma \vdash (\text{Let } x \ e_1 \ e_2) \text{ ok}} \\
 \\
 \frac{}{\vdash (\text{Num } 3)} \quad \frac{\frac{}{\text{"x"} \vdash (\text{Num } 4)} \quad \frac{\frac{}{\text{"y"}, \text{"x"} \vdash (\text{Var } \text{"x"})} \quad \frac{}{\text{"y"}, \text{"x"} \vdash (\text{Var } \text{"y"})}}{\text{"y"}, \text{"x"} \vdash (\text{Plus } (\text{Var } \text{"x"}) (\text{Var } \text{"y"}))}}{\text{"x"} \vdash (\text{Let } \text{"y"} (\text{Num } 4) (\text{Plus } (\text{Var } \text{"x"}) (\text{Var } \text{"y"})))} \\
 \hline
 \vdash (\text{Let } \text{"x"} (\text{Num } 3) (\text{Let } \text{"y"} (\text{Num } 4) (\text{Plus } (\text{Var } \text{"x"}) (\text{Var } \text{"y"}))))
 \end{array}$$

Dynamic Semantics

Dynamic Semantics can be specified in many ways:

- 1 *Denotational Semantics* is the *compositional* construction of a *mathematical object* for each form of *syntax*. [COMP6752](#) (briefly)

Dynamic Semantics

Dynamic Semantics can be specified in many ways:

- 1 *Denotational Semantics* is the *compositional* construction of a *mathematical object* for each form of *syntax*. [COMP6752](#) (briefly)
- 2 *Axiomatic Semantics* is the construction of a *proof calculus* to allow correctness of a program to be verified. [COMP2111](#), [COMP6721](#)

Dynamic Semantics

Dynamic Semantics can be specified in many ways:

- 1 *Denotational Semantics* is the *compositional* construction of a *mathematical object* for each form of *syntax*. [COMP6752](#) (briefly)
- 2 *Axiomatic Semantics* is the construction of a *proof calculus* to allow correctness of a program to be verified. [COMP2111](#), [COMP6721](#)
- 3 *Operational Semantics* is the construction of a program-evaluating *state machine* or *transition system*.

Dynamic Semantics

Dynamic Semantics can be specified in many ways:

- 1 *Denotational Semantics* is the *compositional* construction of a *mathematical object* for each form of *syntax*. [COMP6752](#) (briefly)
- 2 *Axiomatic Semantics* is the construction of a *proof calculus* to allow correctness of a program to be verified. [COMP2111](#), [COMP6721](#)
- 3 *Operational Semantics* is the construction of a program-evaluating *state machine* or *transition system*.

In this course

We focus mostly on *operational semantics*. We will use *axiomatic semantics* (Hoare Logic) on Thursday in the imperative programming topic. *Denotational semantics* are mostly an extension topic, except for the very next slide.

Denotational Semantics

$\llbracket \cdot \rrbracket : \mathbf{AST} \rightarrow$

$\llbracket \text{Num } n \rrbracket =$

$\llbracket \text{Var } x \rrbracket =$

$\llbracket \text{Plus } e_1 \ e_2 \rrbracket =$

$\llbracket \text{Times } e_1 \ e_2 \rrbracket =$

$\llbracket \text{Let } x \ e_1 \ e_2 \rrbracket =$

Denotational Semantics

$$\llbracket \cdot \rrbracket : \mathbf{AST} \rightarrow \mathbb{Z}$$

$$\begin{aligned}\llbracket \text{Num } n \rrbracket &= n \\ \llbracket \text{Var } x \rrbracket &= \\ \llbracket \text{Plus } e_1 \ e_2 \rrbracket &= \\ \llbracket \text{Times } e_1 \ e_2 \rrbracket &= \\ \llbracket \text{Let } x \ e_1 \ e_2 \rrbracket &= \end{aligned}$$

Denotational Semantics

$$\llbracket \cdot \rrbracket : \mathbf{AST} \rightarrow (\mathbf{Var} \rightarrow \mathbb{Z}) \rightarrow \mathbb{Z}$$

Our **denotation** for arithmetic expressions is functions from **environments** (mapping from variables to their values) to values.

$$\begin{aligned}\llbracket \text{Num } n \rrbracket &= \lambda E. n \\ \llbracket \text{Var } x \rrbracket &= \lambda E. E(x) \\ \llbracket \text{Plus } e_1 \ e_2 \rrbracket &= \lambda E. \\ \llbracket \text{Times } e_1 \ e_2 \rrbracket &= \lambda E. \\ \llbracket \text{Let } x \ e_1 \ e_2 \rrbracket &= \lambda E.\end{aligned}$$

Denotational Semantics

$$\llbracket \cdot \rrbracket : \mathbf{AST} \rightarrow (\mathbf{Var} \rightarrow \mathbb{Z}) \rightarrow \mathbb{Z}$$

Our **denotation** for arithmetic expressions is functions from **environments** (mapping from variables to their values) to values.

$$\begin{aligned}\llbracket \text{Num } n \rrbracket &= \lambda E. n \\ \llbracket \text{Var } x \rrbracket &= \lambda E. E(x) \\ \llbracket \text{Plus } e_1 \ e_2 \rrbracket &= \lambda E. \llbracket e_1 \rrbracket \quad \llbracket e_2 \rrbracket \\ \llbracket \text{Times } e_1 \ e_2 \rrbracket &= \lambda E. \llbracket e_1 \rrbracket \quad \llbracket e_2 \rrbracket \\ \llbracket \text{Let } x \ e_1 \ e_2 \rrbracket &= \lambda E.\end{aligned}$$

Denotational Semantics

$$\llbracket \cdot \rrbracket : \mathbf{AST} \rightarrow (\mathbf{Var} \rightarrow \mathbb{Z}) \rightarrow \mathbb{Z}$$

Our **denotation** for arithmetic expressions is functions from **environments** (mapping from variables to their values) to values.

$$\begin{aligned}\llbracket \text{Num } n \rrbracket &= \lambda E. n \\ \llbracket \text{Var } x \rrbracket &= \lambda E. E(x) \\ \llbracket \text{Plus } e_1 \ e_2 \rrbracket &= \lambda E. \llbracket e_1 \rrbracket E + \llbracket e_2 \rrbracket E \\ \llbracket \text{Times } e_1 \ e_2 \rrbracket &= \lambda E. \llbracket e_1 \rrbracket E \times \llbracket e_2 \rrbracket E \\ \llbracket \text{Let } x \ e_1 \ e_2 \rrbracket &= \lambda E.\end{aligned}$$

Denotational Semantics

$$\llbracket \cdot \rrbracket : \mathbf{AST} \rightarrow (\mathbf{Var} \rightarrow \mathbb{Z}) \rightarrow \mathbb{Z}$$


Our **denotation** for arithmetic expressions is functions from **environments** (mapping from variables to their values) to values.

$$\begin{aligned}\llbracket \text{Num } n \rrbracket &= \lambda E. n \\ \llbracket \text{Var } x \rrbracket &= \lambda E. E(x) \\ \llbracket \text{Plus } e_1 \ e_2 \rrbracket &= \lambda E. \llbracket e_1 \rrbracket E + \llbracket e_2 \rrbracket E \\ \llbracket \text{Times } e_1 \ e_2 \rrbracket &= \lambda E. \llbracket e_1 \rrbracket E \times \llbracket e_2 \rrbracket E \\ \llbracket \text{Let } x \ e_1 \ e_2 \rrbracket &= \lambda E. \llbracket e_2 \rrbracket (E[x := \llbracket e_1 \rrbracket E])\end{aligned}$$

Where $E[x := n]$ is a new environment just like E , except the variable x now maps to n .


Operational Semantics

There are two main kinds of operational semantics.



Operational Semantics

There are two main kinds of operational semantics.



Small Step

Big Step

- Also called *natural* or *evaluation* semantics.
- One big judgement relating expressions to their values:

$$e \Downarrow v$$

Operational Semantics

There are two main kinds of operational semantics.

Small Step

- Also called *structural operational semantics (SOS)*.
- A judgement that specifies transitions between *states*:

$$e \mapsto e'$$

Big Step

- Also called *natural* or *evaluation* semantics.
- One big judgement relating expressions to their values:

$$e \Downarrow v$$



Big-Step Semantics

We need:

- A set of **evaluable expressions** E
- A set of **values** V
- A relation $\Downarrow \subseteq E \times V$

Example (Arithmetic Expressions)

E is the set of all closed expressions $\{e \mid e \text{ ok}\}$. V is the set of integers \mathbb{Z} .

$$\frac{}{(\text{Num } n) \Downarrow n}$$
$$\frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Plus } e_1 \ e_2) \Downarrow (v_1 + v_2)} \quad \frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Times } e_1 \ e_2) \Downarrow (v_1 \times v_2)}$$

To Code Let's do it in Haskell!

Big-Step Semantics

We need:

- A set of **evaluable expressions** E
- A set of **values** V
- A relation $\Downarrow \subseteq E \times V$

Example (Arithmetic Expressions)

E is the set of all closed expressions $\{e \mid e \text{ ok}\}$. V is the set of integers \mathbb{Z} .

$$\frac{}{(\text{Num } n) \Downarrow n}$$
$$\frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Plus } e_1 \ e_2) \Downarrow (v_1 + v_2)} \quad \frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Times } e_1 \ e_2) \Downarrow (v_1 \times v_2)}$$

To Code Let's do it in Haskell!

Big-Step Semantics

We need:

- A set of **evaluable expressions** E
- A set of **values** V
- A relation $\Downarrow \subseteq E \times V$

Example (Arithmetic Expressions)

E is the set of all closed expressions $\{e \mid e \text{ ok}\}$. V is the set of integers \mathbb{Z} .

$$\begin{array}{c} \frac{}{(\text{Num } n) \Downarrow n} \qquad \frac{}{(\text{Let } e_1 (x. e_2)) \Downarrow} \\[10pt] \frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Plus } e_1 \ e_2) \Downarrow (v_1 + v_2)} \qquad \frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Times } e_1 \ e_2) \Downarrow (v_1 \times v_2)} \end{array}$$

To Code Let's do it in Haskell!

Big-Step Semantics

We need:

- A set of **evaluable expressions** E
- A set of **values** V
- A relation $\Downarrow \subseteq E \times V$

Example (Arithmetic Expressions)

E is the set of all closed expressions $\{e \mid e \text{ ok}\}$. V is the set of integers \mathbb{Z} .

$$\begin{array}{c} \frac{}{(\text{Num } n) \Downarrow n} \quad \frac{e_1 \Downarrow v_1}{(\text{Let } e_1 (x. e_2)) \Downarrow} \\[1em] \frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Plus } e_1 \ e_2) \Downarrow (v_1 + v_2)} \quad \frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Times } e_1 \ e_2) \Downarrow (v_1 \times v_2)} \end{array}$$

To Code Let's do it in Haskell!!

Big-Step Semantics

We need:

- A set of **evaluable expressions** E
- A set of **values** V
- A relation $\Downarrow \subseteq E \times V$

Example (Arithmetic Expressions)

E is the set of all closed expressions $\{e \mid e \text{ ok}\}$. V is the set of integers \mathbb{Z} .

$$\begin{array}{c} \frac{}{(\text{Num } n) \Downarrow n} \quad \frac{e_1 \Downarrow v_1 \quad e_2[x := (\text{Num } v_1)] \Downarrow v_2}{(\text{Let } e_1 (x. e_2)) \Downarrow v_2} \\[1em] \frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Plus } e_1 \ e_2) \Downarrow (v_1 + v_2)} \quad \frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Times } e_1 \ e_2) \Downarrow (v_1 \times v_2)} \end{array}$$

To Code Let's do it in Haskell!

Evaluation Strategies

$$\frac{e_1 \Downarrow v_1 \quad e_2[x := (\text{Num } v_1)] \Downarrow v_2}{(\text{Let } e_1 (x. e_2)) \Downarrow v_2}$$

Any other ways to evaluate Let?

Evaluation Strategies

$$\frac{e_1 \Downarrow v_1 \quad e_2[x := (\text{Num } v_1)] \Downarrow v_2}{(\text{Let } e_1 (x. e_2)) \Downarrow v_2}$$

Any other ways to evaluate Let?

The above is called *call-by-value* or *strict* evaluation. Below we have *call-by-name*:

$$\frac{e_2[x := e_1] \Downarrow v_2}{(\text{Let } e_1 (x. e_2)) \Downarrow v_2}$$

Evaluation Strategies

$$\frac{e_1 \Downarrow v_1 \quad e_2[x := (\text{Num } v_1)] \Downarrow v_2}{(\text{Let } e_1 (x. e_2)) \Downarrow v_2}$$

Any other ways to evaluate Let?

The above is called *call-by-value* or *strict* evaluation. Below we have *call-by-name*:

$$\frac{e_2[x := e_1] \Downarrow v_2}{(\text{Let } e_1 (x. e_2)) \Downarrow v_2}$$

This can be computationally very expensive, for example:

`let x = ⟨very expensive computation⟩ in x + x + x + x`

In *confluent* languages like this or λ -calculus, this only matters for performance. In other languages, this is not so. *Why?*

Evaluation Strategies

$$\frac{e_1 \Downarrow v_1 \quad e_2[x := (\text{Num } v_1)] \Downarrow v_2}{(\text{Let } e_1 (x. e_2)) \Downarrow v_2}$$

Any other ways to evaluate Let?

The above is called *call-by-value* or *strict* evaluation. Below we have *call-by-name*:

$$\frac{e_2[x := e_1] \Downarrow v_2}{(\text{Let } e_1 (x. e_2)) \Downarrow v_2}$$

This can be computationally very expensive, for example:

`let x = ⟨very expensive computation⟩ in x + x + x + x`

In *confluent* languages like this or λ -calculus, this only matters for performance. In other languages, this is not so. *Why?*

Haskell uses *call-by-need* or *lazy* evaluation, which optimises cases like this.

Small Step Semantics

For small step semantics, we need:

- A set of **states** Σ
- A set of **initial states** $I \subseteq \Sigma$
- A set of **final states** $F \subseteq \Sigma$
- A relation $\mapsto \subseteq \Sigma \times \Sigma$, which specifies only “one step” of the execution.

An **execution** or **trace** $\sigma_1 \mapsto \sigma_2 \mapsto \sigma_3 \mapsto \cdots \mapsto \sigma_n$ is called **maximal** if there exists no σ_{n+1} such that $\sigma_n \mapsto \sigma_{n+1}$; and is called **complete** if it is maximal and $\sigma_n \in F$.

Example

Example (Arithmetic Expressions)

Σ and I are the set of all closed expressions $\{e \mid e \text{ ok}\}$, F is the set of evaluated expressions $\{(\text{Num } n) \mid n \in \mathbb{Z}\}$.

$$\frac{e_1 \mapsto e'_1}{(\text{Plus } e_1 \ e_2) \mapsto}$$

[To Code](#) Let's do it in Haskell!

Example

Example (Arithmetic Expressions)

Σ and I are the set of all closed expressions $\{e \mid e \text{ ok}\}$, F is the set of evaluated expressions $\{(\text{Num } n) \mid n \in \mathbb{Z}\}$.

$$\frac{e_1 \mapsto e'_1}{(\text{Plus } e_1 \ e_2) \mapsto (\text{Plus } e'_1 \ e_2)}$$

[To Code](#) Let's do it in Haskell!

Example

Example (Arithmetic Expressions)

Σ and I are the set of all closed expressions $\{e \mid e \text{ ok}\}$, F is the set of evaluated expressions $\{(\text{Num } n) \mid n \in \mathbb{Z}\}$.

$$\frac{e_1 \mapsto e'_1}{(\text{Plus } e_1 \ e_2) \mapsto (\text{Plus } e'_1 \ e_2)} \quad \frac{}{(\text{Plus } (\text{Num } n) \ e_2) \mapsto}$$
$$\frac{}{(\text{Plus } (\text{Num } n) \ (\text{Num } m)) \mapsto}$$

[To Code](#) Let's do it in Haskell!

Example

Example (Arithmetic Expressions)

Σ and I are the set of all closed expressions $\{e \mid e \text{ ok}\}$, F is the set of evaluated expressions $\{(\text{Num } n) \mid n \in \mathbb{Z}\}$.

$$\frac{e_1 \mapsto e'_1}{(\text{Plus } e_1 \ e_2) \mapsto (\text{Plus } e'_1 \ e_2)} \quad \frac{e_2 \mapsto e'_2}{(\text{Plus } (\text{Num } n) \ e_2) \mapsto (\text{Plus } (\text{Num } n) \ e'_2)}$$
$$\frac{}{(\text{Plus } (\text{Num } n) \ (\text{Num } m)) \mapsto}$$

[To Code](#) Let's do it in Haskell!

Example

Example (Arithmetic Expressions)

Σ and I are the set of all closed expressions $\{e \mid e \text{ ok}\}$, F is the set of evaluated expressions $\{(\text{Num } n) \mid n \in \mathbb{Z}\}$.

$$\frac{e_1 \mapsto e'_1}{(\text{Plus } e_1 \ e_2) \mapsto (\text{Plus } e'_1 \ e_2)} \quad \frac{e_2 \mapsto e'_2}{(\text{Plus } (\text{Num } n) \ e_2) \mapsto (\text{Plus } (\text{Num } n) \ e'_2)}$$
$$\frac{}{(\text{Plus } (\text{Num } n) \ (\text{Num } m)) \mapsto (\text{Num } (n + m))}$$

[To Code](#) Let's do it in Haskell!

Example

Example (Arithmetic Expressions)

Σ and I are the set of all closed expressions $\{e \mid e \text{ ok}\}$, F is the set of evaluated expressions $\{(\text{Num } n) \mid n \in \mathbb{Z}\}$.

$$\frac{e_1 \mapsto e'_1}{(\text{Plus } e_1 \ e_2) \mapsto (\text{Plus } e'_1 \ e_2)} \quad \frac{e_2 \mapsto e'_2}{(\text{Plus } (\text{Num } n) \ e_2) \mapsto (\text{Plus } (\text{Num } n) \ e'_2)}$$
$$\frac{}{(\text{Plus } (\text{Num } n) \ (\text{Num } m)) \mapsto (\text{Num } (n + m))}$$

(Similarly for Times)

[To Code](#) Let's do it in Haskell!

Example

Example (Arithmetic Expressions)

Σ and I are the set of all closed expressions $\{e \mid e \text{ ok}\}$, F is the set of evaluated expressions $\{(\text{Num } n) \mid n \in \mathbb{Z}\}$.

$$\frac{e_1 \mapsto e'_1}{(\text{Plus } e_1 \ e_2) \mapsto (\text{Plus } e'_1 \ e_2)} \quad \frac{e_2 \mapsto e'_2}{(\text{Plus } (\text{Num } n) \ e_2) \mapsto (\text{Plus } (\text{Num } n) \ e'_2)}$$

$$\frac{}{(\text{Plus } (\text{Num } n) \ (\text{Num } m)) \mapsto (\text{Num } (n + m))}$$

(Similarly for Times)

$$\frac{}{(\text{Let } e_1 \ (x. \ e_2)) \mapsto}$$

To Code Let's do it in Haskell!

Example

Example (Arithmetic Expressions)

Σ and I are the set of all closed expressions $\{e \mid e \text{ ok}\}$, F is the set of evaluated expressions $\{(\text{Num } n) \mid n \in \mathbb{Z}\}$.

$$\frac{e_1 \mapsto e'_1}{(\text{Plus } e_1 \ e_2) \mapsto (\text{Plus } e'_1 \ e_2)} \quad \frac{e_2 \mapsto e'_2}{(\text{Plus } (\text{Num } n) \ e_2) \mapsto (\text{Plus } (\text{Num } n) \ e'_2)}$$

$$\frac{}{(\text{Plus } (\text{Num } n) \ (\text{Num } m)) \mapsto (\text{Num } (n + m))}$$

(Similarly for Times)

$$\frac{e_1 \mapsto e'_1}{(\text{Let } e_1 \ (x. \ e_2)) \mapsto (\text{Let } e'_1 \ (x. \ e_2))}$$

To Code Let's do it in Haskell!

Example

Example (Arithmetic Expressions)

Σ and I are the set of all closed expressions $\{e \mid e \text{ ok}\}$, F is the set of evaluated expressions $\{(\text{Num } n) \mid n \in \mathbb{Z}\}$.

$$\frac{e_1 \mapsto e'_1}{(\text{Plus } e_1 \ e_2) \mapsto (\text{Plus } e'_1 \ e_2)} \quad \frac{e_2 \mapsto e'_2}{(\text{Plus } (\text{Num } n) \ e_2) \mapsto (\text{Plus } (\text{Num } n) \ e'_2)}$$

$$\frac{}{(\text{Plus } (\text{Num } n) \ (\text{Num } m)) \mapsto (\text{Num } (n + m))}$$

(Similarly for Times)

$$\frac{e_1 \mapsto e'_1}{(\text{Let } e_1 \ (x. \ e_2)) \mapsto (\text{Let } e'_1 \ (x. \ e_2))}$$

$$\frac{}{(\text{Let } (\text{Num } n) \ (x. \ e_2)) \mapsto}$$

To Code Let's do it in Haskell!

Example

Example (Arithmetic Expressions)

Σ and I are the set of all closed expressions $\{e \mid e \text{ ok}\}$, F is the set of evaluated expressions $\{(\text{Num } n) \mid n \in \mathbb{Z}\}$.

$$\frac{e_1 \mapsto e'_1}{(\text{Plus } e_1 \ e_2) \mapsto (\text{Plus } e'_1 \ e_2)} \quad \frac{e_2 \mapsto e'_2}{(\text{Plus } (\text{Num } n) \ e_2) \mapsto (\text{Plus } (\text{Num } n) \ e'_2)}$$

$$\frac{}{(\text{Plus } (\text{Num } n) \ (\text{Num } m)) \mapsto (\text{Num } (n + m))}$$

(Similarly for Times)

$$\frac{e_1 \mapsto e'_1}{(\text{Let } e_1 \ (x. \ e_2)) \mapsto (\text{Let } e'_1 \ (x. \ e_2))}$$

$$\frac{}{(\text{Let } (\text{Num } n) \ (x. \ e_2)) \mapsto e_2[x := \text{Num } n]}$$

To Code Let's do it in Haskell!

Equivalence

Comparing small step and big step

Small step semantics are **lower-level**, they clearly specify the **order of evaluation**. Big step semantics give us a **result** without telling us explicitly **how it was computed**.

Having specified the dynamic semantics in these two ways, it becomes desirable to show they are **equivalent**, that is:

If there exists a trace $e \mapsto \cdots \mapsto (\text{Num } n)$, then $e \Downarrow n$, and vice versa.

We will need to define some notation to remove those blasted **magic dots**.

Notation

Let \mapsto^* be the *reflexive, transitive closure* of \mapsto .

$$\frac{}{e \mapsto^* e} \quad \frac{e_1 \mapsto e_2 \quad e_2 \mapsto^* e_n}{e_1 \mapsto^* e_n}$$

We can now state our property formally as:

$$e \mapsto^* (\text{Num } n) \iff e \Downarrow n$$

Doing the Proof

The proof will be done on the “board”, with typeset versions uploaded later.

The big-step to small-step direction can be proven by reasonably straightforward rule induction:

$$\frac{e \Downarrow n}{e \mapsto^* (\text{Num } n)}$$

The other direction requires the lemma:

$$\frac{e \mapsto e' \quad e' \Downarrow n}{e \Downarrow n}$$

The abridged proof is presented in this lecture, with all cases left for the course website.

Big and small (eliding some small-step rules)

$$\begin{array}{c}
 \frac{e_1 \mapsto e'_1}{(\text{Plus } e_1 \ e_2) \mapsto (\text{Plus } e'_1 \ e_2)} \quad \frac{e_2 \mapsto e'_2}{(\text{Plus } (\text{Num } n) \ e_2) \mapsto (\text{Plus } (\text{Num } n) \ e'_2)} \\
 \\
 \frac{}{(\text{Plus } (\text{Num } n) \ (\text{Num } m)) \mapsto (\text{Num } (n + m))} \\
 \\
 \frac{e_1 \mapsto e'_1}{(\text{Let } e_1 \ (x. \ e_2)) \mapsto (\text{Let } e'_1 \ (x. \ e_2))} \\
 \\
 \frac{}{(\text{Let } (\text{Num } n) \ (x. \ e_2)) \mapsto e_2[x := \text{Num } n]} \\
 \\
 \frac{}{(\text{Num } n) \Downarrow n} \quad \frac{e_1 \Downarrow v_1 \quad e_2[x := (\text{Num } v_1)] \Downarrow v_2}{(\text{Let } e_1 \ (x. \ e_2)) \Downarrow v_2} \\
 \\
 \frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Plus } e_1 \ e_2) \Downarrow (v_1 + v_2)} \quad \frac{e_1 \Downarrow v_1 \quad e_2 \Downarrow v_2}{(\text{Times } e_1 \ e_2) \Downarrow (v_1 \times v_2)}
 \end{array}$$