

# COMP3411: Artificial Intelligence

## Extension 2. Reactive Agents

### Outline

---

- History of Reactive Agents
- Braitenberg Vehicles
- Chemotaxis
- Behavior-Based Robotics

### Reactive Agents

---

- choose the next action based only on what they currently perceive, using a “policy” or set of rules which are simple to apply
- unable to remember, plan or logically reason
- interesting behaviors can “emerge” from these simple rules

### History of Reactive Agents

---

- 1948 Alan Turing (importance of embodiment)
- 1969 Herbert Simon (parable of ant on beach)
- 1984 Valentino Braitenberg (Vehicles)
- 1991 Rodney Brooks (“Intelligence without Reason”)
- 1995 Lego MindStorms


## Braitenberg Vehicles

- Braitenberg showed how simple arrangements of sensors and motors can lead to surprisingly sophisticated behavior
- simplest vehicles have two wheels and two sensors
- sensors respond to a light source
- response is inversely proportional to distance


## Braitenberg Vehicles

- connections can be
  - ▶ straight or crossed
  - ▶ excitatory (+) or inhibitory (-)
- leads to four behaviors
  - ▶ hate
  - ▶ fear
  - ▶ love
  - ▶ curiosity

## Braitenberg Vehicles




## Braitenberg Vehicles



## Chemotaxis

- Many single- and multi-cell organisms can direct their movement to swim to areas with higher (or lower) chemical concentration
- bacteria use **flagella** to propel themselves
  - ▶ anti-clockwise rotation → linear motion
  - ▶ clockwise rotation → tumbling motion


## Bacterial Motion



## Chemotaxis

- normally, bacterium switches between linear and tumbling motion, producing a random walk
- if it senses that it is heading in the “right” direction, it will lengthen the current period of linear motion
- in this way, it can successfully move toward food sources and away from toxins

## Robot Model of Nematode Worm



from Barbara Webb, “Robots in invertebrate neuroscience”, Nature 417 (2002)

## The Swiss Robots



Q: What rules are these robots using to “clean up” the pucks?

## The Swiss Robots

The rules used by the Didabots:


- normally, move forward
- if you detect an obstacle to the left or right, turn away from it
- if you detect an obstacle directly in front, move forward

## Behaviour-Based Robotics


Introduced by Rodney Brooks in the late 1980's as a challenge to “Good Old Fashioned AI” (GOF AI)

- robots should be based on insects rather than humans
- tasks like walking and avoiding obstacles rather than playing Chess
- abandon traditional **horizontal** decomposition
  - ▶ Sense → Plan → Act
- replace with **vertical** decomposition or “subsumption architecture”
  - ▶ each layer can connect sensing right through to action

## Horizontal Decomposition



## Vertical Decomposition



## Modern Perspective

- Each layer in the vertical decomposition is a **behavior**
  - ▶ low-level behaviors like “avoid hitting things” are reactive, connecting sensors directly to actuators
  - ▶ mid-level behaviors like “build maps” make use of a world model
  - ▶ high-level behaviors make use of world model and planning
- higher level behavior may take control from lower-level behavior
  - ▶ e.g. if the low-level behavior has gotten “stuck”
- lower level behavior may take control from higher-level behavior
  - ▶ e.g. to avoid getting burned, or falling down a staircase

## References

- Valentino Braitenberg, “Vehicles: Experiments in Synthetic Psychology”, MIT Press, 1984.
- Rolf Pfeifer & Christian Scheier, “Understanding Intelligence”, MIT Press, 1999.
  - ▶ <http://www.ifi.unizh.ch/ailab>
- Rodney Brooks, “Cambrian Intelligence: the Early History of the New AI”, MIT Press, 1999.
  - ▶ <http://www.csail.mit.edu>