



COMP 4161

NICTA Advanced Course

Advanced Topics in Software Verification

Simon Winwood, Toby Murray, June Andronick, Gerwin Klein

wf_rec

Slide 1

Content



- → Intro & motivation, getting started with Isabelle
- → Foundations & Principles
 - Lambda Calculus
 - Higher Order Logic, natural deduction
 - Term rewriting

→ Proof & Specification Techniques

- Inductively defined sets, rule induction
- Datatypes, recursion, induction
- More recursion, Calculational reasoning
- Hoare logic, proofs about programs
- · Locales, Presentation

Slide 2

DATATYPES IN ISAR

Slide 3

Datatype case distinction



```
\begin{array}{ll} \mathbf{proof} \; (\mathsf{case} \; term) \\ & \mathbf{case} \; \mathsf{Constructor}_1 \\ & \vdots \\ & \mathbf{next} \\ & \vdots \\ & \mathbf{next} \\ & \mathbf{case} \; (\mathsf{Constructor}_k \; \vec{x}) \\ & \cdots \; \vec{x} \; \cdots \\ & \mathbf{qed} \\ & \mathbf{case} \; (\mathsf{Constructor}_i \; \vec{x}) \; \equiv \end{array}
```

Slide 4

2

fix \vec{x} assume Constructor_i: " $term = Constructor_i \vec{x}$ "

Structural induction for type nat



```
\begin{array}{lll} \mathbf{show} \; P \; n \\ & \mathbf{proof} \; (\mathsf{induct} \; n) \\ & \mathbf{case} \; 0 & \equiv \; \mathbf{let} \; ? case = P \; 0 \\ & \dots & \\ & \mathbf{show} \; ? case \\ & \mathbf{next} \\ & \mathbf{case} \; (\mathsf{Suc} \; n) & \equiv \; \mathbf{fix} \; n \; \mathbf{assume} \; \mathsf{Suc:} \; P \; n \\ & \dots & \\ & \dots & \dots & \\ & \mathbf{show} \; ? case \\ & \mathbf{qed} \end{array}
```

Slide 5

Structural induction with \Longrightarrow and \land



```
show "\bigwedge x. A n \Longrightarrow P n"
proof (induct n)
                                    \equiv fix x assume 0: "A 0"
  case 0
                                        let ?case = "P 0"
  \mathbf{show}\ ? case
next
                                    \equiv fix n and x
   case (Suc n)
                                       assume Suc: "\bigwedge x. A \ n \Longrightarrow P \ n"
  ...
                                                        "A (Suc n)"
  \cdots n \cdots
                                       let ?case = "P (Suc n)"
   \mathbf{show}\ ? case
qed
```

Slide 6

O • NICTA

DEMO

Slide 7

3