

Smart Lotteries in School Choice: Ex-ante Pareto-Improvement with Ex-post Stability

Haris Aziz¹, Péter Biró², Gergely Csáji², Tom Demeulemeester³

¹UNSW Sydney, Australia

²ELTE Centre for Economic and Regional Studies, Budapest, Hungary

³Department of Quantitative Economics, Maastricht University, The Netherlands

Abstract

In a typical school choice application, the students have strict preferences over the schools while the schools have coarse priorities over the students based on their distance and their enrolled siblings. The outcome of a centralized admission mechanism is then usually obtained by the Deferred Acceptance (DA) algorithm with random tie-breaking. Therefore, every possible outcome of this mechanism is a stable solution for the coarse priorities that will arise with certain probability. This implies a probabilistic assignment, where the admission probability for each student-school pair is specified. In this paper, we propose a new efficiency-improving stable ‘smart lottery’ mechanism. We aim to improve the probabilistic assignment ex-ante in a stochastic dominance sense, while ensuring that the improved random matching is still ex-post stable, meaning that it can be decomposed into stable matchings regarding the original coarse priorities. Therefore, this smart lottery mechanism can provide a clear Pareto-improvement in expectation for any cardinal utilities compared to the standard DA with lottery solution, without sacrificing the stability of the final outcome. We show that although the underlying computational problem is NP-hard, we can solve the problem by using advanced optimization techniques such as integer programming with column generation. We conduct computational experiments on generated and real instances. Our results show that the welfare gains by our mechanism are substantially larger than the expected gains by standard methods that realize efficiency improvements after ties have already been broken.

1 Introduction

We consider the school choice problem, that is a two-sided many-to-one matching problem, in which students are matched to schools based on the preferences of the students and their priorities at the schools [1]. The underlying model originates from the Gale-Shapley college admission problem [26], where both the students and the colleges have preferences over the opposite sets. The important distinction between the two models is that in school choice we only consider the students as strategic agents, and we care about their welfare. Nevertheless, the same solution concept and algorithm is used in most applications, the *Deferred Acceptance (DA)* algorithm by Gale and Shapley. The DA mechanism provides a *stable matching* for college admission, and a so-called *justified-envy-free, non-wasteful* matching in the school choice context. These notions are equivalent, essentially meaning that every rejection is fairly made, as the given school filled its quota with higher priority students than the rejected applicant. See a historical overview on the DA in [41], and several books on the topic of stable matchings by economists [42, 28], computer scientists [36], and multi-disciplinary researchers [21].

When the priorities are coarse, the ties are typically broken by lotteries, and then DA is applied afterwards. To what extent the priorities are weak differ across school choice applications. In the

US, the typical approach is to consider four basic categories based on the catchment areas and siblings, as in the New York high school admissions [2]. However, in some other applications, such as for high schools in Amsterdam, no priorities are used and only a single lottery is conducted [44], so the mechanism is a so-called *Random Serial Dictatorship* (RSD). The lottery can be a single lottery applied for all schools, or multiple lotteries applied separately for each school, see a recent study on this question [6].

Note that although we focus our attention to school choice in this paper, the same setting can apply to numerous further applications, and therefore our new smart lottery mechanism can be potentially used more widely. We mention a few examples here. In many national university admission schemes, the applicants' scores determine their priorities, as in Hungary, Spain, Chile, and Ireland, and lotteries might be used to break the ties for students with the same score, as in Ireland (see descriptions on the European applications at the website of the Matching in Practice network). Resident allocation schemes may also use common evaluation scores for the candidates, as in Scotland, or just pure lotteries, as in Israel, where the hospitals do not express their preferences over the candidates and a single lottery determines the picking order [17]. In course allocation, coarse priorities can be based on certain student categories and then refined by lotteries, as at TU Munich [14] or at ELTE university in Hungary [45].

The DA mechanism is strategy-proof, and provides a student-optimal matching among the stable matchings. However, even for strict priorities, it is not Pareto-efficient [1]. When the priorities are coarse, and the solution is obtained by DA with lottery, then the matching may not even be *constrained-efficient*, which means that a Pareto-improvement can be possible without violating the original coarse priorities (but only the priorities by the lotteries). Erdil and Ergin have proposed a deterministic mechanism for making stable Pareto-improvements, upon the solution by the DA with lottery, to obtain a constrained-efficient matching by their so-called *stable improvement cycles algorithm* [23]. They demonstrated on some New York high school matching datasets that their approach could Pareto-improve the DA with lottery matching for 2-3% of the students (without hurting the others, and by only violating the lottery-based priorities). Nevertheless, this proposal was rejected, partly due to the unavoidable manipulability of the mechanism [3], but perhaps also because the violation of lottery-priorities can be problematic from a legal perspective in the US applications. In our paper, we use the Erdil-Ergin (EE) solution as a benchmark for comparison with the outcome of our new mechanism. Note also that as a new theoretical result related to the concept of Erdil and Ergin, we show that computing a highest average-rank constrained Pareto-improvement is a NP-hard problem even for this deterministic case.

Our new proposal is a smart lottery mechanism based on ex-ante Pareto-improvement, while keeping the final matchings stable. To describe the idea, we first have to introduce random matchings. When a lottery is applied in some matching application, the different outcomes (matchings) will occur with different probabilities. A *random matching* (or *probabilistic assignment*) describes the probability of each student-school pair to get realized in the final outcome. A random matching p is ex-ante Pareto-dominated by another random matching q in a *stochastic dominance* sense if for every student-school pair the probability of this student getting that school or a more preferred one can only increase from p to q , with a strict increase for at least one pair. Such an improvement is called *sd-improvement*, and if a random matching cannot be sd-improved then it is called *sd-efficient*.

In their seminal paper, Bogomolnaia and Moulin [16] have shown that for standard object allocation problems (with no priorities), the random matching obtained by the *Random Serial Dictatorship* (RSD) rule is not necessarily sd-efficient, and they proposed an alternative mechanism, the so-called *Probabilistic Serial* mechanism, to obtain an sd-efficient random matching.

Recall that RSD is used for school choice in Amsterdam [44], and also for resident allocation in Israel. However, a remarkable redesign has been implemented in the latter application, documented in detail by Bronfman et al. [17]. The new proposal is a two-step mechanism. In the first step, the random matching by RSD is Pareto-improved for estimated utilities. In the second step, a

smart lottery is conducted, where the random matching is decomposed into a convex combination of desirable matchings, where the couples are getting positions close to each other with high probability.

Our approach follows a similar spirit, but differs in three main aspects. First, since we have a school choice setting with coarse priorities, as opposed to no priorities, stability plays a key role in our paper. As such, we improve upon the random matching obtained by DA with lotteries, instead of RSD. Secondly, in the first step of the mechanism we are a bit more conservative with the Pareto-improvement, and we only look for sd-improvements, i.e., a guaranteed Pareto-improvement for any underlying cardinal utilities, and not only for estimated utilities. Finally, we do not have couples in our setting, but we want to ensure that the final outcome is stable with respect to the coarse priorities.

If a random matching can be decomposed into stable matchings for coarse priorities, then it is called *ex-post stable*, as defined by Kesten and Unver [34]. Therefore, in our mechanism we make the ex-ante sd-improvement in the first phase such that the random matching is ex-post stable, and then it can be decomposed into stable matchings for the smart lottery.

Formally, our *Pareto-Improving Random Matchings under Ex-post Stability* (PIRMES) mechanism works as follows.

Pareto-Improving Random Matchings under Ex-post Stability (PIRMES)

- STEP 0: Compute a random matching p , e.g., with DA and uniform tie-breaking
- STEP 1: Compute another random matching q that sd-improves upon p , such that the improvement is the largest possible in terms of average ranks and q is ex-post stable. If no such ex-post stable random matching q can be found (because p was not ex-post stable), return p .
- STEP 2: Decompose q into a convex combination of stable matchings and conduct the smart lottery.

Our mechanism can be applied to any random matching p . In this paper, we will mainly evaluate our mechanism by improving upon DA with uniform tie-breaking, and we refer to this mechanism as DA-PIRMES. This choice is motivated by DA being a standard method in practical school choice problems, and by the guaranteed stability of the returned matching, unlike methods such as, e.g., Efficiency-Adjusted Deferred Acceptance (EADA) [33]. Nevertheless, we evaluate our mechanism when applied to other random matchings in Section 6.

The main conceptual difference with the Erdil-Ergin approach is that we make the Pareto-improvement ex-ante, and we conduct the smart lottery only at the end of the mechanism.

We demonstrate the mechanism with a simple example.

Example 1. Consider the following problem instance. We have four students 1, 2, 3, 4 and four schools s_1, s_2, s_3, s_4 with unit capacities, and with the following preferences and priorities.

$$\begin{array}{ll}
 1 : & s_1 \succ s_3 \succ s_4 \succ s_2 & s_1 : & [1, 2] \succ 3 \succ 4 \\
 2 : & s_1 \succ s_4 \succ s_3 \succ s_2 & s_2 : & [3, 4] \succ 1 \succ 2 \\
 3 : & s_2 \succ s_3 \succ s_4 \succ s_1 & s_3 : & 2 \succ 4 \succ [1, 3] \\
 4 : & s_2 \succ s_4 \succ s_3 \succ s_1 & s_4 : & 1 \succ 3 \succ [2, 4]
 \end{array}$$

Here, the notation $[i, j]$ for some agents i, j means that they have the same priority at a school. Figure 1 illustrates the first two preferences of the students, while all schools are indifferent between the students who rank that school first or second.

The possible weakly stable matchings that can arise from DA with uniform single tie-breaking and their probabilities are:

- $M_1 = \{(1, s_1), (2, s_3), (3, s_2), (4, s_4)\}$ with probability $1/8$,
- $M_2 = \{(1, s_1), (2, s_4), (3, s_2), (4, s_3)\}$ with probability $1/8$,




Figure 1: First two preferences of the students in Example 1.

- $M_3 = \{(1, s_1), (2, s_4), (3, s_3), (4, s_2)\}$ with probability $1/4$,
- $M_4 = \{(1, s_3), (2, s_1), (3, s_2), (4, s_4)\}$ with probability $1/4$,
- $M_5 = \{(1, s_3), (2, s_1), (3, s_4), (4, s_2)\}$ with probability $1/8$,
- $M_6 = \{(1, s_4), (2, s_1), (3, s_3), (4, s_2)\}$ with probability $1/8$.

When we take the average probabilities for each student-school pair, we obtain the following random matching p :

- *first choices:* $p(1, s_1) = p(2, s_1) = p(3, s_2) = p(4, s_2) = 1/2$,
- *second choices:* $p(1, s_3) = p(2, s_4) = p(3, s_3) = p(4, s_4) = 3/8$,
- *third choices:* $p(1, s_4) = p(2, s_3) = p(3, s_4) = p(4, s_3) = 1/8$.

However, consider the following random matching q which *sd-dominates* p , and is therefore strictly better for all students:

- *first choices:* $q(1, s_1) = q(2, s_1) = q(3, s_2) = q(4, s_2) = 1/2$,
- *second choices:* $q(1, s_3) = q(2, s_4) = q(3, s_3) = q(4, s_4) = 1/2$.

Note that this random matching q is exactly $\frac{1}{2}(M_3 + M_4)$, so q is *ex-post stable*.

Regarding the implementation of our mechanism, we face computational challenges. Aziz et al. proved recently that it is NP-complete to decide whether a given matching is ex-post stable [12], and they provided an integer programming formulation to maximize the fraction of stable matchings in the decomposition of that matching. Likewise, we will show that the main computational task in our mechanism is NP-hard, but we demonstrate that with sophisticated optimization methods the problem becomes solvable for realistic instances, and we evaluate the expected welfare gains with computational simulations conducted on generated and real datasets.

Contributions

Our main conceptual contribution is formalizing a smart lottery approach where an efficient random matching is computed which stochastically dominates a given random matching but maintains the requirement of being ex-post stable, thereby allowing it to be implemented by stable matchings. We formalize our approach via by a class of mechanisms called *Pareto-Improving Random Matchings under Ex-post Stability* (PIRMES). Within this class, we especially focus on DA-PIRMES where we improve upon DA with uniform tie-breaking. Our results are summarized below.

Theoretical Results We present several complexity results for computational problems central to our study. Since our goal is to compute sd-improvements constrained to ex-post stability, a fundamental problem is checking whether a given ex-post stable random matching constrained-sd-efficient. We prove that the problem is NP-hard even if the students have preferences of length

at most 3 and every capacity is 1 and the random matching is a uniform combination of student optimal stable matchings with respect to some tie-breakings. The result contrasts with the facts that (i) testing sd-efficiency of any given random matching is polynomial-time solvable and (ii) testing constrained efficiency of a deterministic weakly stable matching is also polynomial-time solvable [23]. Regarding the latter, we show that finding a weakly stable matching M' that Pareto-dominates a weakly stable matching M and improves average rank by at least a given amount is NP-hard, hence it is computationally challenging to find "improvement paths" that lead to the best final matching.

We also show that given a matching M , it is NP-hard to decide if there is a weakly stable matching N , which Pareto-dominates M for the students, or an ex-post stable random matching p that sd-dominates M for the students. Furthermore, we show it is also NP-hard to compute the uniform combination of all weakly stable matchings that arise as a student optimal stable matching with respect to some tie-breaking.

Finally, we show that no strategy-proof, ex-post stable, and constrained-sd-efficient random mechanism exists. Our complexity results motivate an operations research approach for our paradigm.

OR approach and Experiments In light of these hardness results, we propose a column generation framework in Section 5 to find the ex-post stable random matching of minimal average rank that sd-dominates a given random matching p . In essence, this framework will start by finding a lottery over a subset of the weakly stable matchings, and will continuously generate additional weakly stable matchings until a certificate of optimality is obtained.

Our simulations in Section 6 indicate that, without losing ex-post stability, our proposed solution is capable of finding random matchings with substantially lower average ranks than the standard approach by Erdil and Ergin [23] (EE), which resolves inefficiencies in DA after ties have been broken. Our proposed solution achieves as least as many beneficiaries as EE, while obtaining substantially larger welfare gains for those improving students. For real data of an Estonian kindergarten application and for a particular priority structure, for example, our proposed solution realizes a sixfold increase, compared to EE, in both the fraction of improving students upon DA, as well as their average improvement in rank. Lastly, for some structural properties of the preferences and priorities, our method manages to sd-dominate the expected outcome by existing mechanisms that remove inefficiencies in DA but do *not* require stability, such as EADA [33].

2 Related Work

The theory of stable matchings has a long history, surveyed in several monographs [27, 36, 42, 21]. Foundational work on the stable matching polytope without ties Roth et al. [43] and its linear programming connections [48] provides important insights into random stable matchings. While the classical stable marriage problem assumes strict preferences [26], the introduction of ties [32] significantly changed the landscape: although efficient algorithms exist for weak, strong, and super stability, many related problems become NP-hard when ties are allowed [37].

The issue of the achieving stability and Pareto optimality is central to market design. In general, Pareto optimality and stability are incompatible [1]. Therefore, the target is typically revised to finding efficient matchings within the space of stable matchings whether we consider random matchings or discrete matchings. When both sides have strict preferences / priorities, the Deferred Acceptance algorithm gives a matching which is Pareto optimal among stable matchings. However, this is not necessarily the case when the preferences and priorities allow for ties [23].

Erdil and Ergin [23] study two-sided matching markets in which agents may be indifferent between multiple partners. They characterize matchings which are ordinally efficient within the stable set and propose an algorithm that takes a stable matching as input and iteratively eliminates

stable improvement cycles to reach a Pareto-efficient matching constrained to stable matchings. They highlight that commonly used procedures, such as Deferred Acceptance with arbitrary tie-breaking, can produce stable outcomes that are Pareto-dominated by other stable matchings. As a result, tie-breaking rules are not innocuous: they affect welfare even when stability is preserved. In contrast to the work Erdil and Ergin, we allow for randomized matchings which lets us consider a significantly larger space of ex-ante outcomes. Our paper can be viewed as the revisiting the agenda of Erdil and Ergin in the context of randomized matchings. Interestingly, our computational experiments show that realizing ex-ante efficiency improvements (i.e., *before* random tie-breaking) can lead to substantially larger welfare gains in comparison to realizing efficiency improvements *after* ties have already been broken (as proposed by Erdil & Ergin).

Inspired by the observations by Erdil and Ergin [23], there is an increased focus on efficiency improvements while keeping stability consideration or allowing to weaken them. One example is the Efficiency-Adjusted DA mechanism (EADA) of Kesten [33], and the improved algorithm by Tang and Yu [46], which allows students to waive their priorities whenever this does not affect their own assignment, thus possibly resulting in unstable matchings. Other examples of mechanisms aiming to reduce inefficiencies in DA while limiting stability violations include the studies on legal matchings [22], [25], weakly stable matchings [47], and priority-efficient matchings [40]. Most of these works are within the space of discrete matchings.

A mechanism-design approach to stable *random* matchings was initiated by Kesten and Unver [34], who studied the tension between stability and efficiency and proposed propose the Fractional Deferred Acceptance mechanism with Trading (FDAT) satisfying on ex-ante stability which is a very demanding concept in the context of random matching. They find a constrained ordinally efficient solution within the class of ex-ante stable mechanisms. In this paper, we focus on the more standard and widely-studied but weaker ex-post stability concept which also allows to access a larger set of matchings hence allowing for more efficiency. Note, that there is no clear theoretical efficiency comparison between ex-ante stability and the method by Erdil and Ergin, nor to DA with tie-breaking.

Aziz et al. [12] prove that when either side has ties in the preferences/priorities, testing ex-post stability is NP-complete. The result even holds if both sides have dichotomous preferences. They also consider stronger versions of ex-post stability (and prove that they can be tested in polynomial time. Another related result is that checking whether a random assignment is ex-post Pareto optimal or not is not is coNP-complete[11]. If we focus on sd-efficiency, checking if a random assignment can be stochastically dominated by another random matching (or equivalently by an ex-post efficient random matching) can be done with an LP in polynomial time. On the other hand, checking if it can be dominated by an ex-post stable random matching is NP-hard which is our new contrasting result.

Aziz and Brandl [8] provides a general vigilant eating approach to computing desirable matchings subject to general feasibility constraints. In our problem, capturing ex-post stability in the form of feasibility constraints is challenging as testing ex-post stability is coNP-complete [12].

As our main proposal is a new school choice mechanism with smart lotteries, our paper contributes to the literature on smart lotteries for matching problems. First, as already discussed in the introduction, Bronfman et al. [17] study the Israeli resident allocation, and Pareto-improve upon RSD for estimated utilities by using matchings that assign couples close to the same or geographically close hospitals. Second, Ashlagi and Shi [7] study how to increase neighborhood cohesion in school choice, which can, in turn, decrease busing costs. They find a lottery with the same marginals as RSD (i.e., no ex-ante improvement) by using matchings that maximize neighborhood cohesion. They prove the NP-hardness of this problem, and propose a Birkhoff-von Neumann-inspired heuristic, which they evaluate on school choice data from Boston. Third, De-meulemeester et al. [20] focus on finding lotteries that maximize worst-case criteria. For example, they study the problem of finding a lottery with the same marginals as a given random matching, while minimizing the worst-case number of unassigned students by any of the matchings in the sup-

port of the lottery, and they show the NP-hardness of this problem. Their algorithmic framework is similar to ours, as they also propose a column generation in this setting, which they evaluate on Belgian school choice data. The paper is also related to the ‘best of both worlds’ literature in which random outcomes satisfying desirable ex-ante and ex-post properties are sought [13].

3 Preliminaries

We consider many-to-one matching markets. Here, we have a bipartite market, where on one side, we are given a set of *students* N , and on the other side, a set of *schools* S . Each student $i \in N$ has a *strict preference list* \succ_i . We use the notation $s_j \succ_i s_k$ to denote that i strictly prefers s_j to s_k . We denote the set of acceptable schools of a student i by $A(i)$. We assume that any acceptable school $s_j \in A(i)$ is strictly preferred by i to \emptyset (corresponding to not assigning i to any school), but any unacceptable school is worse than \emptyset . We define the *rank* of school $s \in S$ for student i (denoted by $\text{rank}_i(s)$) to be the maximum possible size k of a subset $\{s_{j_1}, \dots, s_{j_k}\}$, such that $s_{j_1} \succ_i s_{j_2} \succ_i \dots \succ_i s_{j_k} = s$. That is, the best school for i has rank 1, the second best school rank 2, etc. Each school $s_j \in S$ has a capacity $c[s_j]$ specifying the number of available positions at s_j . It also has a weak priority list \succsim_{s_j} over the students $i \in N$ that find s_j acceptable, where $k \sim_{s_j} \ell$ denotes that school s_j is indifferent between students $k, \ell \in N$. For a school s_j , the set of students who find it acceptable is denoted by $A(s_j)$.

A *tie-breaking* of a priority list \succsim_x is a strict priority list \succ'_x that is consistent with \succsim_x , that is, $a \succ_x b$ implies $a \succ'_x b$.

Definition 1. An instance I of a many-to-one matching market is represented by a tuple (G, c, \succsim) , where G is a bipartite graph $G = (N, S, E)$, with the set of edges E being defined by the mutual acceptability relations, that is, $(i, s_j) \in E$ if and only if $s_j \in A(i)$, c is the capacity vector of the schools, while \succsim is the preference profile consisting of the preference lists \succ_i for $i \in N$ and the priority lists \succsim_{s_j} for $s_j \in S$.

In this framework, we use the notation $E(v)$ to denote the set of edges incident to vertex v .

We say that a vector $M \in \{0, 1\}^E$ is a *matching* of G , if it holds that for any $i \in N$, $\sum_{e \in E(i)} M(e) \leq 1$ and for any $s_j \in S$, $\sum_{e \in E(s_j)} M(e) \leq c[s_j]$. We say that a vector $p \in [0, 1]^E$ is a *random matching* of G , if p can be written as a convex combination of matchings, that is, there exists matchings M_1, \dots, M_k , and nonnegative numbers $\lambda_1, \dots, \lambda_k$ such that $\sum_{l=1}^k \lambda_l = 1$ and $p = \sum_{l=1}^k \lambda_l M_l$. Using such a decomposition, one can also think of p as a random lottery over the matchings M_1, \dots, M_k , where the probability of choosing the matching M_l is λ_l .

Given a matching M , we use the notations $M(i) = \{s_j \in S \mid M(i, s_j) = 1\}$, that is the school that i gets assigned to (or \emptyset otherwise) and $M(s_j) = \{i \in N \mid M(i, s_j) = 1\}$, that is, the set of students assigned to s_j in M . For a random matching p , we let $p(i) = \{s_j \in S \mid p(i, s_j) > 0\}$ and $p(s_j) = \{i \in N \mid p(i, s_j) > 0\}$.

3.1 Stability and Pareto-optimality

One of the most widely used fairness notions for matchings is weak stability. We say that a matching M is *weakly stable*, if there exists no student-school pair (i, s_j) , such that $s_j \succ_i M(i)$ and either (i) $|M(s_j)| < c[s_j]$ or (ii) $i \succ_{s_j} i'$ for some $i' \in M(s_j)$.

A random matching p is called *ex-post stable* if p can be written as a convex combination of weakly stable matchings, that is, there exists weakly stable matchings M_1, \dots, M_k , and nonnegative numbers $\lambda_1, \dots, \lambda_k$ such that $\sum_{l=1}^k \lambda_l = 1$ and $p = \sum_{l=1}^k \lambda_l M_l$. Note that this decomposition may not be unique. Furthermore, deciding if a random matching p admits such a decomposition, i.e., it is ex-post stable, is NP-complete [12].

We say that a random matching q *stochastically Pareto-dominates* a random matching p for the students (or *sd-dominates* for short), if for any student i and school $s_j \in A(i)$, we have that

$\sum_{s_l: s_l \succ_i s_j} q(i, s_l) \geq \sum_{s_l: s_l \succ_i s_j} p(i, s_l)$ and there exists at least one student i and school $s_j \in A(i)$ such that strict inequality holds. That is, for any student i , and for any threshold school s_j , the probability that i gets accepted to a school at least as good for her as s_j cannot decrease. We say that a random matching p is *constrained-sd-efficient*, if it is (i) ex-post stable, and (ii) no other ex-post stable random matching q sd-dominates p .

The main theoretical question of this paper is to settle the complexity of deciding whether a random matching p is constrained-sd-efficient or not. Formally, we define the following decision problem.

ISCONSTRAINED-SD-EFF

Input: A many-to-one market (G, c, \succ) and an ex-post stable random matching p .
Question: Is p constrained-sd-efficient?

3.2 Stable Improvement Cycles

In the deterministic setting, the problem of deciding whether a weakly stable matching M can be Pareto-improved (for the students) by another weakly stable matching M' was studied by Erdil and Ergin [23]. They defined a matching M to be *constrained-efficient* if M is weakly stable and no weakly stable matching M' Pareto-dominates it for the students.

Given a many-to-one matching market (G, c, \succ) and a stable matching M , Erdil and Ergin [23] define a *stable improvement cycle* as follows.

Definition 2. *Students i_1, \dots, i_k form a stable improvement cycle with respect to a weakly stable matching M , if*

1. $M(i_j) \neq \emptyset$ for any $j \in [k]$,
2. $M(i_{j+1}) \succ_{i_j} M(i_j)$ for $j \in [k]$ with $k+1 := 1$
3. For any $j \in [k]$ and $s = M(i_{j+1})$, we have that $i_j \succ_s i'$ for any $i' \in N$ with $s \succ_{i'} M(i')$.

Theorem 1 (Erdil and Ergin [23]). *A weakly stable matching M is constrained-efficient if and only if M does not admit any stable improvement cycles. Furthermore, deciding whether M admits a stable improvement cycle, and if yes, finding such a cycle can be done in polynomial time.*

To find stable improvement cycles for a stable matching M , they define a directed envy graph D_M as follows.

- The vertex set of D_M is N , i.e., the set of students.
- For any $i, j \in N$ we have a directed arc (i, j) if and only if (i) i, j are both matched in M , (ii) $M(j) \succ_i M(i)$ and (iii) $i \succ_{M(j)} i'$ for any $i' \in N$ with $M(j) \succ_{i'} M(i')$.

Given a set \mathcal{S} of disjoint stable improvement cycles in D_M , we can create a new stable matching M/\mathcal{S} by eliminating the cycles in \mathcal{S} , i.e. by assigning i_j to $M(i_{j+1})$ for each stable improvement cycle in \mathcal{S} [23].

4 Theoretical Results

In this section, we resolve the complexity of ISCONSTRAINED-SD-EFF and related problems. The omitted proofs are in Appendix A.

4.1 Efficiency Benefits of the PIRMES Approach

We start our study by first recalling example that motivates our approach over existing approaches in terms of efficiency subject to ex-post stability.

Example 2 (Comparison with Previous Approaches). Consider Example 1. In this example, our approach starts from a random matching p and finds an sd -improvement $q = \frac{1}{2}(M_3 + M_4)$ where M_3 and M_4 are specified in Example 1. Note also that any mechanism that Pareto-improves the matchings ex-post, such as the stable improvement cycles by Erdil and Ergin [23] and EADA by Kesten [33], cannot improve upon the random matching p in this instance, as all tie-breakings lead to student-optimal stable matchings that are already Pareto-optimal for the students. This example illustrates that all these methods can be stochastically dominated by ex-post stable lotteries.

To gain an intuition into why the sd -improvement is possible, observe that in DA with lottery all agents receive their third choice with positive probability. Take for example agent 1. If she fails to win the lottery against 2 for s_1 and student 3 also fails to get s_2 , then they will have to compete for school s_3 , and only one of them can get it, decided by a lottery. However, if we coordinate the first two lotteries for the top choices, by making them correlated, then we can avoid the competitions for the second choices. For instance, we can make sure that whenever student 1 wins the lottery for her top choice, then her potential competitor, student 3, loses the lottery for her top choice, and gets her second choice, and vice versa.¹

Next, we compare with the Fractional Deferred Acceptance with Trading (FDAT) mechanism of Kesten and Unver [34]. FDAT starts from a fractional version of the Deferred Acceptance outcome and then allows agents to trade probability shares of assignments. The initial fractional matching satisfies ex-ante stability, which is a stronger stability notion than ex-post stability, while the subsequent trading phase lets agents exchange portions of their assignments to improve efficiency according to their preferences, without violating ex-ante stability.

If we do allow randomization but target the stronger notion of ex-ante stability that is achieved by FDAT, then it severely restricts the welfare benefits in comparison to ex-post stable random matchings, as demonstrated in the following example.

Example 3 (Comparison with FDAT). We have eight students 1, 2, 3, 4, 5, 6, 7, 8 and eight schools $s_1, s_2, s_3, s_4, s_5, s_6, s_7, s_8$ with unit capacities, and with the following preferences and priorities.

1 : $s_1 \succ s_3 \succ s_4 \succ s_2$	s_1 : $[3, 4] \succ [1, 2]$
2 : $s_1 \succ s_4 \succ s_3 \succ s_2$	s_2 : $[1, 2] \succ [3, 4]$
3 : $s_2 \succ s_4 \succ s_3 \succ s_1$	s_3 : $3 \succ 2 \succ [1, 6] \succ 4$
4 : $s_2 \succ s_3 \succ s_4 \succ s_1$	s_4 : $4 \succ 1 \succ [2, 5] \succ 3$
5 : $s_5 \succ s_4 \succ s_6$	s_5 : $[7, 5]$
6 : $s_7 \succ s_3 \succ s_8$	s_6 : $7 \succ 5$
7 : $s_5 \succ s_6$	s_7 : $[6, 8]$
8 : $s_7 \succ s_8$	s_8 : $8 \succ 6$.

Here, the notation $[i, j]$ for some agents i, j means that they have the same priority.

FDAT outputs the random matching p where students 7 and 8 receive their first two choices with probability $1/2$, while all other students receive their first and third choices with probability $1/2$. In particular, $p(1, s_1) = p(1, s_4) = p(2, s_1) = p(2, s_3) = p(3, s_2) = p(3, s_3) = p(4, s_2) = p(4, s_4) = p(5, s_5) = p(5, s_6) = p(6, s_7) = p(6, s_8) = p(7, s_5) = p(7, s_6) = p(8, s_7) = p(8, s_8) = 1/2$ and $p = 0$ otherwise.

Then, FDAT finds a possible improvement, where 1 and 2 trade their third choices for their second choices, resulting in a random matching where students 1 and 2 receive their first two choices with probability $1/2$.

Now, the key property of this instance is that students 3 and 4 could also switch their third-ranked schools with each other to obtain their second-ranked schools. However, this cannot happen

¹Note that the idea of correlated lotteries for school choice was also suggested in Ashlagi and Shi [7]. However, their goal was to improve the probability of assigning the students from a neighborhood to the same schools, which can decrease the busing costs for the city.

in the FDAT, as the resulting random matching violates ex-ante stability, because the pairs $(5, s_4)$ and $(6, s_3)$ would block in the ex-ante sense.

We will show that the random matching p' that is obtained by allowing students 3 and 4 to swap probabilities for their third choices is ex-post stable. Note that p' assigns students 5 and 6 to their first and third choices with probability $1/2$, while all other students receive their first two choices with probability $1/2$. Hence, p' clearly sd-dominates FDAT as students 3 and 4 are strictly better off, while the other students are indifferent between both random matchings.

Observe that p' is ex-post stable, as $p' = \frac{1}{2}(M_1 + M_2)$, where M_1 and M_2 are the following weakly stable matchings:

- $M_1 = \{(1, s_1), (2, s_4), (3, s_2), (4, s_3), (5, s_6), (6, s_7), (7, s_5), (8, s_8)\}$,
- $M_2 = \{(1, s_3), (2, s_1), (3, s_4), (4, s_2), (5, s_5), (6, s_8), (7, s_6), (8, s_7)\}$.

We show that p' weakly sd-dominates the result of the DA with uniform tie-breakings. For this, first observe that every student has at most $\frac{1}{2}$ probability of being matched to their first choice, since each top school is a top school of two students, where these two are tied. This implies that for students 1, 2, 3, 4, 7, 8, p' sd-dominates the uniform tie-breaking DA output. Next, suppose that 5 is with s_4 in the DA output after some tie-breaking. Then, students 1 and 4 must be with better schools than s_4 . If both of them are at their top schools (s_1 and s_2), then either student 2 is unmatched and blocks with s_2 or student 3 is unmatched and blocks with s_1 . Otherwise, student 1 or 4 must be at s_3 . Then, as one of students 2 and 3 must be unmatched, they block with s_3 , contradiction. Hence, 5 is never with s_4 in the DA output after some tie-breaking. Similarly, by a symmetric argument, 6 is never with s_3 in the DA output after some tie-breaking. Hence, for them, the uniform tie-breaking DA output is also sd-dominated by p' .

Also, p' cannot be sd-improved, because if 5 or 6 increase their probability for a top-2 school, then a student there must get a worse than second school with positive probability. Hence, p' is a possible optimal output of our approach.

4.2 Constrained-sd-efficiency

We start by examining the complexity of ISCONSTRAINED-SD-EFF. First, let us prove a useful lemma, which will help us restrict the support set of constrained-sd-efficient matchings to constrained-efficient matchings.

Lemma 1. *Take a many-to-one matching instance $I = (G, c, \succsim)$. If p is constrained-sd-efficient, then in any decomposition $p = \sum_l \lambda_l M_l$ of p into weakly stable matchings, each M_l is constrained-efficient and a student optimal stable matching with respect to some tie-breaking.*

Proof. Suppose for the contrary that $p = \sum_i \lambda_i M_i$ but M_j is not a student optimal stable matching with respect to any tie-breaking of the preference profile \succsim . Take a tie-breaking \succ' , satisfying that for each school s , if $i \in M(s)$ but $i' \notin M(s)$ and $i' \sim_s i$, then $i \succ'_s i'$.

It is straightforward to verify that M_j is a stable matching with respect to the profile \succ' . By our assumption, we know that the student optimal stable matching M'_j with respect to \succ' is weakly better for all students and strictly better for at least one. By the construction of the tie-breaking \succ' , M'_j gives a weakly stable matching that is weakly better for every student and strictly better for at least one. Then, $q = \sum_{l \neq j} \lambda_l M_l + \lambda_j M'_j$, is an ex-post stable random matching (as witnessed by this decomposition) that SD-dominates p , a contradiction to p being constrained-sd-efficient.

Similarly, if M_j is not constrained-efficient, then there exists a weakly stable matching M'_j that Pareto-dominates M for the students, so $q = \sum_{l \neq j} \lambda_l M_l + \lambda_j M'_j$, is an ex-post stable random matching that SD-dominates p , contradiction. \square

We turn to our main theoretical results, concerning the computational complexity of ISCONSTRAINED-SD-EFF. First, we start with a simple observation for the case where all priority lists are strict.

Observation 1. *ISCONSTRAINED-SD-EFF is solvable in polynomial time, if all priority lists are strict.*

Indeed, in this case, there exists a unique student-optimal stable matching M [26], where all students receive the best possible school in any stable matching simultaneously. Hence, M SD-dominates any ex-post stable random matching p , thus M is also the unique constrained-sd-efficient random matching.

Sadly, even the introduction of ties on one side of the market makes the problem hard, as we now show.

Theorem 2. *ISCONSTRAINED-SD-EFF is coNP-complete, even if the students have preferences of length at most 3 and every capacity is 1.*

This result is in strong contrast with the polynomial result in Theorem 1 for the deterministic case. At the same time, it is also in contrast with the polynomial complexity of verifying whether an arbitrary random matching is sd-efficient, which can be verified by checking for probabilistic trading cycles [16].

In practice, the initial ex-post stable matching p is usually obtained by uniformly randomly sampling some tie-breakings, computing the DA outcomes, and weighing them equally. This is to mitigate the computational bottleneck of computing the average of all possible (exponentially many) DA outcomes for all possible tie-breakings, which we shortly show to be NP-hard in Theorem 4. Hence, next we consider whether the coNP-hardness of ISCONSTRAINED-SD-EFF remains even if p is restricted to such matchings.

Theorem 3. *ISCONSTRAINED-SD-EFF is coNP-complete, even if the students have preferences of length at most 3 and p is a uniform combination of DA outputs with different tie-breakings.*

Proof. Consider the constructed ex-post stable random matching p , where we have shown that $p = \frac{1}{3}(M_1 + M_2 + M_3)$ for some known weakly stable matchings. If one of them, say M_1 is not a student optimal stable matching with respect to some tie-breaking, then by Lemma 1 and Theorem 1, we can find in polynomial time a weakly stable matching M'_1 that Pareto-dominates M_1 for the students and conclude that $q = \frac{1}{3}(M'_1 + M_2 + M_3)$ SD-dominates p . Hence, the restriction of the problem to inputs where all of M_1, M_2, M_3 is a student optimal stable matching with respect to some tie-breaking is still coNP-complete. \square

Theorem 4. *It is NP-hard to compute the uniform combination of all DA output weakly stable matchings with respect to some tie-breaking.*

Proof. We reduce from COM-SMTI, shown to be NP-hard by Manlove et al. [38].

COM-SMTI

Input: A stable marriage instance $I = (U, W; E; (\succ_u)_{u \in U}, (\succ_w)_{w \in W})$, where each $u \in U$ has a strict preference list.

Question: Is there a complete stable matching in I ?

Let $I = (U, W; E; (\succ_u)_{u \in U}, (\succ_w)_{w \in W})$ be an instance of COM-SMTI. We create many-to-one matching market $I' = (G, c, \succ)$, by copying the graph and the preferences from I (identifying the students $N = \{1, \dots, n\}$ with $U = \{u_1, \dots, u_n\}$ and the schools $S = \{s_1, \dots, s_m\}$ with $W = \{w_1, \dots, w_n\}$) and setting $c \equiv 1$. Students have strict preferences, as \succ_u is strict for all $u \in U$. Additionally, we add a dummy school t that is the worst acceptable for all students and ranks every student in a tie. Hence, we have $N = \{u_1, \dots, u_n\}$ and $S = \{w_1, \dots, w_n\} \cup \{t\}$.

If there exists a complete weakly stable matching in I , then let M be such a matching. Then, if we break the ties in a way such that for each school $s \in S$, if $i \in M(s)$ but $i' \notin (s)$ and $i' \sim_s i$, then $i \succ'_s i'$, then M is easily seen to be stable. Hence, with respect to these tie-breaking, the DA-output student optimal stable matching must match all students to strictly better schools than t .

Hence, the sum of values on the incident edges to the dummy school is less than 1 in the uniform combination of DA-outputs.

In the other direction, if the sum of the values on incident edges to the dummy school t is less than 1 in the uniform combination of DA outputs, then there must be a tie-breaking, where the student optimal stable matching M does not match anyone to t . Since it is acceptable to every student, each must be matched to a school corresponding to some $w_j \in W$ in I . It is easy to see that M gives a complete weakly stable matching in I . \square

4.3 Related Questions for Deterministic Matchings

Motivated by the positive result of Erdil and Ergin for the deterministic case [23] (Theorem 1), we also study a related question, where instead of Pareto-dominating a weakly stable matching M with a different weakly stable matching, we ask whether an arbitrary matching M can be Pareto-dominated by a weakly stable matching or an ex-post stable random matching. Sadly, these questions are also computationally challenging.

Theorem 5. *Given a matching M , it is NP-hard to decide if there is a weakly stable matching N , which Pareto-dominates M for the students. It is also NP-hard to decide if there is an ex-post stable random matching p that Pareto-dominates M for the students.*

Proof. We reduce from COM-SMTI. Let $I = (U, W; E; (\succ_u)_{u \in U}, (\succ_w)_{w \in W})$ be an instance of COM-SMTI. We create many-to-one matching market $I' = (G, c, \succ)$, by copying the graph and the preferences from I (identifying the students with U and the schools with $W = \{w_1, \dots, w_n\}$) and setting $c \equiv 1$. Students have strict preferences, as \succ_u is strict for all $u \in U$. Additionally, we add a dummy school t_i for all $u_i \in U$, that is the worst acceptable for student u_i and ranks every student in a tie, except that we create a corresponding dummy student y_i that considers only t_i acceptable and is best for t_i . Hence, we have $N = \{u_1, \dots, u_n\} \cup \{y_1, \dots, y_n\}$ and $S = \{w_1, \dots, w_n\} \cup \{t_1, \dots, t_n\}$.

The initial matching M is $\{(u_i, t_i) \mid i \in [n]\}$.

In any weakly stable matching, y_i and t_i are matched for each $i \in [n]$ as they are mutual top choices. Hence, to Pareto-improve the students, each u_i must be matched and necessarily to a school w_i . Such a matching between U and W must be a complete weakly stable matching in I . For the case, where we want to dominate with an ex-post stable random matching p , we still must satisfy that u_i is matched with probability 1, hence all weakly stable matchings in the support of p must match all u_i students to schools from W (by stability), so all of them must be complete weakly stable matchings in I .

Conversely, given a complete weakly stable matching M' in I , we can extend M' with $\{(y_i, t_i) \mid i \in [n]\}$ and obtain a weakly stable matching (and thus also an ex-post stable matching), which Pareto-improves the students upon M . \square

We also study how to select one of the (possibly many) stable improvement cycles in each iteration of the algorithm by Erdil and Ergin [23]. Erdil and Ergin did not consider the problem of finding "optimal" stable improvement cycles, i.e., Pareto-improving the weakly stable matching M in such a way that the average rank of the students is minimized. In this paper, we extend their work by analyzing such problems computationally.

The first question that arises is whether we can find an "optimal" set of stable improvement cycles in D_M ?

MAX-CONSTRAINED-IMPROVE-GREEDY

Input: A many-to-one matching market (G, c, \succ) , a stable matching M and a number R .

Question: Is there a set \mathcal{S} of disjoint stable improvement cycles in D_M , such that for $M' = M/\mathcal{S}$ $\text{avgrank}(M) - \text{avgrank}(M') \geq R$?

MAX-CONSTRAINED-IMPROVE-GREEDY can be solved in polynomial time, as it straightforwardly reduces to a minimum cost circulation problem with unit edge and vertex capacities, using that such a problem always admits an integer optimal solution [5, 31]. The weight of an arc (i, s_j) should be set to the amount in the average rank the switch of i from $M(i)$ to s_j leads to (i.e., $\frac{\text{rank}_i(s_j) - \text{rank}_i(M(i))}{n}$).

The more interesting problem is to find a stable improvement that is globally optimal, i.e. a stable matching that Pareto-improves the students from M and leads to the best average rank. The difficulty here is that even though we eliminate a set of disjoint improvement cycles that is optimal in the current envy graph D_M , there is no guarantee that such an improvement does not destroy all paths of eliminating improvement cycles that lead to a global optimum. In fact, we will show that this becomes NP-hard.

MAX-CONSTRAINED-IMPROVE

Input: A many-to-one matching market (G, c, \succ) , a stable matching M and a number R .

Question: Is there a stable matching M' , such that M' is a Pareto-improvement for the students and $\text{avgrank}(M) - \text{avgrank}(M') \geq R$?

Example 4. We illustrate with an example that greedily picking the best stable improvement cycle, or the best disjoint set of such cycles, may not be optimal. We have six students 1, 2, 3, 4, 5, 6 and six schools $s_1, s_2, s_3, s_4, s_5, s_6$ with the following preferences and priorities.

1 : $s_2 \succ s_4$	$s_1 : 4 \succ [2, 3]$
2 : $s_1 \succ s_2 \succ s_3 \succ s_5$	$s_2 : 5 \succ 1 \succ 2$
3 : $s_1 \succ s_3 \succ s_6$	$s_3 : 6 \succ 2 \succ 3$
4 : $s_4 \succ s_1$	$s_4 : 1 \succ 4$
5 : $s_5 \succ s_2$	$s_5 : 2 \succ 5$
6 : $s_6 \succ s_3$	$s_6 : 3 \succ 6$

Take the matching $M = \{(1, s_4), (2, s_5), (3, s_6), (4, s_1), (5, s_2), (6, s_3)\}$. It is weakly stable, as all schools have a top student.

D_M has arcs $\{(1, 5), (2, 6), (2, 4), (3, 4), (4, 1), (5, 2), (6, 3)\}$. We have two possibilities: stable improvement cycle

$$C_1 = \{(1, 5), (5, 2), (2, 6), (6, 3), (3, 4), (4, 1)\}$$

or

$$C_2 = \{(1, 5), (5, 2), (2, 4), (4, 1)\}.$$

It is clear that C_1 is a better choice greedily, as it improves the average rank more. However, that leads to constrained-efficient matching $M_1 = \{(1, s_2), (2, s_3), (3, s_1), (4, s_4), (5, s_5), (6, s_6)\}$.

If we choose cycle C_2 instead, then we reach $M_2 = \{(1, s_2), (2, s_1), (3, s_6), (4, s_4), (5, s_5), (6, s_3)\}$. Then, we have that D_{M_2} still has arcs $\{(3, 6), (6, 3)\}$ which form a stable improvement cycle C_3 . By eliminating this cycle as well, we get $M_3 = \{(1, s_2), (2, s_1), (3, s_3), (4, s_4), (5, s_5), (6, s_6)\}$. Then, $\frac{7}{6} = \text{avgrank}(M_3) < \text{avgrank}(M_2) = \frac{8}{6}$.

We show that checking whether there exists a weakly stable matching M' that improves the average rank compared to an initial weakly stable matching M by at least R is NP-hard.

Theorem 6. MAX-CONSTRAINED-IMPROVE is NP-hard.

4.4 Strategy-Proofness and Constrained Efficiency

A random mechanism is *strategy-proof* if no student can manipulate by misreporting, for any cardinal preferences that are consistent with the students' preferences [16]. Erdil and Ergin [23] illustrate on an example that no strategy-proof, constrained-efficient (in the integral sense) and

stable mechanism exists. Their example satisfies that there exist two constrained-efficient stable matchings, however, students 1 and 2 can both submit a false preference list, which forces that the only constrained-efficient stable matching will be the one that is preferred by them.

For completeness, we describe their example here.

There are three students, 1, 2, 3 and three schools s_1, s_2, s_3 . The preferences of the students are $\succ_1 = \succ_2 = s_2 \succ s_3 \succ s_1$, and $\succ_3 = s_1 \succ s_2 \succ s_3$. The priorities of the schools are $\succ_{s_1} = 1 \succ 2 \succ 3$, $\succ_{s_2} = 3 \succ [1, 2]$ and $\succ_{s_3} = 3 \succ 2 \succ 1$.

The two possible student optimal (and constrained-efficient) stable matchings are $M_1 = \{(1, s_2), (2, s_3), (3, s_1)\}$ and $M_2 = \{(1, s_3), (2, s_2), (3, s_1)\}$. If either student 1 or 2 submits $s_2 \succ s_1 \succ s_3$, then the only constrained-efficient stable matching will be the one among M_1, M_2 that is better for the strategizing student.

Mirroring this, we get the following result using Lemma 1.

Theorem 7. *There is no strategy-proof, ex-post stable, and constrained-sd-efficient random mechanism.*

Proof. By Lemma 1, we get that such a mechanism must output a convex combination of the two constrained-efficient stable matchings. However, as shown by Erdil and Ergin [23], student 1 or 2 (one of them prefers one of the constrained-efficient stable matching to the other constrained-efficient stable matching in the support of the output) can submit a false preference list to ensure that the only constrained-efficient stable matching will be the one he prefers, which by Lemma 1 will also be the unique constrained-sd-efficient matching. This contradicts strategy-proofness. \square

5 A Column Generation Framework

In this section, we introduce a framework to solve the optimization variant of ISCONSTRAINED-SD-EFF, namely to find the ex-post stable random matching of minimal average rank that stochastically dominates a given random matching p . A first possible method is to formulate an integer program with separate decision variables for each of the weakly stable matchings in the support of a random matching q minimizing the average expected rank among all random matchings that sd-dominate p . This formulation is described in Appendix B. However, this formulation is only capable to solve very small instances in practice; it aims to simultaneously find $n^2 + 1$ minimum-weight weakly stable matching, which are NP-hard to generate on their own [38], and finding them simultaneously creates symmetry and causes difficulties in providing useful bounds.

In response, we propose a *column generation* framework. The idea behind column generation is to first generate a subset of the weakly stable matchings, and to then find a convex combination of the matchings in this subset that has minimal average rank while sd-dominating p . Next, in a separate problem, called the *pricing problem*, we verify whether the found solution is optimal over all random matchings (i.e., including random matching with alternative weakly stable matchings in their support). If not, additional weakly stable matchings are generated and the procedure is repeated.

Denote the set of all weakly stable matchings by \mathcal{M} . Let $\tilde{\mathcal{M}} \subseteq \mathcal{M}$ denote a subset of the weakly stable matchings. These could be, for example, the weakly stable matchings that were generated in order to estimate the probabilities of DA with tie-breaking.

The following linear program $[P(\tilde{\mathcal{M}})]$ finds a heuristic solution for the ex-post stable random assignment with minimal rank that stochastically dominates a given random matching p , while only allowing for weakly stable matchings in $\tilde{\mathcal{M}}$ in the decomposition. The decision variables λ_ℓ denote the weight of matching $M_\ell \in \tilde{\mathcal{M}}$ in the final decomposition.

$$[P(\tilde{\mathcal{M}})] \quad \min \quad \sum_{\ell: M_\ell \in \tilde{\mathcal{M}}} \lambda_\ell \left(\sum_{(i, s_k) \in E} M_\ell(i, s_k) \cdot \text{rank}_i(s_k) \right) \quad (1)$$

$$\begin{aligned}
\text{s.t.} \quad & \sum_{\ell: M_\ell \in \tilde{\mathcal{M}}} \sum_{s_{k'}: s_{k'} \succsim_i s_k} \lambda_\ell \cdot M_\ell(i, s_{k'}) \geq \sum_{s_{k'}: s_{k'} \succsim_i s_k} p(i, s_{k'}) \quad ((i, s_k) \in E) & (2) \\
& \sum_{\ell: M_\ell \in \tilde{\mathcal{M}}} \lambda_\ell = 1 & (3) \\
& \lambda_\ell \geq 0 \quad (\ell: M_\ell \in \tilde{\mathcal{M}}) & (4)
\end{aligned}$$

Constraints (2) enforce that the found random matching stochastically dominates p , while Constraints (3) and (4) enforce that a feasible decomposition is obtained. Denote by $\mu_{ik} \geq 0$, and δ the dual variables of Constraints (2), and (3), with $(i, s_k) \in E$. The dual of formulation of $[\text{P}(\tilde{\mathcal{M}})]$ is represented by formulation $[\text{D}(\tilde{\mathcal{M}})]$.

$$[\text{D}(\tilde{\mathcal{M}})] \quad \max \quad \sum_{(i, s_k) \in E} \sum_{s_{k'}: s_{k'} \succsim_i s_k} p(i, s_{k'}) \cdot \mu_{ik'} + \delta \quad (5)$$

$$\text{s.t.} \quad \sum_{(i, s_k) \in E} \sum_{s_{k'}: s_{k'} \succsim_i s_k} M_\ell(i, s_{k'}) \cdot \mu_{ik'} + \delta \leq \sum_{(i, s_k) \in E} M_\ell(i, s_k) \cdot \text{rank}_i(s_k) \quad (\ell: M_\ell \in \tilde{\mathcal{M}}) \quad (6)$$

$$\mu_{ik} \geq 0 \quad ((i, s_k) \in E) \quad (7)$$

Denote by $[\text{D}]$ the dual formulation that contains one constraint of type (6) for each weakly stable matching in \mathcal{M} . We know that the optimal solution of $[\text{P}(\tilde{\mathcal{M}})]$ over the subset $\tilde{\mathcal{M}}$ is optimal over the set \mathcal{M} of *all* weakly stable matchings if its optimal objective value is equal to the optimal objective value of $[\text{D}]$. To verify optimality of a feasible solution of $[\text{P}(\tilde{\mathcal{M}})]$, with dual variables μ_{ik} , and δ , we can check whether there exists a weakly stable matching $M \in \mathcal{M} \setminus \tilde{\mathcal{M}}$ that violates Constraint (6) using the following formulation, which we call the *pricing problem*.

$$\max \quad \sum_{(i, s_k) \in E} \left(\sum_{s_{k'}: s_{k'} \succsim_i s_k} (M(i, s_{k'}) \cdot \mu_{ik'}) - M(i, s_k) \cdot \text{rank}_i(s_k) \right) + \delta \quad (8)$$

$$\text{s.t.} \quad M \in \mathcal{M} \quad (9)$$

If this formulation finds a matching M^* with an objective value strictly larger than zero, then the found solution of $[\text{P}(\tilde{\mathcal{M}})]$ was not optimal over all weakly stable matchings in \mathcal{M} . In response, the found matching M^* is added to the subset $\tilde{\mathcal{M}}$, and the formulation $[\text{P}(\tilde{\mathcal{M}})]$ is solved again. This iterative approach continues until the formulation $[\text{P}(\tilde{\mathcal{M}})]$ finds a solution for which the optimal objective value of the pricing problem is greater than or equal to zero, in which case we have a guarantee that the solution we found in $[\text{P}(\tilde{\mathcal{M}})]$ over the subset $\tilde{\mathcal{M}}$ of weakly stable matchings was optimal over the set \mathcal{M} of all weakly stable matchings.

Alternatively, instead of generating weakly stable matchings by maximizing (8), one could incorporate that interesting weakly stable matchings in $[\text{P}(\tilde{\mathcal{M}})]$ typically have low average rank. An alternative pricing problem that incorporates this consideration more explicitly than model (8)-(9) could have the following shape, where ζ is a parameter.

$$\min \quad \sum_{(i, s_k) \in E} \left(M(i, s_k) \cdot \text{rank}_i(s_k) - \zeta \frac{\mu_{ij}}{\max_{(i', s_{k'}) \in E} \mu_{i'k'}} \right) \quad (10)$$

$$\text{s.t.} \quad \sum_{(i, s_k) \in E} \left(\sum_{s_{k'}: s_{k'} \succsim_i s_k} (M(i, s_{k'}) \cdot \mu_{ik'}) - M(i, s_k) \cdot \text{rank}_i(s_k) \right) + \delta > 0 \quad (11)$$

$$M \in \mathcal{M} \tag{12}$$

Constraint (11) causes this pricing problem to become infeasible when the solution in $[\text{P}(\tilde{\mathcal{M}})]$ is optimal over all weakly stable matchings in \mathcal{M} , as it is equivalent to objective function (8). As such, infeasibility of this alternative pricing problem is an optimality certificate for the column generation procedure.

To enforce that the matching found by the pricing problem is weakly stable, i.e., belongs to \mathcal{M} , several different formulations can be used (see [18] for an overview). We consider constraints imposing so-called *cut-off ranks*, given their overall strong performance (see also [4]).

Let $r_{ij} \in \{1, \dots, c[s_j]\}$ denote the rank of student i in the priorities of school s_j . Note that the lower the rank of a student at a school, the higher her priority is there, so $i' \succ_{s_j} i$ if and only if $r_{i'j} \leq r_{ij}$. Given a matching M , the *cut-off rank* of a school s_j , denoted by y_j^M , is the rank of student with the highest rank at school s_j among those students who are assigned to s_j at M , i.e., $y_j^M = \max\{r_{ij} : M(i, s_j) = 1\}$.

The following sets of constraints will impose that only students who have a rank that is weakly lower than the cutoff rank at a certain school can be admitted there. Let \bar{r}_j denote the number of indifference classes in the priorities of school s_j . We link the cutoff ranks with the induced matching using the following constraints.

$$y_j^M \geq M(i, s_j) \cdot r_{ij} \quad ((i, s_j) \in E) \tag{13}$$

$$r_{ij} \geq y_j^M - \left(\sum_{s_{j'} \succ_i s_j} M(i, s_{j'}) \right) \cdot (\bar{r}_j + 1) \quad ((i, s_j) \in E) \tag{14}$$

These constraints already provide the weak fairness of the induced matching, that is no student can be admitted to a school if another student with higher priority (and thus with lower rank) is rejected. To achieve weak stability, we also have to ensure non-wastefulness, which means that no student can be rejected from a school if a seat is left empty there. We can achieve this by enforcing the cutoff rank of a school to be equal to $\bar{r}_j + 1$ at that school if the capacity of this school is not fully filled by using the following two sets of constraints, where $f_j \in \{0, 1\}$ is an auxiliary binary variable.

$$f_j \cdot c[s_j] \leq \sum_{(i, s_j) \in E} M(i, s_j) \leq c[s_j] \quad (s_j \in S) \tag{15}$$

$$y_j^M \geq (1 - f_j) \cdot (\bar{r}_j + 1) \quad (s_j \in S) \tag{16}$$

$$\sum_{(i, s_j) \in E} M(i, s_j) \leq 1 \quad (i \in N) \tag{17}$$

$$M(i, s_j) \in \{0, 1\} \quad ((i, s_j) \in E) \tag{18}$$

$$f_j \in \{0, 1\} \quad (s_j \in S) \tag{19}$$

In Appendix C, we discuss how this framework can be extended to incorporate *equal treatment of equals*, i.e., impose that students with identical preferences and priorities receive the same assignment probabilities.

6 Computational Experiments

In this section, we evaluate how much can be gained in terms of efficiency by applying the proposed methods both on generated and real-world data.

6.1 Evaluated Methods

We evaluate the following methods. First, let **EE** refer to the random matching that is found by iteratively resolving stable improvement cycles (SICs, Definition 2), starting from the matching found by DA after random tie-breaking, as proposed by Erdil and Ergin [23].

Second, let **X-PIRMES-heur** refer to the random matching that sd-improves upon a random matching X by only using a set $\tilde{\mathcal{M}}$ of sampled matchings, as described in Section 5. We will evaluate three different random matchings which we will sd-improve upon: DA with random tie-breaking (DA, DA with random tie-breaking and resolving the SICs (EE), and the Efficiency Adjusted DA mechanism (EADA) proposed by [33]. In our experiments, the set $\tilde{\mathcal{M}}$ will contain the matchings that were sampled by applying DA to different tie-breaking rules, and the matchings obtained by resolving stable improvement cycles in those matchings. The solution of this method is found by solving formulation $[P(\tilde{\mathcal{M}})]$ (i.e., the first step of the column generation procedure) in Section 5, and is therefore a heuristic. The performance of full column generation framework is evaluated in Section 6.6.

Similarly, let **X-PIRMES-CG** denote the random matching that is found by running the column generation framework from the initial subset $\tilde{\mathcal{M}}$ of sampled matchings while sd-dominating a random matching X .

Lastly, let **X-PIRMES-N** refer to an extension of the column generation method in which N additional weakly stable matchings are sampled and added to the initial subset $\tilde{\mathcal{M}}$.

6.2 Data Generation

We follow the same data generation procedure as [23], implemented through their code, which is available online. In short, let $\ell^i, \ell^j \in \mathbb{R}^2$ denote the locations of the students $i \in N$ and $s_j \in S$, which are generated uniformly at random on $[0, 1] \times [0, 1]$. We refer to a dummy student with average tastes by $i = 0$. The utility of student $i \in N$ for school $s_j \in S$ is determined by

$$U_{ij} = -\beta d(\ell^i, \ell^j) + (1 - \beta)(\alpha Z_{0,j} + (1 - \alpha)Z_{ij}),$$

where $d(x, y)$ denotes the Euclidean distance between points $x, y \in \mathbb{R}^2$, Z_{ij} are i.i.d. normally distributed random variables with mean zero and variance one, and $\alpha, \beta \in [0, 1]$ are input parameters. The parameter α captures the correlation in the students' preferences, and the parameter β captures how sensitive the students' preferences are to locational proximity. Each student is assumed to be in the walk zone of the school closest to them. The priorities of the schools only consist of two indifference classes determined by its walk zone.

6.3 Implementation Details

The assignment probabilities of DA with random tie-breaking are estimated by sampling 1,000 random orderings of the students, and applying DA with single tie-breaking to the resulting instances.² Next, the SICs are resolved for those generated matchings, thus obtaining the initial subset of weakly stable matchings. If $[P(\tilde{\mathcal{M}})]$ cannot find a feasible solution using the matchings in $\tilde{\mathcal{M}}$ to sd-dominate a random matching X , we add an artificial column M^0 with a very high objective coefficient, such that $M_{ij}^0 = 1$ for all $(i, s_j) \in E$. Whenever $\lambda_0 = 0$, column M^0 is removed, and a feasible solution is found. After initial evaluation, we implemented the second variant of the pricing problem, (10)-(12), with ζ set to the currently best found average rank by $[P(\tilde{\mathcal{M}})]$, without imposing the equal treatment of equals constraints in Appendix C. In each iteration of the pricing problem, 500 weakly stable matchings were generated, and the SICs are resolved for each of these matchings, in line with Theorem 1. A time limit of 10 minutes was imposed on the column

²Since Random Serial Dictatorship for house allocation can be viewed as a special case of DA with single tie-breaking, it follows from [10], that computing the ex-ante random matching is #P-complete.




Figure 2: Average fraction of improving students upon DA as a function of α for methods EE and DA-PIRMES-CG, where the shaded areas display the interquartile ranges (25%-75%).

generation for each instance of the generated data. For generated instances, each data point is the average over 10 randomly generated instances. The implementation of SICs was inspired by the published code by Erdil and Ergin [24].³

6.4 Comparison with Erdil & Ergin (2008)

In this section, we replicate the computational experiments in the seminal paper by Erdil and Ergin [23], and evaluate how our proposed solution concept DA-PIRMES-CG performs with respect to their method EE. We evaluate both methods on generated instances with [40 students and 8 schools] and [80 students and 16 schools], $\beta \in [0.2, 0.6]$, and varying values of α .

Figure 2 shows that, for generated data, the fraction of students that improve upon DA is similar for EE and DA-PIRMES-CG when preferences are relatively uncorrelated (i.e., α is low), while substantially more students improve upon DA in DA-PIRMES-CG than in EE when α is high.

With the fraction of improving students upon DA being similar or higher than in EE, Figure 3 shows that the expected improvement in rank upon DA for the improving students is substantially higher for DA-PIRMES-CG than for EE. For 80 students, $(\alpha, \beta) = (0.4, 0.2)$, for example, on average, students can be assigned to a school that is on average 1.05 spots higher on their preference list compared to DA, while EE only realizes an average improvement in rank of 0.74 spots. Note that, because the warm start of DA-PIRMES-CG is the random matching EE, DA-PIRMES-CG will always have a lower expected rank than EE. In general, optimality could not be proven in 10 minutes of computation time, except for 80% of the instances with 40 students and $\beta \in \{0.8, 1\}$.

³We identified a bug in the code by Erdil and Ergin [24], which caused it to sometimes return matchings that were not weakly stable. Demeulemeester [19] discusses this in more detail, and proposes a modified implementation.




Figure 3: Average improvement in rank *among improving students* compared to DA as a function of α for methods EE, and DA-PIRMES-CG, where the shaded areas display the interquartile ranges (25%-75%).

Note that our proposed solution concept can be applied to any ex-post stable random matching. In Appendix D, we include the computational results of method EE-PIRMES-CG, which sd-improves upon EE. In general, while the fraction of improving students is similar in EE-PIRMES-CG and DA-PIRMES-CG, the average rank improvement in EE-PIRMES-CG is slightly smaller than in DA-PIRMES-CG, because of the reduced solution space.

6.5 Comparison with EADA

We also evaluate the method EADA-PIRMES, which aims to dominate the expected outcome of the Efficiency-Adjusted Deferred Acceptance (EADA) mechanism by Kesten [33]. In short, EADA allows students to waive their priorities at certain schools whenever this does not affect their own assignment. As a result, the EADA-matching may be unstable.

In Example 1, we showed that there exist instances where EADA can be sd-dominated by an ex-post stable random matching. This is remarkable, as EADA itself is not guaranteed to be weakly stable when applied to an instance after tie-breaking. Figure 4 evaluates how frequently EADA can be sd-dominated by ex-post stable random matchings for generated data by evaluating EADA-PIRMES-CG. The figure displays the improvement in average rank, among improving students, compared to DA, but only for those instances where EADA-PIRMES-CG could identify an ex-post stable random matching sd-dominating EADA. We can see that when preferences are relatively uncorrelated (i.e., α is low), EADA-PIRMES-CG manages to identify an ex-post stable random matching with a lower average rank than EADA. The improvement in expected rank by EADA-PIRMES-CG is lower than for DA-PIRMES-CG, because of the reduced solution space.




Figure 4: The left axis displays the average improvement in rank *among improving students* compared to DA as a function of α , averaged over all instances where EADA could be sd-dominated upon by EADA-PIRMES-CG. The right axis and the dotted line display the fraction of the instances in which EADA could be sd-dominated upon. The shaded areas display the interquartile ranges of EADA-PIRMES-CG and EADA (25%-75%).

6.6 Evaluation Column Generation

To evaluate the performance of the column generation framework with a time limit of 10 minutes per instance, we compare it to two alternative methods. DA-PIRMES-heur only solves the first step of the column generation by including the initially generated subset of weakly stable matchings. DA-PIRMES-10000 additionally includes the results of EE for 10,000 random tie-breakings to then solve the column generation.

Figure 5 displays the average rank improvement upon the column generation procedure DA-PIRMES-CG for both methods. Note that positive values indicate an average rank that is lower than DA-PIRMES-CG in expectation. DA-PIRMES-10000 performs better on average than DA-PIRMES-CG with a time limit of 10 minutes, but especially for instances with 40 students, the size of this improvement is relatively limited.

At the same time, the column generation procedure outperforms the simple heuristic DA-PIRMES-heur, and obtains an improvement of around 0.06 in average rank across all parameter values. Nevertheless, the heuristic DA-PIRMES-heur still realizes substantial improvements in average rank in comparison to EE, and can therefore be a valuable method in practice, especially for larger instances, or when computational power is limited.

6.7 Estonian Kindergarten Data

To evaluate the performance of the proposed methods on real-world data, we first consider the 2015 kindergarten allocation in Harku, Estonia [49, 15]. The data contains the strict preferences of 152 families over 7 schools with a total capacity of 155 seats. Moreover, the data contains the




Figure 5: Average rank improvement *among improving students* with respect to DA-PIRMES-CG as a function of α for methods DA-PIRMES-heur, and DA-PIRMES-10000 (positive values indicate lower expected rank), where the shaded areas display the interquartile ranges (25%-75%).

distance between the students' homes and the schools, as well as whether the student has a sibling at the school they are proposing to.

To determine the priorities of the kindergartens, we consider two different methods. First, we denote by SIB the policy that gives the absolute highest priority to students who have a sibling at a given school. Denote by NOSIB the policy that does not take sibling information into account. Regarding the distance, the RELDIST method gives the same priority to all students who rank a school in the same rank in their preferences, and gives higher priority to students who rank a school higher than other students. Alternatively, DIST3 gives the same priority to all students who rank a school in their first three choices, and ranks them above all students who rank that school fourth or worse. Combining these sibling- and distance related policies, we obtain four methods to determine the priorities of the kindergartens: SIB-RELDIST, NOSIB-RELDIST, SIB-DIST3, and NOSIB-DIST3. Note that SIB-RELDIST results in the priorities with the least ties, while NOSIB-DIST3 results in the priorities with the most ties.

Table 1 shows the findings of our computational experiments for the Estonian data set. First, both DA-PIRMES-heur and DA-PIRMES-CG improve substantially upon EE: for three of the four priority structures, both the fraction of improving students, as well as their average rank improvement are higher. Consider, for example, priority structure NOSIB-DIST3. While 11% of the students improve upon DA under EE, DA-PIRMES-CG manages to realize improvements for 69% of the students. At the same time, the average improvement in rank is also six times higher in DA-PIRMES-CG, compared to EE. For the fourth priority structure, NOSIB-RELDIST, the fraction of improving students doubles, while the average rank improvement *among improving students* is similar in DA-PIRMES-CG and EE. Note that, because we minimize the average rank, it is possible that DA-PIRMES-CG obtains a lower fraction of improving students than

Table 1: Average rank, fraction of improving students upon DA (% stud. impr.), average rank improvement *among improving students* upon DA (Avg. impr.), and average number of blocking pairs (# BP) for different methods in data Estonian kindergartens, for different priority structures.

	SIB-RELDIST				SIB-DIST3			
	Avg. rank	% stud. impr.	Avg. impr.	# BP	Avg. rank	% stud. impr.	Avg. impr.	# BP
DA	1.7586	–	–	0	1.7603	–	–	0
EE	1.7508	10%	0.0741	0	1.7602	3%	0.0020	0
DA-PIRMES-heur	1.7298	24%	0.1183	0	1.7473	35%	0.0373	0
DA-PIRMES-CG (8 hours)	1.7281	24%	0.1251	0	1.7450	36%	0.0430	0
DA-PIRMES-100000 (8 hours)	1.7278	26%	0.1171	0	1.7392	35%	0.0606	0
EADA	1.6924	28%	0.2393	30.0	1.7302	45%	0.0673	27.7
	NoSIB-RELDIST				NoSIB-DIST3			
	Avg. rank	% stud. impr.	Avg. impr.	# BP	Avg. rank	% stud. impr.	Avg. impr.	# BP
DA	1.7613	–	–	0	1.7497	–	–	0
EE	1.7489	11%	0.1107	0	1.7492	11%	0.0046	0
DA-PIRMES-heur	1.7377	24%	0.0972	0	1.7319	66%	0.0268	0
DA-PIRMES-CG (8 hours)	1.7367	23%	0.1041	0	1.7297	69%	0.0290	0
DA-PIRMES-100000 (8 hours)	1.7355	24%	0.1061	0	1.7177	62%	0.0518	0
EADA	1.6510	38%	0.2943	74.3	1.6758	57%	0.1291	73.8

DA-PIRMES-heur (e.g.NoSIB-RELDIST).

Second, we observe that the column generation can improve upon the heuristic DA-PIRMES-heur, but that the size of the improvement with eight hours of computation time is relatively limited. Third, the results for DA-PIRMES-100000 show that sampling more matchings initially may capture (limited) extra improvement in average rank, thus illustrating the potential to remove inefficiencies of our approach. Fourth, EADA obtains random matchings with lower average ranks, but the resulting matchings contained a considerable number of blocking pairs for all priority structures. EADA-PIRMES-heur could not sd-improve upon EADA in any of the four priority structures, thus clearly illustrating the tradeoff between stability and efficiency.

7 Conclusions

From a theoretical perspective, we show that testing whether a random matching is constrained-sd-efficient is coNP-complete. This is in stark contrast with the polynomial complexity of testing constrained-efficiency of deterministic matchings, and the polynomial complexity of testing sd-efficiency of random matchings.

From a practical perspective, we propose the *Smart Lottery with Ex-Post Stability* (PIRMES) mechanism, which sd-dominates the expected outcome of a given random matching (e.g., DA with random tie-breaking) without sacrificing ex-post stability. By using advanced optimization techniques such as column generation, we illustrate how this mechanism, applied to DA with random tie-breaking, can substantially reduce the average rank in practical school choice instances in comparison to standard methods to resolve Pareto-inefficiencies in, such as the Erdil and Ergin method which resolves inefficiencies after ties have already been broken.

Future Directions Inspired by the size of the realized efficiency gains, it would be interesting to explore the adaptation of smart lotteries for other applications where inefficiencies exist due to random tie-breaking, such as college admission and resident allocation with ties in the scores, course allocation with coarse priorities, etc. We identify three main research directions towards a general framework to facilitate the adaptation of smart lotteries across these applications.

First, the proposed smart lottery framework is extremely flexible, as it can be applied to improve upon other random matchings than DA, use estimated utilities rather than sd-dominance, optimize objective functions other than minimizing the average rank, or impose different ex-post constraints.

Indeed, various variants of smart lotteries have been devised for different applications in the past [17, 7, 20], each with their own subtle differences in these criteria. A unified taxonomy of these smart lottery problems, inspired, for example, by the existing taxonomy of scheduling problems, could structure this growing landscape of problems. Such a taxonomy should include the random matching that is being improved upon (e.g., RSD, DA, ...), whether the random matching is simply decomposed or is also improved upon, and, if so, the objective function (e.g., minimize average rank, maximize neighborhood cohesion, etc.) and the dominance criterion (sd-dominance, estimated utilities) that are used for this improvement, and, lastly, the desired ex-post constraints (e.g., ex-post stability, ex-post Pareto-efficiency, ...). Other ex-ante stability concepts could also be considered [9].

Second, it would be interesting to evaluate the effect of combining different objectives when designing smart lotteries. In kidney exchange programs, for example, it is common for policies to optimize multiple objective functions in a hierarchical or weighted way. Can we, for example, simultaneously obtain improvements in welfare with ex-post stability, while also minimizing the worst-case number of unassigned students [20], and/or maximizing neighborhood cohesion [7]?

Third, the Israeli resident match [17] illustrated that decision-makers are open to implement smart lotteries if ex-ante improvements can be realized. From a pragmatic point of view, how can smart lotteries best be explained to decision-makers in order to facilitate adoption in other settings?

Acknowledgements Haris Aziz is supported by the NSF-CSIRO grant on “Fair Sequential Collective Decision-Making” (RG230833). Péter Biró acknowledges financial support from the Hungarian Scientific Research Fund (OTKA, Grant No. K143858) and the Hungarian Academy of Sciences (Momentum Grant No. LP2021-2). Gergely Csáji is supported by the National Research, Development and Innovation fund, under the KDP-2023 funding scheme (grant number C2258525) and by grant ADVANCED 150556. Tom Demeulemeester acknowledges financial support from the Swiss National Science Foundation (SNSF) through Project 100018-212311.

References

- [1] A. Abdulkadiroğlu and T. Sönmez. School choice: A mechanism design approach. *American Economic Review*, 93(3):729–747, 2003.
- [2] A. Abdulkadiroğlu, P. A. Pathak, and A. E. Roth. The New York city high school match. *American Economic Review*, 95(2):364–367, 2005.
- [3] A. Abdulkadiroğlu, P. A. Pathak, and A. E. Roth. Strategy-proofness versus efficiency in matching with indifferences: Redesigning the nyc high school match. *American Economic Review*, 99(5):1954–1978, 2009.
- [4] K. C. Ágoston, P. Biró, and I. McBride. Integer programming methods for special college admissions problems. *Journal of Combinatorial Optimization*, 32(4):1371–1399, 2016.
- [5] R. K. Ahuja, T. L. Magnanti, and J. B. Orlin. *Network Flows: Theory, Algorithms, and Applications*. Prentice Hall, Englewood Cliffs, NJ, 1993.
- [6] N. Arnosti. Lottery design for school choice. *Management Science*, 69(1):244–259, 2023.
- [7] I. Ashlagi and P. Shi. Improving community cohesion in school choice via correlated-lottery implementation. *Operations Research*, 62(6):1247–1264, 2014.
- [8] H. Aziz and F. Brandl. The vigilant eating rule: A general approach for probabilistic economic design with constraints. *Games and Economic Behavior*, 135:168–187, 2022.
- [9] H. Aziz and B. Klaus. Random matching under priorities: Stability and no envy concepts. *Social Choice and Welfare*, pages 213–259, 2019.

- [10] H. Aziz, F. Brandt, and M. Brill. The computational complexity of random serial dictatorship. *Economics Letters*, 121(3):341–345, 2013.
- [11] H. Aziz, S. Mackenzie, L. Xia, and C. Ye. Ex post efficiency of random assignments. In *Proceedings of the 14th International Conference on Autonomous Agents and Multiagent Systems (AAMAS)*, 2015.
- [12] H. Aziz, P. Biro, G. Csáji, and A. Pourmiri. Ex-post stability under two-sided matching: Complexity and characterization. In *Proceedings of the 17th International Symposium on Algorithmic Game Theory (SAGT)*, 2024.
- [13] H. Aziz, R. Freeman, N. Shah, and R. Vaish. Best of both worlds: Ex ante and ex post fairness in resource allocation. *Operations Research*, pages 1317–1750, 2024.
- [14] M. Bichler and S. Merting. Randomized scheduling mechanisms: Assigning course seats in a fair and efficient way. *Production and Operations Management*, 30(10):3540–3559, 2021.
- [15] P. Biró and J. Gudmundsson. Complexity of finding pareto-efficient allocations of highest welfare. *European Journal of Operational Research*, 291(2):614–628, 2021.
- [16] A. Bogomolnaia and H. Moulin. A new solution to the random assignment problem. *Journal of Economic Theory*, 100(2):295–328, 2001.
- [17] S. Bronfman, N. Alon, A. Hassidim, and A. Romm. Redesigning the israeli medical internship match. *ACM Transactions on Economics and Computation (TEAC)*, 6(3-4):1–18, 2018.
- [18] M. Delorme, S. García, J. Gondzio, J. Kalcsics, D. Manlove, and W. Pettersson. Mathematical models for stable matching problems with ties and incomplete lists. *European Journal of Operational Research*, 277(2):426–441, 2019.
- [19] T. Demeulemeester. Comment on ‘What’s the Matter with Tie-Breaking: Improving Efficiency in School Choice’. Available at SSRN: <http://dx.doi.org/10.2139/ssrn.6181058>, 2026.
- [20] T. Demeulemeester, D. Goossens, B. Hermans, and R. Leus. A pessimist’s approach to one-sided matching. *European Journal of Operational Research*, 305(3):1087–1099, 2023.
- [21] F. Echenique, N. Immorlica, and V. V. Vazirani. *Online and Matching-Based Market Design*. Cambridge University Press, 2023.
- [22] L. Ehlers and T. Morrill. (Il)legal assignments in school choice. *The Review of Economic Studies*, 87(4):1837–1875, 2020.
- [23] A. Erdil and H. Ergin. What’s the matter with tie-breaking? improving efficiency in school choice. *American Economic Review*, 98(3):669–689, 2008.
- [24] A. Erdil and H. Ergin. Replication data for: What’s the matter with tie-breaking? Improving efficiency in school choice, October 2019. URL <https://doi.org/10.3886/E113247V1>. Distributed by Inter-university Consortium for Political and Social Research, Ann Arbor, MI. Accessed on 2026-01-06.
- [25] Y. Faenza and X. Zhang. Legal assignments and fast EADAM with consent via classic theory of stable matchings. *Operations Research*, 70(3):1873–1890, 2022.
- [26] D. Gale and L. S. Shapley. College admissions and the stability of marriage. *The American mathematical monthly*, 69(1):9–15, 1962.
- [27] D. Gusfield and R. W. Irving. *The stable marriage problem: Structure and algorithms*. MIT Press, Cambridge, MA, USA, 1989.

- [28] G. Haeringer. *Market design: auctions and matching*. MIT Press, 2018.
- [29] J. Hein, T. Jiang, L. Wang, and K. Zhang. On the complexity of comparing evolutionary trees. *Discrete Applied Mathematics*, 71(1-3):153–169, 1996.
- [30] G. Hickey, F. Dehne, A. Rau-Chaplin, and C. Blouin. SPR distance computation for unrooted trees. *Evolutionary Bioinformatics*, 4:EBO–S419, 2008.
- [31] A. J. Hoffman and J. B. Kruskal. Integral boundary points of convex polyhedra. In *50 Years of Integer Programming 1958-2008: From the Early Years to the State-of-the-Art*, pages 49–76. Springer, 2009.
- [32] R. W. Irving, D. Manlove, and S. Scott. The hospitals/residents problem with ties. In *7th Scandinavian Workshop on Algorithm Theory (SWAT 2000)*, pages 259–271, 2000.
- [33] O. Kesten. School choice with consent. *The Quarterly Journal of Economics*, 125(3):1297–1348, 2010.
- [34] O. Kesten and U. Unver. A theory of school choice lotteries. *Theoretical Economics*, 10:543–595, 2015.
- [35] D. König. Über graphen und ihre anwendung auf determinantentheorie und mengenlehre. *Mathematische Annalen*, 77(4):453–465, 1916.
- [36] D. F. Manlove. *Algorithmics of Matching Under Preferences*. World Scientific Publishing Company, 2013.
- [37] D. F. Manlove, R. W. Irving, K. Iwama, S. Miyazaki, and Y. Morita. Hard variants of stable marriage. *Theoretical Computer Science*, 276(1–2):261–279, 2002.
- [38] D. F. Manlove, R. W. Irving, K. Iwama, S. Miyazaki, and Y. Morita. Hard variants of stable marriage. *Theoretical Computer Science*, 276(1-2):261–279, 2002.
- [39] N. S. Mendelsohn and A. L. Dulmage. Some generalizations of the problem of distinct representatives. *Canadian Journal of Mathematics*, 10:230–241, 1958.
- [40] P. J. Reny. Efficient matching in the school choice problem. *American Economic Review*, 112(6):2025–2043, 2022.
- [41] A. E. Roth. Deferred acceptance algorithms: history, theory, practice, and open questions. *International Journal of Game Theory*, 36:537–569, 2008.
- [42] A. E. Roth and M. A. O. Sotomayor. *Two-Sided Matching: A Study in Game Theoretic Modelling and Analysis*. Cambridge University Press, 1990.
- [43] A. E. Roth, U. G. Rothblum, and J. H. Vande Vate. Stable matchings, optimal assignments, and linear programming. *Mathematics of Operations Research*, 18(4):803–828 803–828 803–828 803–828, 1993.
- [44] N. Ruijs and H. Oosterbeek. School choice in amsterdam: Which schools are chosen when school choice is free? *Education Finance and Policy*, 14(1):1–30, 2019.
- [45] A. Rusznák, P. Biró, and R. Fleiner. Seat transfers in the course allocation mechanism of eötvös loránd university. In *2021 IEEE 15th International Symposium on Applied Computational Intelligence and Informatics (SACI)*, pages 503–508. IEEE, 2021.
- [46] Q. Tang and J. Yu. A new perspective on Kesten’s school choice with consent idea. *Journal of Economic Theory*, 154:543–561, 2014.

- [47] Q. Tang and Y. Zhang. Weak stability and Pareto efficiency in school choice. *Economic Theory*, 71(2):533–552, 2021.
- [48] C.-P. Teo and J. Sethuraman. The geometry of fractional stable matchings and its applications. *Mathematics of Operations Research*, 23(4):874–891, 1998.
- [49] A. Veski, P. Biró, K. Pöder, and T. Lauri. Efficiency and fair access in kindergarten allocation policy design. *The Journal of Mechanism and Institution Design*, 2(1):57–104, 2017.

A Missing Proofs from Section 4

For some of our NP-hardness reductions, we use the following NP-hard problem.

EXACT 3-COVER
<p>Input: A set $\mathcal{X} = \{a_1, \dots, a_{3n}\}$ of $3n$ elements and $3n$ sets $\mathcal{C} = \{C_1, \dots, C_{3n}\}$, each containing 3 elements, such that each element is covered by exactly 3 sets.</p> <p>Question: Is there an exact 3-cover, that is, a subset $\mathcal{C}' \subset \mathcal{C}$ such that every element is contained in exactly one of them?</p>

The NP-completeness of this restricted version of EXACT-3-COVER was first shown by Hein et al. [29], but only stated explicitly in Hickey et al. [30].

Proof of Theorem 2

Proof. For containment in coNP, it is easy to see that if p is not constrained-efficient, then there is an ex-post stable matching q , which SD-dominates p . Hence, given q , and a decomposition of q into weakly stable matchings (which constitutes a polynomial size witness), we can easily check that (i) q is indeed ex-post stable, and (ii) q SD-dominates p .

To show coNP-hardness, we reduce from the NP-hard EXACT 3-COVER problem. Let $I = (\mathcal{X}, \mathcal{C})$ be an instance of EXACT 3-COVER. We create an instance $I' = (G', c, \succ)$ of ISCONSTRAINED-SD-EFF as follows.

- For each element $a_i \in \mathcal{X}$, we create a gadget A_i , consisting of students $\alpha_i^1, \alpha_i^2, \alpha_i^3$ (they will be referred to as "element agents") and schools β_i^1, β_i^2 .
- For each set $C_j \in \mathcal{C}$, we create a gadget consisting of students $x_j^\ell, v_j^\ell, z_j^\ell, f_j^\ell$ and y_j^ℓ along with schools $c_j^\ell, e_j^\ell, u_j^\ell$ and d_j^ℓ , for $\ell \in [3]$. Schools c_j^ℓ will be referred to as "set agents".
- We create two additional students b_1, b_2 and two additional schools b'_1, b'_2 .

Every school has capacity 1. Let $c_l(a_i)$ denote the set agent c_j^ℓ , such that C_j is the l -th smallest indexed set containing a_i and a_i is the l_i -th smallest index element in C_j . That is, if $C_j = \{a_1, a_2, a_3\}$ and it is the smallest indexed set containing a_2 , then $c_1(a_i) = c_j^2$.

Similarly, let $\alpha(c_j^\ell)$ be the element agent α_i^ℓ , such that a_i is the ℓ -th smallest index element in C_j and C_j is the l -th smallest index set containing a_i . Finally, let $Y = \{y_j^\ell \mid j \in [3n], \ell \in [3]\}$. The preferences and priorities are described in Table 2.

$\alpha_i^\ell :$	$\beta_i^1 \succ \beta_i^2 \succ c_l(a_i)$	$\beta_i^1, \beta_i^2 :$	$[\alpha_i^1, \alpha_i^2, \alpha_i^3]$
$x_j^\ell :$	$d_j^\ell \succ c_j^\ell \succ e_j^{\ell-1}$	$c_j^\ell :$	$[v_j^\ell, \alpha(c_j^\ell), y_j^\ell] \succ x_j^\ell$
$v_j^\ell :$	$u_j^\ell \succ c_j^\ell \succ e_j^\ell$	$e_j^\ell :$	$[v_j^\ell, x_j^{\ell+1}] \succ f_j^\ell$
$y_j^\ell :$	$d_j^\ell \succ b'_1 \succ c_j^\ell$	$d_j^\ell :$	$[y_j^\ell, x_j^\ell]$
$z_j^\ell :$	u_j^ℓ	$u_j^\ell :$	$[z_j^\ell, x_j^\ell]$
$b_1 :$	$b'_1 \succ b'_2$	$b'_1 :$	$[b_2, Y] \succ b_1$
$b_2 :$	$b'_2 \succ b'_1$	$b'_2 :$	$b_1 \succ b_2$
$f_j^\ell :$	e_j^ℓ		

Table 2: The preferences and priorities of the students and schools in Theorem 2. Brackets indicate indifference.

The initial random matching p is described in Figures 6 and 7.

Claim 1. *The random matching p is ex-post stable.*

Proof. First of all, as every element is contained in exactly three sets in I , the bipartite graph $G_I(\mathcal{X}, \mathcal{C}, E_I)$, where the vertices are the sets and elements respectively, and edges represent the




Figure 6: The construction in Theorem 2 for a set $C_j = \{a_{j_1}, a_{j_2}, a_{j_3}\}$ with $j_1 < j_2 < j_3$. The value of each edge is $\frac{1}{3}$ times the number of parallel edges (there is only a single edge in the graph, this is only for visual purposes) for each edge in p . The dashed edges have value 0 in p .




Figure 7: The gadget A_i of an element a_i . Every edge has probability $\frac{1}{3}$.

inclusion relations, is 3-regular. Therefore, it is a union of 3 perfect matchings μ_1, μ_2, μ_3 —a well known result due to Kőnig [35].

Hence, with the help of μ_1, μ_2, μ_3 , we can define three matchings M_1, M_2, M_3 in G' such that in each of them, exactly one of c_j^1, c_j^2, c_j^3 gets matched to an element agent. These are described in Figures 8 and 9.

It is straightforward to verify that all three matchings are weakly stable. If c_j^ℓ does not get a top ranked student (i.e. it gets x_j^ℓ), then all of $v_j^\ell, \alpha(c_j^\ell)$ and y_j^ℓ get a strictly better school. If e_j^ℓ does not get a top ranked student (so receives f_j^ℓ), then both $x_j^{\ell+1}$ and v_j^ℓ get a better school. Schools b'_1, b'_2 always get their best student. Finally, the other schools are completely indifferent and all receive a student. \square

The following claim is the central tool of our hardness proof.

Claim 2. *If q is a random matching that SD-dominates p , then $p(e) = q(e)$ for any edge $e \notin \{(b_1, b'_1), (b_1, b'_2), (b_2, b'_1), (b_2, b'_2)\}$.*

Proof. Let q be a random matching that stochastically dominates p .

1. For the edges $(\alpha_i^\ell, \beta_i^1)$ the statement follows from the fact that β_i^1 is best for all three α_i^ℓ agents, and each gets it with probability $\frac{1}{3}$, so no one can improve it in q without making someone worse in the SD sense. Similarly, as β_i^2 is the second best for all three, it also holds for the $(\alpha_i^\ell, \beta_i^2)$ edges.
2. For edges of type $(\alpha_i^\ell, c_j^\ell)$, it follows from point (1), as each student α_i^ℓ must remain matched with probability 1 in q , and they have no other acceptable school.
3. For edges incident to d_j^ℓ , the statements holds because d_j^ℓ is saturated in p and every student that considers it acceptable, considers it best.




Figure 8: The decomposition of p into three weakly stable matchings, shown by different colors. If C_j was assigned to a_i in matching μ_k ($k \in [3]$) in G_I , where a_i is the l -th smallest index element of C_j , then in M_k , c_j^ℓ is the one from $\{c_j^1, c_j^2, c_j^3\}$ that gets matched to an element agent, in particular to $\alpha(c_j^\ell)$.




Figure 9: The decomposition of p into three weakly stable matchings, shown by different colors. If a_i was assigned to C_j in matching μ_k ($k \in [3]$) in G_I , where C_j is the l -th smallest index set containing a_i , then in M_k , α_i^l is the one from $\{\alpha_i^1, \alpha_i^2, \alpha_i^3\}$ that gets matched to a set agent, in particular to $\alpha(c_j^\ell)$.

4. For edges incident to u_j^ℓ , we get that $q(v_j^\ell, u_j^\ell) \geq \frac{2}{3}$, as u_j^ℓ is the best school of v_j^ℓ and $q(z_j^\ell, u_j^\ell) \geq \frac{1}{3}$ for the same reason. Hence, these edges also must have the same values as p .
5. If $q(y_j^\ell, b_1') > 0$ for some $j \in [3n], \ell \in [3]$, then b_1 and b_2 could not remain matched with probability 1, as they both only consider b_1' and b_2' acceptable, implying $q(y_j^\ell, b_1') = p(y_j^\ell, b_1') = 0$. Hence, for the edges (y_j^ℓ, c_j^ℓ) we must have $q(y_j^\ell, c_j^\ell) = \frac{1}{3} = p(y_j^\ell, c_j^\ell)$, by point (3) and the fact that the y_j^ℓ students must remain matched with probability 1.
6. For the edges incident to c_j^ℓ , we get that $q(x_j^\ell, c_j^\ell) = \frac{1}{3} = p(x_j^\ell, c_j^\ell)$, because x_j^ℓ cannot get more probability for d_j^ℓ by (3) and (5), by c_j^ℓ being his second best and by c_j^ℓ already being matched with probability at least $\frac{2}{3}$ from (2) and (5). It also follows that $q(v_j^\ell, c_j^\ell) = 0 = p(v_j^\ell, c_j^\ell)$.
7. Finally, for the edges incident to e_j^ℓ , we get that $q(v_j^\ell, e_j^\ell) \geq \frac{2}{3}$ and $q(f_j^\ell, e_j^\ell) \geq \frac{1}{3}$, so the probabilities must remain the same on these edges as in p , as the probability of being assigned cannot decrease for any students.

The only remaining edges of G' are the ones in the statement of the claim. \square

By Claim 2 we obtain that the only possible way to stochastically dominate p is to increase the probability on the edges $(b_1, b_1'), (b_2, b_2')$ by some number $\varepsilon > 0$ and decrease by ε on the edges $(b_1, b_2'), (b_2, b_1')$.

Claim 3. *If there exists an ex-post stable random matching q that stochastically dominates p , then there exists an exact 3-cover in I .*

Proof. As we have already observed, this implies that $q(b_1, b_1') > 0$ and $q(e) = p(e)$ for $e \notin \{(b_1, b_1'), (b_1, b_2'), (b_2, b_1'), (b_2, b_2')\}$. Hence, if q is ex-post stable, then we must have a weakly stable matching M in the support of q that contains (b_1, b_1') .

As b_1' prefers any $y_j^\ell \in Y$ to b_1 , we get that every y_j^ℓ must be matched to a better partner than b_1' , so to d_j^ℓ in M .

Observing the probabilities in the gadgets A_i , it is easy to see that in any weakly stable matching in the support of q , two of $\alpha_i^l, l \in [3]$ are matched to β_i^1, β_i^2 and one of them to a c_j^ℓ agent. Hence, for each element a_i , exactly one α_i^l element agent is matched to a set agent.

Suppose that an element agent α_i^l is matched to a set agent c_j^ℓ , but $c_j^{\ell-1}$ is not matched to an element agent. Then, as $c_j^{\ell-1}$ is matched with probability 1, we get that $(x_j^{\ell-1}, c_j^{\ell-1}) \in M$. As M is weakly stable, but $(c_j^{\ell-1}, v_j^{\ell-1})$ does not block M , we get that $v_j^{\ell-1}$ must be matched to $u_j^{\ell-1}$ in M . Hence, we get that in M , x_j^ℓ must be unmatched and $e_j^{\ell-1}$ must be matched to $f_j^{\ell-1}$ as $q(x_j^\ell, e_j^{\ell-1}) = 0$. However, this implies that $(x_j^\ell, e_j^{\ell-1})$ blocks M , a contradiction.

Therefore, we also obtain that for each set C_j , if one of its c_j^ℓ set agents get matched to an element agent α_i^l , then all three of them do. Hence, we obtain that there must exist an exact 3-cover in I . \square

Claim 4. *If there exists an exact 3-cover in I , then there exists an ex-post stable random matching q stochastically dominating p .*

Proof. Suppose that there exists an exact 3-cover $\mathcal{C}' \subset \mathcal{C}$. Then, let q be the random matching we get by setting $q(b_1, b_1') = q(b_2, b_2') = \frac{1}{3}$, $q(b_1, b_2') = q(b_2, b_1') = \frac{2}{3}$ and $q(e) = p(e)$ otherwise.

It is easy to verify that q stochastically dominates p .

As observed before, the bipartite graph $G_I = (\mathcal{X}, \mathcal{C}, E_I)$, where the vertices are the sets and elements respectively, and edges represent the inclusion relations, is 3-regular, therefore, it is a union of 3 perfect matchings μ_1, μ_2, μ_3 . If we remove the edges corresponding the assignment of the elements in the exact 3-cover \mathcal{C}' and the vertices of these sets, we get a bipartite graph $G'_I = (\mathcal{X}, \mathcal{C} \setminus \mathcal{C}', E'_I)$, where each element-vertex has degree 2 and each set-vertex has degree 3.

We claim that in this graph G'_I , there is an edge set such that every element-vertex is incident to exactly one edge and every set-vertex is incident to one or two edges. To see this, create two




Figure 10: The three matchings in the decomposition of q , denoted by different colors for a set C_j *within* the exact 3-cover. The red one corresponds to the exact 3 cover \mathcal{C}' , while the blue and green ones are the ones constructed from E_1 and E_2 .




Figure 11: The three matchings in the decomposition of q , denoted by different colors, for a set C_j *not* in the exact 3-cover. The red one corresponds to the exact 3 cover \mathcal{C}' , while the blue and green ones are the ones constructed from E_1 and E_2 .

copies of every set-vertex $\mathcal{C} \setminus \mathcal{C}'$, and connect them to the same element-vertices. We show that Hall's condition is satisfied for \mathcal{X} . For any subset $\emptyset \neq X \subset \mathcal{X}$, there are $4|X|$ incident edges to X now. All of these edges are incident to some vertex in the neighborhood $N(X)$. Suppose for the contrary that $|N(X)| < |X|$. As at most $3|N(X)| < 3|X| < 4|X|$ edges can be incident to $N(X)$, this is a contradiction.

Hence, there is a matching that covers \mathcal{X} , so every element-vertex. By the existence of μ_1 , there is also a matching that covers at least one copy of every set-vertex in $\mathcal{C} \setminus \mathcal{C}'$. Hence, there is a matching that covers \mathcal{X} and also at least one vertex of any set by the Mendelsohn-Dulmage theorem [39] (which states that for a bipartite graph (A, B, E) , if $X \subseteq A$ can be covered by a matching and $Y \subseteq B$ by another matching, then so can $X \cup Y$).

Thus, such a matching gives a set of edges E_1 in G'_I such that every element-vertex is incident exactly one edge and every set-vertex is incident to one or two edges. Hence, after removing the edges of this matching from G'_I too, we are left with an edge-set E_2 that also satisfies that every element-vertex is covered and every set-vertex has one or two incident edges.

We use these two edge sets E_1, E_2 , to define 3 matchings M_1, M_2, M_3 , illustrated with different colors (red, blue and green) for a set in the exact 3-cover in Figures 10 and for a set not in the exact 3-cover in Figure 11. In M_1 , the set agents corresponding to the exact 3-cover all get their corresponding element agents and none of them does in M_2 and M_3 . In M_2 and M_3 , for each set not in the exact 3-cover, one or two of its set agents get an element agent as defined by E_1 and E_2 and none of them does in M_1 . (If it is not c_j^1 who is the only set agent obtaining an element agent in M_2 or M_3 , then we cyclically permute the edges to get M_2 and M_3 - the construction is symmetric).

In the A_i gadgets, if α_i^l is the one matched out in M_j to a set agent, then α_i^{l+1} is matched to β_i^1 and α_i^{l-1} is matched to β_i^2 in M_j , the same way as in Figure 9.

It is easy to verify that $q = \frac{1}{3}(M_1 + M_2 + M_3)$.

Also, it is easy to see that all three are weakly stable. Since most schools are indifferent among most students, the only possibilities for a blocking is when e_j^ℓ is matched to f_j^ℓ , but $x_j^{\ell+1}$ is unmatched; or when x_j^ℓ is matched to c_j^ℓ and v_j^ℓ is matched to e_j^ℓ , none of which happen in any of M_1, M_2, M_3 . Finally, edges incident to b'_1 and b'_2 also do not block in any of the matchings, because when b'_1 obtains b_1 in M_1 , then each better student (b_2 and Y) get matched to their top choice. \square

The coNP-hardness now follows from the above claims. \square

Proof of Theorem 6

Proof. Containment in NP is trivial, as it is easy to check if a matching M' is weakly stable and Pareto-improves the students from M .

To show NP-hardness, we reduce from COM-SMTI. Let $I = (U, W; E; (\succ_u)_{u \in U}, (\succ_w)_{w \in W})$ be an instance of COM-SMTI with $|U| = n$. We further assume that every preference list is at most 3 long. This version remains NP-hard [38]. Also, assume $n \geq 4$ without loss of generality.

We create an instance I' of MAX-CONSTRAINED-IMPROVE as follows.

- We have students i and i' for all $u_i \in U$.
- We have schools s_j, s'_j for all $w_j \in W$ with capacity 1.
- We have n^2 dummy students d_1, \dots, d_{n^2} and dummy schools t_1, \dots, t_{n^2} .

Hence, we have $N = \{i, i' \mid i \in [n]\} \cup \{d_i \mid i \in [n^2]\}$ and $S = \{s_j, s'_j \mid j \in [n]\} \cup \{t_j \mid j \in [n^2]\}$.

Next, we describe the preference profile in I' .

- The preferences of a student i is obtained from \succ_{u_i} by substituting w_j with s_j , then appending $t_1 \succ t_2 \succ \dots \succ t_{n^2} \succ s'_i$.
- The preferences of a student i' is $s'_i \succ s_i$.
- For a school s_j , the priority list is obtained from \succ_{w_j} by substituting u_i with i with the addition that student j' is strictly preferred to all of them.
- For a school s'_j , it has priority list $j \sim j'$.
- A dummy student d_i only finds t_i acceptable and t_i has priority list $d_i \succ 1 \succ 2 \succ \dots \succ n$.

Let $R = \frac{n^3}{n^2+2n}$ and let the initial weakly stable matching be $M = \{(i, s'_i), (i', s_i) \mid i \in [n]\} \cup \{(d_i, t_i) \mid i \in [n^2]\}$. M is weakly stable, as every school obtains a student it ranks highest. We show that there exists a stable matching M' Pareto-improving M for the students with $\text{avgrank}(M) - \text{avgrank}(M') \geq R$ if and only if I admits a complete weakly stable matching.

For the first direction, suppose there is a complete stable matching μ in I . Let $\mu' = \mu \cup \{(i', s'_i) \mid i \in [n]\} \cup \{(d_i, t_i) \mid i \in [n^2]\}$. As μ was stable, it is easy to see that so is μ' . It is also easy to see that μ' is a Pareto improvement for the students in I' . Furthermore, the rank of the match for each student i for $i \in [n]$ decreases by at least n^2 , so the average rank also decreases by at least $\frac{n^3}{n^2+2n}$ as needed.

For the other direction, suppose that there is a stable matching M' in I' that Pareto improves the students and $\text{avgrank}(M) - \text{avgrank}(M') \geq R$. Then, the sum of the ranks in M' must be at least n^3 smaller than in M . We show that M' restricted to $\{1, \dots, n\} \cup \{s_1, \dots, s_n\}$ corresponds to a complete stable matching in I . First, suppose that some student i does not get a school s_j in M' . By stability of M' , $(d_i, t_i) \in M'$ for $i \in [n^2]$. Hence, using that the preference lists of $u_i \in U$ have length at most 3, the sum of ranks can only decrease by at most $n + (n-1)(n^2+3) \leq n^3 - n^2 + 4n - 3 < n^3$ as $n \geq 4$ (the first term is the maximum decrease for students $i', i \in [n]$ who can each decrease their rank by at most 1). This shows that M' must give a matching in I that is complete. Weak stability also follows from the weak stability of M' and the correspondence between the preferences in I and I' . \square

B An Integer Programming Formulation

In this section we provide an integer programming formulation to decide if an (ex-post stable) random matching p is constrained-efficient, and if not, find an ex-post stable random matching q that minimizes the average rank of the students among all random matchings that sd-dominate p . First of all, by adding a dummy school s_{m+1} with capacity $c[s_{m+1}] = |N|$ that is acceptable to every student, but is strictly worse than any other acceptable schools, we can assume that any weakly stable matching is student-perfect, so any random matching that is ex-post stable assigns every student with probability 1.

To enforce that q sd-dominates p , and is a lottery over feasible matchings and has minimal expected rank, we include the following constraints

$$\min \quad \sum_{(i, s_j) \in E} q(i, s_j) \cdot \text{rank}_i(s_j) \quad (20)$$

$$\text{s.t.} \quad \sum_{l=1}^{n^2+1} \lambda_l \cdot M_l(i, s_j) = q(i, s_j) \quad ((i, s_j) \in E) \quad (21)$$

$$\sum_{l=1}^{n^2+1} \lambda_l = 1 \quad (22)$$

$$\lambda_l \geq 0 \quad (l \in [n^2 + 1]) \quad (23)$$

$$\sum_{s_{j'}: s_{j'} \succsim_i s_j} q(i, s_{j'}) \geq \sum_{s_{j'}: s_{j'} \succsim_i s_j} p(i, s_{j'}) \quad (i, s_j) \in E \quad (24)$$

$$\sum_{s_j \in A(i)} M_l(i, s_j) = 1 \quad (i \in N, l \in [n^2 + 1]) \quad (25)$$

$$\sum_{i \in A(s_j)} M_l(i, s_j) \leq c[s_j] \quad (s_j \in S, l \in [n^2 + 1]) \quad (26)$$

$$M_l(i, s_j) \in \{0, 1\} \quad ((i, s_j) \in E, l \in [n^2 + 1]) \quad (27)$$

$$M_l \text{ is weakly stable} \quad (l \in [n^2 + 1]) \quad (28)$$

Constraints (21)-(23) ensure that q is a convex combination of the M_l , $l \in [n^2 + 1]$ weakly stable matchings. By Carathéodory's theorem, we can assume that $n^2 + 1$ matchings suffices. Constraints (24) ensure that q sd-dominates p . Lastly, Constraints (25)-(27) ensure that the matchings in the lottery are feasible. To impose that the matchings in the lottery are weakly stable (Constraints (28)), we could impose Constraints (13)-(19) based on cut-off ranks for each matching M_l , $l \in [n^2 + 1]$, as described in detail in Section 5.

Note that Constraints (21) are not linear as both λ_l and $M_l(i, s_j)$ are decision variables. One possible way to linearize these constraints is by replacing them with the following set of constraints, which use auxiliary variables $z_l(i, s_j)$ for each matching M_l , $l \in [n^2 + 1]$, and for each $(i, s_j) \in E$.

$$z_l(i, s_j) \leq \lambda_l \quad ((i, s_j) \in E, l \in [n^2 + 1]) \quad (29)$$

$$z_l(i, s_j) \leq M_l(i, s_j) \quad ((i, s_j) \in E, l \in [n^2 + 1]) \quad (30)$$

$$z_l(i, s_j) \geq \lambda_l - (1 - M_l(i, s_j)) \quad ((i, s_j) \in E, l \in [n^2 + 1]) \quad (31)$$

$$z_l(i, s_j) \geq 0 \quad ((i, s_j) \in E, l \in [n^2 + 1]) \quad (32)$$

$$\sum_{l=1}^{n^2+1} z_l(i, s_j) = q(i, s_j) \quad ((i, s_j) \in E) \quad (33)$$

If $M_l(i, s_j) = 1$, then Constraints (29) and (31) enforce $z_l(i, s_j) = \lambda_l$. If $M_l(i, s_j) = 0$, then

Constraints (30) and (32) enforce $z_l(i, s_j) = 0$.

Observe that this formulation contains a lot of symmetry because it aims to find $n^2 + 1$ weakly stable matchings simultaneously. Below, we present two alternative ways to reduce some of this symmetry is to add the following set of n^2 constraints:

$$\sum_{s_j \in A(1)} j \cdot M_l(1, s_j) \leq \sum_{s_j \in A(1)} j \cdot M_{l+1}(1, s_j) \quad (l \in [n^2]) \quad (34)$$

By adding these constraints, we rank the matchings by the school to which the first student is assigned.

Alternatively, we could add the following n^2 constraints:

$$\lambda_l \geq \lambda_{l+1} \quad (l \in [n^2]) \quad (35)$$

These constraints will rank the matchings in non-increasing order of the weights with which they are selected in the lottery.

C Extension: Equal Treatment of Equals

The aforementioned model does not explicitly enforce that students with equal preferences and equal priorities at the schools will receive the same assignment probabilities. To incorporate this minimal fairness notion into our solution, we can extend the column generation in the following way.

To formalize which students we consider to be identical, we restrict our attention to students with identical *relevant* preferences. Given a random matching p , let \succ_i^{+p} denote the restricted preference list of agent i which only contains the objects that are more preferred than the least preferred object for which she receives a strictly positive probability in random matching p . Formally, given a random matching p , a student $i \in N$, and two schools $s_k, s_\ell \in S$, it holds that $s_k \succ_i^{+p} s_\ell$ if and only if $s_k \succ_i s_\ell$, and there exists a school $s_r \in S$ such that $p(i, s_r) > 0$ and $s_\ell \succ_i s_r$.

The set of identical student pairs for a given random matching p is modeled by a binary matrix $I^p \in \{0, 1\}^{n \times n}$, where $I_{i,j}^p = 1 = I_{j,i}^p$ if and only if student pair (i, j) are identical with respect to relevant preferences. For any student pair (i, j) and random matching p , $I_{ij}^p = 1$ if

- (a) students i and j have the same restricted preference list, i.e., $\succ_i^{+p} = \succ_j^{+p}$,
- (b) each school in their restricted preference lists is indifferent between students i and j , i.e., $i \sim_{s_k} j$ for each $s_k \in \succ_i^{+p}$.

Note that the values of I^p can be determined in polynomial time by iterating over the students. Clearly, requiring that identical students in I^p be treated identically is weaker than requiring that students with identical preferences and priorities be treated equally.

To ensure equal treatment of students with identical relevant preferences, we add the following constraints to $[\text{P}(\tilde{\mathcal{M}})]$, in order to enforce that each student pair in $\mathcal{I}(p)$ are assigned with the same probabilities:

$$\sum_{\ell: M_\ell \in \tilde{\mathcal{M}}} \lambda_\ell \cdot M_\ell(i, s_k) = \sum_{\ell: M_\ell \in \tilde{\mathcal{M}}} \lambda_\ell \cdot M_\ell(j, s_k) \quad ((i, j) \in \mathcal{I}(p), \text{ with } i < j, (i, s_k) \in E) \quad (36)$$

Denote by η_{ijk} the dual variables of Constraints (36), with $(i, j) \in \mathcal{I}(p)$, and $s_k \in S$. The

modified pricing problem, replacing expressions (8) and (9), then becomes:

$$\max \sum_{(i, s_k) \in E} \left(\sum_{s_{k'}: s_{k'} \succ_i s_k} (M(i, s_{k'}) \cdot \mu_{ik'}) + \sum_{j: (i, j) \in \mathcal{I}(p)} \eta_{ijk} (M(i, s_k) - M(j, s_k)) - M(i, s_k) \cdot \text{rank}_i(s_k) \right) + \delta \quad (37)$$

$$\text{s.t.} \quad M \in \mathcal{M} \quad (38)$$

Remark 1. *Requiring equal treatment of equals might be hard to implement when the random matching p that we are sd-improving upon itself violates equal treatment of equals. This can happen, for example, when approximating the expected outcome of DA with random tie-breaking by sampling uniformly at random the set of tie-breaking rules that are used (following Theorem 4). Consider an instance where two identical students i and j receive the following probability vectors for schools of decreasing order in the approximation \hat{x}^{DA} of DA: $\hat{x}_i^{DA} = (0.51, 0.49, \dots)$ and $\hat{x}_j^{DA} = (0.49, 0.51, \dots)$. Then, there does not exist a random matching that sd-dominates \hat{x}^{DA} while giving the same probabilities to identical agents i and j .*

D Computational Results EE-PIRMES-CG

Figures 12 and 13 are equivalent to Figures 2 and 3, but additionally show the fraction of improving students and their average rank improvement for EE-PIRMES-CG, which sd-improves upon EE instead of upon DA. It can be seen that the fraction of the students who improve upon DA is slightly higher in EE-PIRMES-CG, in comparison to DA-PIRMES-CG. At the same time, the average improvement in rank by EE-PIRMES-CG lies in between the improvements realized by EE and DA-PIRMES-CG.




Figure 12: Average fraction of improving students upon DA as a function of α for methods EE, DA-PIRMES-CG, and EE-PIRMES-CG, where the shaded areas display the interquartile ranges for EE-PIRMES-CG (25%-75%) (see Figure 2 for interquartile ranges EE and DA-PIRMES-CG).




Figure 13: Average improvement in rank compared to DA as a function of α for methods EE, DA-PIRMES-CG, and EE-PIRMES-CG, where the shaded areas display the interquartile ranges for EE-PIRMES-CG (25%-75%) (see Figure 3 for interquartile ranges EE and DA-PIRMES-CG).